Specialist Training in Trauma and Orthopaedics
Curriculum August 2015

Edited by the Training Standards Committee of the British Orthopaedic Association

© All enquiries to: BOA, Royal College of Surgeons of England, Lincoln's Inn Fields, London

Curriculum Development Group 2013-18:

Simon Frostick	Chair of BOA Training Standards Committee Professor of Orthopaedics, University of Liverpool
Steve Bale	Consultant Trauma and Orthopaedic Surgeon, Preston
Tony Banks	Chair of Orthopaedic SAC 2003-2006
Emily Baird	British Orthopaedic Trainees Association, Glasgow
Bhaskar Bhowal	Consultant Trauma and Orthopaedic Surgeon, Leicester
Mark Goodwin	Chairman of the SAC in Trauma and Orthopaedics
Lester Sher	Consultant Trauma and Orthopaedic Surgeon, Northumbria
Catherine Kellett	Consultant Trauma and Orthopaedic Surgeon, Glasgow
Andy Cole	Consultant Trauma and Orthopaedic Surgeon , Southampton
Lisa Hadfield-	BOA Educational Advisor
Law	
Phil Hopgood	Consultant Trauma and Orthopaedic Surgeon, Norwich
David Pitts	Formerly: Associate Director, Orthopaedic Curriculum and Assessment
	Programme
	Formerly: BOA Education Advisor
	Senior Education Adviser, RCSEd
	Director, Creative Learning Associates
Mike Reed	Consultant Trauma and Orthopaedic Surgeon, Northumbria
Francois Tudor	British Orthopaedic Trainees Association, Stanmore
Phil Turner	Consultant Trauma and Orthopaedic Surgeon, Manchester

Authors 2010 curriculum

David Pitts	Project Coordinator OCAP, Associate Director Leadership &
David Pills	Professional Development, RCSEd
W. Angus	SAC Chair, Professor of Orthopaedic & Accident Surgery, University of
Wallace	Nottingham
Nick Clarke	SAC Deputy Chair, Professor of Orthopaedics & Trauma, Southampton
Lester Sher	Head of School of Surgery Northern, T & O Surgeon, Ashington
Mike Reed	SAC Adviser Early Years, T & O Surgeon, Ashington

Authors 2006 curriculum

David Pitts, David I Rowley, Clare Marx, Lester Sher, Tony Banks, Alastair Murray

Acknowledgements

The 2012 T&O Curriculum is the result of the endeavour a large number of people over more than a decade of work. Particular thanks must go to David Pitts who has been involved with the process from the outset and major a significant contribution to this version. A curriculum is an evolving entity and this iteration is a refinement of previous versions. Others will follow and change what has been achieved so far. All are sincerely thanked for their hard work.

Copyright

The contents of this document are the intellectual property of the authors and the copyright rests with the British Orthopaedic Association. No text should be reproduced from this document, in any form, without written permission of the authors or the copyright holders. All material from ISCP is copyright to ISCP.

Questions, Comments, Updates:

Questions and feedback are welcomed.

They should be addressed in the first instance to:

The Chairman of the BOA Training Standards Committee

Email <u>curriculum@boa.ac.uk</u>

Table of contents

PREFACE TO THE 2015 CURRICULUM	<u>5</u>
<u>INTRODUCTION</u>	<u>6</u>
EARLY YEARS TRAINING AND INTERACTION WITH OTHER SPECIALTIES	<u>12</u>
T&O ENTRY REQUIREMENTS TO ST3	<u>14</u>
SPECIFIC KNOWLEDGE/SKILL REQUIREMENTS	<u>16</u>
OVERVIEW OF CURRICULUM	<u>20</u>
SELECTION AND RECRUITMENT	<u>23</u>
SYLLABUS	<u>24</u>
APPLIED CLINICAL KNOWLEDGE SYLLABUS (T&O)	<u>31</u>
APPLIED CLINICAL SKILLS	<u>49</u>
PROFESSIONAL BEHAVIOUR & LEADERSHIP SKILLS	<u>79</u>
LEARNING OPPORTUNITIES	<u>116</u>
ASSESSMENT & FEEDBACK	<u>127</u>
SIMULATION	<u>137</u>
EXIT CRITERIA	<u>144</u>
MANAGEMENT OF QUALITY ASSURANCE (QA) OF PROGRAMME	<u>145</u>
TRAINERS	<u>148</u>
FURTHER WORK AND DEVELOPMENT	<u>149</u>
<u>REFERENCES</u>	<u>151</u>
APPENDICES	
TRAUMA & ORTHOPAEDICS PBA 4: TOTAL KNEE REPLACEMENT	<u>152</u>
PROCEDURE-BASED ASSESSMENT VALIDATION	<u>155</u>
GENERIC PBA TOOL	<u>164</u>
HAND INTERFACE SYLLABUS	<u>167</u>
CORE SURGICAL TRAINING SYLLABUS	<u>185</u>

Preface to the 2015 curriculum

In September 2006 the first Trauma and Orthopaedic (T&O) competence based curriculum was approved by PMETB. In 2010 the present version was completed and approved by PMETB. The main change from the 2006 version was the inclusion of an early years curriculum for CORE training.

The 2015 edition is an attempt to refine the vast amount of work undertaken to write the 2006, 2010, 2013 and 2014 versions and to reflect changes in T&O as well as training in postgraduate medicine in general.

In its regulatory role, the General Medical Council (GMC) has published a number of documents defining various areas of postgraduate training. The Trainee Doctor (GMC, 2011) and Recognising and Approving Trainers: the implementation plan (GMC 2012) in effect form part of the T&O curriculum as they define foundations of training in the UK.

The main change for T&O since the 2010 curriculum has been the merging into ISCP. Although much of the content of the 2015 curriculum is similar to the previous versions there are several areas that are generic to the training of surgeons in general. However, having said that, T&O maintains its identity as one of the largest surgical specialties, and the authors of this curriculum version regard the curriculum as being owned by T&O trainees and trainers.

Trauma and orthopaedics has managed to resist a division of the specialty and so the principle of this curriculum is that all trainees will be trained in the generality of T&O, with an opportunity to develop a specialty interest in the later years of training and indeed post-CCT. Training in trauma is equally as important as training in elective orthopaedics, with the single aim of ensuring that all new CCT holders are able to manage trauma from the day they are appointed as consultants.

Much of the work in this version of the curriculum is a refinement of previous versions but we have focused on the requirement for trainees to extend the range of workplace based assessments (WBAs) that are used for formative assessment and placed a greater emphasis on feedback and reflection in the assessments. There is also a curriculum defined level of involvement in quality improvement projects. Simulation is highlighted as an important aspect of training that will increase in significance over the next 5 years. The evolving relationship between T&O and Plastic Surgery in the training for hand surgeons is specifically identified by the inclusion of the hand interface syllabus.

Introduction

Foreword

What do we expect of the trained trauma and orthopaedic surgeon?

The Specialist Advisory Committee (SAC) in Trauma and Orthopaedic Surgery has already defined the standard which a surgeon would be assessed as having completed their training and at which they might be deemed ready for the award of the Certificate of Completion of Training (CCT).

A surgeon with a CCT will have been trained in the generality of Trauma and Orthopaedics (T&O). They will have been assessed in the competencies laid out in the T&O curriculum. The syllabuses are for the generality of T&O and knowledge and skills will be assessed by the Intercollegiate Specialty Board Examination which trainees are required to successfully complete before the award of a CCT. Trainees will maintain a portfolio which includes evidence of training: learning agreements, workplace based assessments (WBAs), evidence ofcompletion of audits and research and evidence showing attendance at relevant specialty courses and meetings. The portfolio will be assessed at a yearly ARCP (Annual Review of Competence Progression) and in its entiretyat the final ARCP in ST8, prior to the recommendation of the award of CCT.

Towards the end of training in T&O, it is expected that the majority of trainees will have begun to develop a specialist interest. Training in the specialist area will continue after the award of CCT and will be assessed as part of the revalidation process. Therefore, maintenance of the portfolio and logbook after the completion of training is essential, to provide evidence for the revalidation process.

An individual receiving CCT will be able to join and lead a multidisciplinary team which will receive, assess and definitively manage the majority of patients who need emergency care. They will also provide a service for a range of common orthopaedic conditions. In both T&O services the CCT holder will be able to recognise and refer patients for more specialised definitive management. Further, the CCT holder will be committed to lifelong learning to ensure that patient safety is maintained and the quality of treatment provided is the best possible.

Scope & Purpose

Purpose

This curriculum is produced to guide T&O training in the UK by providing accessible information for trainees, trainers and other stakeholders. It aims to make links between the surgical education process as a whole and assessment processes in particular, absolutely clear. It is written bearing in mind that all of its proposals must be feasible in the present workplace, not just in an aspirational future. The curriculum is a technical document written primarily for a professional orthopaedic audience, but it also seeks to provide guidance for all, in particular the general public and patients.

Target Audience

The curriculum is written for all those in training in T&O from ST3 - ST8 and for all those providing training in T&O. In addition the curriculum also provides the guidance for individuals applying for entry on to the Specialist Register via the CESR route.

There are a number of stakeholders for whom this document has been created:

- NHS employers in England, Scotland, Wales and Northern Ireland.
- COPMeD
- JCST and ISCP Management Committee
- CoPSS
- Training Programme Directors in Trauma and Orthopaedics
- BOA Executive and Education Board
- British Orthopaedic Trainees Association (BOTA)
- Joint Committee for the Intercollegiate Examination (JCIE)
- Patient Representatives
- The education committee for the Royal College of General Practitioners.
- Other healthcare professionals groups

Guiding Principles

A radical alternative

The surgical training environment of the last decade has seen major changes that radically affect the amount of time and resources available. Designing a curriculum that merely revised the existing processes was never an option. It was clearly necessary from the beginning to provide a clear structure to what, in many cases, was an unstructured activity.

Engagement with the previous versions of the curriculum has been an issue. Most people are resistant to change, and often to innovation, especially if they have the perception that it may increase their workload. Effective training of postgraduate surgical trainees can only occur in an environment where both trainees and trainers understand what is required and the reasons for imposing a structure where traditionally, surgical training occurred in an unstructured fashion.

Competency focused

The acquisition of operative experience is an important factor in surgical training and so any curriculum to be used "in the workplace" should be competency focused.

Competence may be defined simply as:

"... an individual's ability to perform in the workplace to the required standard ... competencies are the descriptions of the constituent parts of performance which answer the question 'what do people have to do to be effective in various parts of their job?"1

There are debates about the nature or meaning of the word competency. One conceptual standpoint states that a competency is simply a demonstrable ability to do something, using directly observable performance as evidence. Another understands competence as being an: 'holistic integration of understandings, abilities and professional judgments, where 'competence' is not necessarily directly observable, rather it is inferred from performance.2'

The integration of these two views acknowledges a much greater level of complexity within surgical competencies and avoids the problem that individuals may well be able to demonstrate that they can 'do' something, but that does not necessarily mean that they understand what they are doing or why, until they provide evidence for it.

Within our particular competency model we must look not only for the three key domains i.e. knowledge, skills and attitudes, but also for the unique combination of those domains in areas such as judgement and professionalism. The development of judgement and professionalism are key outcomes of surgical training, and allowance must be made to maintain the dynamic tension between the separate aspects of competence in an attempt to allow a clear assessment of whether a trainee possesses sufficient competencies in individual skill areas to prove competence in professional judgement.3

Flexible and easy (intuitive) to use

Day to day delivery of training in T&O will vary between programmes and between trainers. It is intended that the curriculum design will be able to recognise this, whilst providing a consistency of standard and outcome.

Able to adapt to new developments (open architecture)

The curriculum should not be such a 'finished product' that it cannot benefit from work that will not reach maturity before it is already in use. Many innovations, especially in social technology settings, have a lengthy gestation period. From the beginning, every effort has been made to ensure that the curriculum's architecture is sufficiently open to allow synergy with new developments. For example, although T&O has used simulation for many years, this version of the curriculum will embed a requirement for wider use and assessment of simulation within the document.

Adaptable to a variety of contexts

Each programme delivers its T&O service (and training) in an entirely different "geography". If trainees are to learn in the work place, the curriculum tools must in some way take into account this difference between the

Standards in Competence Framework, UK Cabinet publication
 Michael Eraut. Developing Professional Knowledge and Competence. Falmer. 1994:172-181

³ these notes on competence are adapted from work originally written by D. Pitts for the ISCP in consultation with Danae Goodsman

contexts in which they are being assessed. Workplaces differ not only in the facilities for education but also in the length of posts, frequency of supervised sessions and attitudes to training and teaching. ISCP serves as the delivery system for the T&O curriculum, facilitating access to all the components.

One element of the trainee's portfolio

Much surgical training happens in the midst of service delivery and is therefore secondary to the needs of the patient. This may severely limit the window of opportunity during which skills may be observed, discussed, evaluated and reflected upon. The hospital environment may be hostile to finding time and space to meet and talk with trainees. Most surgeons join the profession to perform surgery. They acknowledge the need to train but consider the evaluation of training to be part and parcel of service delivery.

With these considerations in mind we have tried (within the curriculum) to keep materials and systems straightforward and sympathetic to the paucity of time in rapidly changing settings within which to learn complex concepts and skills.

Driven by the trainee

The T&O curriculum requires (and enables) the trainee to take the initiative and responsibility for their own training. The trainer is still the senior partner in the enterprise but the curriculum provides tools to guide the trainee in getting the best from their trainer in a mutually supportive and mature relationship. The trainer must be receptive and sensitive the needs of the trainee.

Useable, valid and reliable

The curriculum is a waste of time unless these three criteria are fulfilled. All are thorny issues made more complex in a setting where service, which quite rightly has the patient as its focus, is the primary learning environment.

Usability

The circumstances in which the curriculum will be used dictate that this area is of primary concern. "It might be valid and reliable but can you use it in a practical situation?" Efforts have been made to ensure that the curriculum can be used in real life contexts, within the constraints of time, user skills and attitudes.

Validity

Questions of validity (truth) may be addressed in several different ways. Does the implementation of the whole process make a valid improvement in the outcomes of training? Are the primary procedures selected for assessments a valid choice? Is the internal structure of each assessment valid in terms of the measures of performance it proposes?

A major problem in this area is the lack of previous measures of training effectiveness. It is impossible to make comparison with anything other than examination results, which only measure a limited area of intellectual competence. Validity remains the key however, and extensive efforts have been made to find answers in this area, not only by detailed validation of primary procedures and Procedure Based Assessments (PBAs) but also by keeping the curriculum in such close proximity to the workplace that face validity is maximised.

Reliability

The curriculum should be understood by all (or most) in the same way. Efforts have been made to base the curriculum in accepted practice, so that a firm foundation of agreement can be laid for the future. Trainers will have to demonstrate competence in the use of the curriculum in the near future with the formal recognition of trainers by the GMC.

Holistic in approach

Communication skills and teamwork are often areas of concern when assessing a trainee. The early identification of these potential problem areas is essential. The tools and materials included in the curriculum are aimed at reducing this problem. However, awareness by training programme directors and individual trainers is also required to ensure that these issues are identified and remedial action taken.

Formative and summative

A fundamental issue in a competency based curriculum is that we have the means to assess trainees that shows progressive improvement in competencies.

Development Process for the Orthopaedic Curriculum

The 2015 version of the curriculum is the next stage of evolution of a document that will continue to change as it has since its inception.

Pre-2001

At this point the T&O curriculum documents were in the form of the BOA's "blue book", syllabus of Clinical Knowledge which has formed the foundation for the current Applied Clinical Knowledge syllabus. This was agreed after extensive consultations by the Education Committee of the BOA in partnership with the Specialist Associations. At this point, a number of experiments were already underway on the use of learning outcomes and development of learning agreements although very little had been produced in a coordinated form. Experimental developments in competence assessment had been undertaken as early as 1994 (Pitts, Ross 1994) and in the latter part of this period, following on from the Bristol enquiry, the JCST formed a Competence Working Party under the chairmanship of Professor Galasko.

2001 - 2006

The JCHST Competence Assessment Working Party met for a three year period under the chairmanship of Professor Galasko. Its recommendations were accepted in 2002.

The recommendations were that surgical competencies should include the following:

- a) Generic or transferable
 - Communication skills
 - Teaching / learning skills
 - Personal effectiveness
 - Management skills

b) Clinical

- Knowledge of basic sciences
- Knowledge of theoretical clinical sciences
- Knowledge of clinical skills
- Decision-making
- Surgical skills
- Post-operative management
- Research

That all trainees should be assessed by means of a portfolio containing the following elements:

- Learning agreements, which should be drawn up by assigned educational supervisors and trainees, paying due deference to the experience of trainees and the facilities available from the training.
- A research portfolio which should follow the current JCST guidelines dealing with personal research, assessment of the research of others and evidence of audit.

Page 10 of 215

- An operative log book, which should demonstrate learning through reflection on complications experienced.
- An accumulation of performance-based assessments derived from ward, clinic and operative exposure
 concentrating on the most common operations performed.
- A reflective diary of meetings attended and locally delivered educational events.
- A competency map linking the methods of delivery, assessment and curriculum content, to ensure no serious gaps.
- That a number of experiments should be encouraged in order to develop materials to support the portfolio process.

The Orthopaedic Competence Assessment Project (OCAP) was established in December 2002 through industrial sponsorship with the aim to "Improve the quality of Higher Surgical Training in orthopaedics through the introduction of a competency based portfolio of coaching and assessment tools". The project brought together materials (and expertise) already in various stages of development and implementation, assembling them as a coherent whole in order to further develop both the materials and the skills needed to use them effectively. The project team, working together with the British Orthopaedic Association and the T & O Specialist Advisory Committee, produced a competency based portfolio of educational tools which were then piloted and validated. This body of work has formed the basis of T&O higher surgical training from August 2005.

2006

An editorial group was convened by the Chair of the T&O SAC to draw together the work that had been done through both OCAP and the BOA to create a fit for purpose orthopaedic curriculum to be submitted for PMETB approval. This working group drew together material from a number of sources to create the 2006 document which formed a focus for considerable discussion, debate and refinement following its approval by PMETB.

2006-2010

The 2010 curriculum was produced in the light of practical experience and requirements, such as including an early years curriculum.

2011-2012

The T&O curriculum has been merged with ISCP so that all trainees are registered with ISCP and are expected to use the tools available.

2013

Reviewed T&O curriculum approved by the GMC on 14th May 2013. The simulation curriculum was approved from 1st October 2013

2014/2015

The Training Standards Committee for T&O submitted a review of the curriculum with minor changes.

Early years training and interaction with other specialties

Progression into higher specialist training in T&O requires trainees to complete Core Training in surgery and demonstrate acquisition of the competencies defined in the Core Training Curriculum. As with many specialties, there are several routes through core training – CT1/2 themed and generic programmes; run through ST1/2 (especially in Scotland) and academic clinical fellows (ACF). The clinical competencies for entry in ST3 are common to all routes. It must be emphasised that it is implicit that trainees in run through programmes (ST1/2 and ACF posts) must demonstrate their clinical competencies at a properly convened ARCP before they can progress to ST3 level.

The list below is examples of clinical problems that can be experienced by core trainees in a number of surgical specialties. Core trainees must use these opportunities to undertake and record appropriate WBAs to demonstrate competency.

- Trauma & Orthopaedics
- Trauma resuscitation
- Approach to multiple injury
- Approach to back pain
- Thromboprophylaxis in T & O
- Approach to the painful joint
- Assessment of the injured joint (knee/shoulder/wrist/hand/ankle)
- Management of open fracture
- Management of painful joint
- Management of painful back
- Cast for wrist fracture / below knee for ankle injury
- Removal of K wire
- Debridement traumatic/infected wound
- Closed reduction +/- k-wiring of a wrist fracture
- Reducing a trochanteric fracture on traction table
- Approach for application of a DHS.
- Approach to distal fibula for fracture.
- Application of a plate to distal fibula
- Application of DHS for inter-trochanteric fracture
- Simple fractures and dislocations
- Soft tissue injuries
- Ankle fractures
- Proximal femoral fractures in the elderly

- Neurosurgery
- Breaking bad news
- Management of spinal cord compression or cauda equina syndrome
- Neurological assessment and initial resuscitation of patient with coma or impaired consciousness
- History and examination of a patient with spinal claudication
- Application of skull traction / burr hole
 / Insertion of intracranial pressure monitor

Plastic Surgery

- The multidisciplinary assessment of management of tibial fractures involving skin loss
- Management of patients developing pressure ulcers

General Surgery

- Superficial sepsis, including necrotising infections
- Venous disease and ulceration
- Nutrition

Page 12 of 215


- Assessment and non-operative management of the burns patient
- Examination of the injured hand
- V-Y advancement / SSG / FTSG / excision & local flap / digital nerve block / primary repair of extensor tendon
- hand / primary repair of flexor tendon of hand / wound exploration & debridement
- Assessment of the acute abdomen history, examination or resuscitation
- Assessment of patients with possible intra-abdominal injuries
- Treatment of benign lesions of skin and subcutaneous tissues
- · Acute arterial insufficiency

T&O Entry requirements to ST3

Entry into core training is defined within the Core Training Curriculum. The person specification for application for ST3 posts in T&O specify a minimum of 10 months training in the specialty and define specific competencies for clinical skills. Core trainees who wish to enter T&O higher training should use the appropriate WBA tools found in this document to record competency in the operative skills required for ST3 entry.

This section of the curriculum also contains checklists for the trainee wishing to enter higher training in T&O. These checklists utilise information listed elsewhere in this curriculum in a format to help the trainee reflect on their actual experience in the various formats of early years training.

Features of jobs and experience to prepare for entry



Job Features			
Summary: A day in the life of	Care of the injured patient		
an early years trainee	Orthopaedic emergencies		
an carry years mannes	Managing patients in an orthopaedic unit		
	An introduction to elective orthopaedics		
Attending referrals in ED as	Will be first on to take calls from ED		
first point of call	Will be supported by a Consultant		
Attending and participating in	Presenting cases at trauma meetings and MDTs		
trauma conferences and	Contributing to the overall management of the patient		
receiving rounds	Treating patients holistically and with dignity		
3	Using direct clinical contact to gain experience and competency		
	Soling direct contributes to gain experience and competency		
Attending the operating theatre	Organising a trauma list		
	Liaising with theatre staff		
	Liaising with radiographers		
	Liaising with anaesthetists		
	Assisting a senior in theatre		
	Carrying out a range of procedures under supervision to include:		
	Fixed angle screw plate for neck of femur fractures (required for ST3 entry)		
	Fixing a simple ankle fracture (required for ST3 entry)		
	Undertaking an Hemiarthroplasty for an intracapsular hip fracture (required for		
	ST3 entry)		
	Treating a distal radial fracture (required for ST3 entry)		
	Other procedures deemed appropriate by the supervising consultant		
Care of the elderly	Dehydration		
	Electrolyte imbalance		
	Common medical problems		
	Arranging for ongoing care		
	Rehabilitation team awareness		
Post-operative patient	Fluid balance		
management on a ward	Post-operative pain management		
	Surgical and medical complications		
	DVT and pulmonary embolism		
Attending fracture clinics	Management of closed fractures		
	Managing complications		
	Requesting appropriate help and advice		
	Communication skills (verbal and written)		
Preadmission assessments	Ensuring that patients are prepared for surgery		
	Following hospital care pathways where defined		
Attending colored cuttors "	Working with others in the MDT to ensure a successful patient journey		
Attending selected orthopaedic	Undertaking a full clinical assessment of orthopaedic conditions presenting to		
clinics	the clinic.		
	Having the opportunity to present the cases to a consultant and discuss the		
	management		
	Complete WBAs that will demonstrate progression in the required competencies.		
Acquiring basic science	Developing a knowledge of anatomy, physiology and pathology relevant to the		
Acquiring basic science knowledge	treatment of T&O patients		
KIIOWIEUYE	I treatment of 100 patients		

Specific knowledge/skill requirements

This section defines in detail the knowledge and experience expected at ST3. It does not seek to define in any way the content of the selection process. It is possible to enter ST3 with gaps in knowledge or experience, this section tries to help trainees to define those gaps which will need to be filled in the early stages of ST3.

The knowledge level expected is indicated on the following four point scale:

- 1. knows of
- 2. knows basic concepts
- 3. knows generally
- 4. knows specifically and broadly

These are difficult terms to define precisely but it will be expected that a practicing surgeon (level 4) will not only be able to apply specific, detailed knowledge of a given condition or technique but also utilise a broad knowledge of T&O and medicine to view any patient's situation holistically. Trainees must demonstrate an appreciation that knowledge changes as research progresses, and so they must also possess and apply the relevant skills to keep themselves up to date.

This is an example of what might be expected at different levels of training:

1. Knows of?

What are the clinical features of a posterior dislocation of the shoulder and what investigations would you undertake?

2. Knows basic concepts?

Describe the different types of posterior dislocation of the shoulder and comment in general terms about the treatment modalities.

3. Knows generally?

Posterior instability and acute and chronic posterior dislocations are a spectrum of disease. Rehabilitation and surgical options may need to be used in the treatment; discuss the options in detail and derive an algorithm that is appropriate to follow.

4. Knows specifically and broadly?

Arthroscopic and open surgical procedures may be appropriate in the treatment of patients with posterior instability and dislocations; discuss the evidence base for the treatment options. In a traumatic posterior dislocation of the shoulder different treatments are required dependent upon the lapse between the episode and when the patient presents for treatment; discuss the options and the likely outcome of the treatments.

The Applied Clinical Knowledge syllabus found in this document defines the expected level of knowledge for each stage of training for T&O conditions.

The skills and procedures have 6 defined levels:

- 0 No experience expected
- 1 Has observed or knows of
- 2 Can manage with assistance
- 3 Can manage whole but may need assistance
- 4 Able to manage without assistance including potential common complications

This scale has been changed from previous versions of the curriculum, in line with other surgical specialties.

OVERVIEW AND PRIORITIES FOR ENTRY INTO ST3

The detailed elements required in knowledge and application of knowledge should be reviewed in three areas which may be summarised as follows:-

Core training

In the first two years, trainees will focus on the competencies defined in the Core Training Curriculum. Each post approved for core training must be capable of facilitating the acquisition of the core competencies. It is essential that all trainees demonstrate their acquisition of knowledge and its application, by acquiring the Intercollegiate MRCS examination. Progression to ST3 is dependent on the completion of all requirements as defined in the person specification for entry into ST3 in T&O.

Basic trauma

The main objective for T&O training at core level is the development of skills in the management of trauma. By the end of core training, trainees wishing to enter ST3 in T & O must show competence in the overall management of simple and common trauma episodes. They should also be part of the trauma team involved in the management of major and complex trauma. Specifically, they must be able to manage a limited range of techniques involved in treating fractures around the hip and simple internal fixations around the ankle or wrist. In terms of operative fixation, this small selection contains common technical problems. The techniques utilised to resolve them are representative of the types and levels of skills which give an indication of a trainee's fitness to proceed to ST3.

Broader trauma and elective experience

It is likely that core trainees will also encounter a wide range of elective and trauma experience over and above the basic requirements. It is important that such experience is used when available, reflected upon in the portfolio and supported by appropriate reading across the range of topics indicated in the curriculum.

Core trainees in T&O should be given the opportunity to perform, under supervision, the following procedures as defined by the curriculum: DHS, hemiarthroplasty, ankle fracture fixation, and MUAs with application of cast. They should be allocated to units that ensure supervised attendance at a minimum of 20 fracture/trauma based clinics, in 6 months.

All trainees in Core Surgery should attend 5 consultant supervised sessions of 4 hours, one consultant ward round and should be involved in the management of patients presenting as an emergency, at least once each week

ASSESSMENT EVIDENCE REQUIRED

The assessment strategy is illustrated below

MSF	FRCS (T&O) PBA CBD CEX	Specialist Later Years
Knowledge test (MRCS) MSF	DOPS CBD CEX	Early years Generic

Trainees at all levels should use a variety of assessment tools. There may be a different emphasis on the type and number of each at different levels of training. However, trainees must utilise a relevant tool to demonstrate competency across all aspects of their professional performance. In addition to those shown in the figure, all trainees must also initiate multi-source feedback at the points in their training defined by the GMC.

LEARNING AGREEMENTS

ISCP requires that all trainees complete learning agreements for each period of training and that the discussions are recorded in the portfolio. Trainees must be prepared to provide evidence of reflective practice.

WORKPLACE BASED ASSESSMENTS

Core trainees are expected to demonstrate their knowledge and clinical skills by the completion of workplace based assessments (WBA). Specific requirements are defined in the Core Training Curriculum. In order to be eligible for entry into higher training, core trainees must achieve the levels in specific clinical skills as defined in the person specification for entry into ST3 in T&O. Core trainees should use the relevant WBA for these competencies. Core trainees should complete 40 WBAs and 1 MSF to provide evidence that they have met the requirements for entry into higher specialist training.

FORMAL KNOWLEDGE ASSESSMENT

Before the end of core training we will expect a trainee to demonstrate knowledge in the basic sciences relevant to surgery in general, anatomical knowledge of sufficient depth to facilitate training in T & O and specific pathophysiological and biomechanical knowledge relevant to musculoskeletal surgery.

Successful completion of the intercollegiate MRCS examination is **obligatory** for entry into ST3.

Overview of Curriculum

T&O surgery is a specialty, which encompasses the management of acute injuries and conditions and elective practice covering both congenital and acquired disorders of the bones, joints and their associated soft tissues, including ligaments, nerves and muscles.

Most consultants contribute to an emergency trauma service. The vast majority of surgeons also have a specialist elective interest in orthopaedic conditions often based on an anatomical region of the body including the following:

- Hip surgery
- Knee surgery (bony and soft tissue)
- Ankle and foot
- Upper limb (shoulder and elbow)
- Upper limb (hands)
- Spine
- Bone tumour surgery
- The surgery of childhood
- Rheumatoid surgery
- Complex trauma surgery

A minority of surgeons have very highly specialised practices in one of these areas and a proportion do not take part in general trauma surgery.

The award of a Certificate of Completion of Training (CCT) occurs at the completion of training once the trainee has demonstrated a range of generic medical skills including team working and communication as well as evidence of competency in the generality of T&O surgery. All trainees are required to have successfully completed the intercollegiate specialty examination before they are awarded their CCT. By the time they acquire the CCT they may already have developed a special interest in one of the above areas.

RECRUITMENT INTO TRAUMA AND ORTHOPAEDICS

The recruitment process into ST3 is managed and delivered by Health Education England with specialist advice and support from the SAC in T&O, overseen by the Lead Postgraduate Dean for T&O.

PROGRAMME OF TRAINING

Progress from core training to higher training in T&O is defined in the Core Training Curriculum. All trainees wishing to pursue higher training must have completed a minimum of 10 months of posts in T&O before completion of core training. ACF trainees will have 3 years of core training and must fulfil competencies for clinical training as well as research.

ASSESSMENT

Training progression is assessed by the ARCP process, based upon the evidence presented in the portfolio and mapped against the competencies defined in the curriculum. Successful completion of the summative assessments, the intercollegiate MRCS and FRCS (T&O), are required at the appropriate level in training.

A Certificate of Completion of Training (CCT) is awarded at the completion of training once the trainee has demonstrated their competency in the entire range of skills, knowledge and attitudes described in the curriculum and mapped to Good Medical Practice (2013), including competence in the generality of T&O surgery. By the Page 20 of 215

time they acquire the CCT they may already have developed a specialty interest. Specialty interest training may occur either in the later years of the training period, usually ST8, or post-CCT. Specialty interest areas such as spinal surgery are increasingly expecting trainees to have completed a significant amount of post-CCT fellowship training before entering the consultant grade.

CURRICULUM PHASES

The curriculum for T&O training is modular, with the trainee rotating through a series of posts aimed at providing a comprehensive appreciation of the range of disorders likely to present in later professional life.

THE INITIAL PHASE (CORE TRAINING)

Core training consists of 2 years (3 years for ACF trainees) with an emphasis on training in surgery in general but with a significant amount of specific training in T&O. Core trainees wishing to pursue a career in T&O are also encouraged to secure posts in other surgical specialties relevant to T&O, such as plastic surgery and neurosurgery. Further, core trainees wishing to enter T&O at ST3 level are encouraged to be involved in audit and research relevant to T&O.

ST3-6 TRAINING

This phase of training provides the fundamental basis to training in the generality of T&O. During this phase trainees will develop knowledge, skills, judgement and professionalism in all areas of T&O with an equal weighting being given to trauma and orthopaedics. Trainees must be allocated to posts in the major specialty interest areas – hand surgery, spinal surgery and children's T&O during this period. The trainees must gather evidence supporting their achievements, including WBAs (recommended 50% operative skills and 50% others), audit, research and attendance at courses and meetings. This phase represents 4 indicative years of training. An important outcome of this phase of training is the successful completion of the intercollegiate examination in T&O (FRCS (T&O)) which trainees are expected to sit early in ST7. Training Programme Directors should discourage trainees from undertaking the intercollegiate examination during ST3-6 as they are unlikely to be suitably prepared.

THE FINAL PHASE (ST7-8)

During this phase of training, trainees may have the opportunity of developing a specialty interest. However, in ST7-8 this will serve as an introduction to such an interest and the trainee must expect to continue developing their specialist skills in the initial post-CCT years, either by undertaking a specialist fellowship or by working closely with a senior colleague. For some trainees and indeed in some training programmes, specialty interest fellowship may not be possible until after acquisition of CCT.

The successful completion of the intercollegiate examination is required in this phase of training. A CCT will not be awarded without passing the examination.

Further, trainees must maintain their skills in the generality of trauma during ST7/8 so they can provide a general trauma service from day 1 on appointment as a consultant. The trainees must have an up-to-date ATLS provider certificate or an equivalent assessment.

THE OUTCOME OF TRAINING

The acquisition of a CCT will define an individual who could work in a multidisciplinary team and an individual at this stage should seek active mentoring from a more experienced T&O surgeon.

A newly appointed consultant in T&O with CCT should be able to accept responsibility for the reception and initial management of the majority of unselected trauma cases and to be able to triage trauma admissions appropriately including the onward referral to more specialist trauma care. They will deal with the majority of these cases definitively. They may, in particular hospitals, be part of the trauma team dealing with the initial management of major and complex trauma, including the resuscitation of such patients using appropriate protocols.


In the final phase of training, although the CCT holder may already have proven competencies in one or more of the specialty interest areas, further acquisition of knowledge, skills, judgement and professionalism in the area of interest will continue for the whole career. The CCT holder will continue to be assessed at consultant level through the revalidation process ensuring they are maintaining competency in all areas of patient care with which they are involved.

Selection and Recruitment




Selection in T&O is by a nationally agreed process managed and organised by Health Education England. In 2011 and 2012 recruitment was managed nationally but with local selection procedures based upon national agreed criteria. Since 2013 recruitment into ST3 has been via a single national process.

ENTRY REQUIREMENTS FOR TRAINING AT ST3 LEVEL



It is important that the knowledge, skills, judgement and professionalism, acquired during core training, that are required to be able to train and then practice as an orthopaedic surgeon are identified and assessed as part of the selection process. The diagram above summarises desirable attributes in an individual wishing to train in T & O. The portfolio completed during core training will provide much of the evidence outlined in the diagram. It is also accepted that some individuals who wish to enter ST3 in T&O may have followed a route other than foundation and core training. Their applications are welcome and will be judged using the same criteria.




OVERVIEW

The syllabus specifically supporting T & O has three distinct elements which capture the skills, knowledge and attitudes (judgement and professionalism) required of a T & O surgeon practicing in a modern health service. All map back to Good Medical Practice (2013), which then permits the whole content to be associated with assessment, making a complete curriculum which can be reviewed for scope and quality. The Professional Behaviour and Leadership Syllabus is part of ISCP and is common to all surgical specialties.

The three T & O components include:-

- Applied Clinical Knowledge: what the trainee needs to know at each level.
- Applied Clinical Skills, including core competencies which are applied in procedures which
 encompass the core of T & O surgical practice, and are tested in a selected group of key (or indicative)
 procedures.
- Professional Behaviour and Leadership.



These three elements are interdependent – for example being skilled manually but a poor communicator is no more acceptable than being indifferently skilled but a good communicator. All domains of the GMC Good Medical Practice (2013) are embodied in these elements.

APPLIED CLINICAL KNOWLEDGE

This component contains that which underpins training in T&O and is essential both to contextualize skills and attitudes acquired in training and in order to practice as a T & O surgeon.

The knowledge level expected is indicated on the following four point scale:

- 1. knows of
- 2. knows basic concepts
- 3. knows generally
- 4. knows specifically and broadly

These are difficult terms to define precisely (see page 17 for an example of the levels of knowledge) but it will be expected that a practicing surgeon (level 4) will not only be able to apply specific, detailed knowledge of a given condition or technique but also utilise a broad knowledge of orthopaedics and medicine to view any patient's situation holistically. Most crucially, trainees must demonstrate an appreciation that knowledge changes as research progresses, and so they must also possess and apply the relevant skills to keep themselves up to date. These skills are defined in the Professional Behaviour & Leadership Syllabus.

APPLIED CLINICAL SKILLS

In the early years of training trainees must acquire core technical skills expected of a surgeon in any discipline (e.g. suturing, soft tissue handling, sterile practice). Moreover, they must acquire the skills relevant to entering higher training in T&O as defined in the Core Training Curriculum and required in the person specification for selection into T&O.

A collection of core competencies have been identified through OCAP. These now form part of the Applied Clinical Skills syllabus (and form the basis for assessment through the primary WBAs).

The trainee must demonstrate the same competency and skill in all procedures they eventually perform as a consultant.

The Applied Clinical Skills syllabus is a reflection of the procedures that have been recorded in the T & O logbook and therefore encountered in routine and specialist T&O practice. In all training programmes trainees should have the opportunity to be exposed to a large selection of the procedures.

Assessment of competency in procedures is dealt with in depth on page 126 of this curriculum. In order to facilitate workplace based assessment (WBA) a number of key (indicative) procedures have been identified. These will be assessed in depth in the Procedure Based Assessment workplace assessment instrument described on page 129. It is essential to realise that these key procedures do not encompass the whole practice of the discipline but do indicate the whole range of skills to be acquired by a competent T & O surgeon. Assessment (PBA) in the key procedures gives evidence as to the quality of a trainee's performance, their overall competence is assessed from this evidence set in the context of their entire logbook (quantity) of procedures. Trainees must make every effort (with the support of their local programme) to experience the scope of the whole procedures list in as much depth as is practicably possible. Trainees and trainers should aspire to a level of mastery and not just core competence.

The skills and procedures have 5 defined levels:

- 0 No experience expected
- 1 Has observed or knows of
- 2 Can manage with assistance
- 3 Can manage whole but may need assistance
- 4 Able to manage without assistance including common potential complications

The "0" level has been included as is applicable to core trainees only. All key procedures assessed by primary PBAs must be mastered to level 4 and the remainder at a level as indicated in the syllabus depending upon the level of training and specialisation.

PROFESSIONAL BEHAVIOUR & LEADERSHIP SYLLABUS

This syllabus can be found as a generic syllabus on ISCP for all surgical specialties.

This syllabus / section incorporates clinical skills alongside general aspects of behaviour as a high grade professional. The two are deliberately integrated to reflect their essential and inseparable nature in day to day practice. They map to Good Medical Practice (2013) and the Academy of Medical Royal Colleges' Leadership syllabus. It cannot be over emphasized how important it is for a T & O surgeon to behave in an all round manner which is nothing less than exemplary at all times.

THE SYLLABUS AT CRITICAL WAYPOINTS

Although training and education in the full scope of the curriculum are progressive and seamless there are convenient waypoints within key stages. At these waypoints the trainee's progress through the syllabus may be helpfully reviewed.

The first waypoint occurs after what is termed "core training". Here, trainees and assigned educational supervisors must be certain that career choice is correct and ability matches aspiration. The generality of surgical knowledge must be mastered and basic skills acquired. Once a higher training post has been secured at the end of this period, the trainee must be comfortable that they have both the motivation and the ability to succeed.

The second waypoint is towards the end of training, after the middle years period, when the generality of the discipline will have been covered and competencies demonstrated. The nature of training in the middle years will be modular and vary in style depending on the nature of local training programmes, which are bound together by the standards set out in this curriculum. During ST7, trainees will sit the FRCS (T&O) examination to demonstrate the required knowledge, judgement and professionalism in the generality of the discipline. Togetherwith a portfolio of evidence of workplace based competency, this will permit the trainee to enter the final stages described below.

In the last part of training, the acquired competencies will be honed into capability through gaining broader experience in the discipline and specific experience in a developing specialist interest converting a competent trainee into a capable and flexible surgeon.

STANDARDS AND VALUES

Mastery

The standards in the three core elements we have described must not be set at the lowest common denominator as "competent". The culture of training programmes and aim of trainees must aspire to "mastery", especially as specialist interests are honed. Mastery requires a continuing self reflection and drive by trainer and trainee alike to achieve the most from assessment and feedback. Self and peer assessment by trainees, followed by constructive feedback from trainers who develop "adult – adult" learning relationships with their trainees will ensure that training programmes "aim high".


Transparency

This syllabus is available to all stakeholders and hopefully presents a clear narrative – there are no separate documents or agenda. To monitor progress, training programme directors will have more information about individual trainees but in general we wish to foster a culture of openness and transparency, whilst respecting personal privacy.

Partnership

The curriculum lays out relationships of the key stakeholders around the premise that the trainee is responsible for their own learning. A mature partnership with assigned educational supervisors and training programme directors is expected and the record of achievement will be explicit.

APPLIED CLINICAL KNOWLEDGE SYLLABUS (TRAUMA & ORTHOPAEDICS)



The Applied Clinical Knowledge syllabus (ACK) in the 2006 and 2010 curricula was based on the original BOA syllabus produced in the 1990s. This syllabus had been written by a series of committees and, as a result the structure of each individual area varied slightly and contained substantial duplication. In the new syllabus we have brought all sections to a common structure and removed, as far as is possible, any duplications. Nothing has been removed from the 2010 syllabus, only reformatted. The process has been a careful and detailed one involving both expert individuals and an expert group. The content of the original syllabus was examined, closely following which a common structure was designed and thoroughly debated by the expert group. All items from the old syllabus were then migrated to the new structure to ensure that nothing was lost. This material was then edited to achieve a concise, uniform format of both content and expression. Each stage of this process was thoroughly debated by an expert group whose members are listed as the authors of this document. Where appropriate, advice was sought from others representing specialty interest groups to confirm the original group's decisions.

Note: The 2007 and 2010 editions of the T&O curriculum defined a level "4s": level of knowledge required for a specialty interest, over and above level 4 knowledge required for the generality of T&O. In this iteration all the levels have been re-mapped by an expert group and reflect the level of knowledge required for each level of training.

An addition for this version of the curriculum is the inclusion of a "critical conditions" section. A critical condition is defined as "any condition where a misdiagnosis can be associated with devastating consequences for life or limb".

All T&O surgeons need to understand the scope of their discipline and, ultimately, to varying degrees of depth depending on their specialty interest in future practice. There is some content that all T&O surgeons must know well and these are delineated in this (ACK) syllabus. It is crucial to realise that knowledge changes. This syllabus

acknowledges that all T&O surgeons cannot know everything about all aspects of their chosen discipline. With this in mind, trainees (like consultants) must reflect on the need to update and change their knowledge base throughout their career. Trainees must not only acknowledge gaps in their knowledge but must fill them using appropriate means alongside self-awareness, humility and commitment.

A trainee must be able to apply the knowledge outlined in this syllabus in the relevant clinical situations. They must be able to demonstrate their competence and justify any action or decision. This syllabus defines the level of knowledge a trainee must achieve at the various stages of their training. These levels are illustrated below by a question that may be asked on a particular topic by an assessor:

1. Knows of?

What are the clinical features of a posterior dislocation of the shoulder and what investigations would you undertake?

2. Knows basic concepts?

Describe the different types of posterior dislocation of the shoulder and comment in general terms about the treatment modalities.

3. Knows generally?

Posterior instability and acute and chronic posterior dislocations are a spectrum of disease. Rehabilitation and surgical options may need to be used in the treatment; discuss the options in detail and derive an algorithm that is appropriate to follow.

4. Knows specifically and broadly?

Arthroscopic and open surgical procedures may be appropriate in the treatment of patients with posterior instability and dislocations; discuss the evidence base for the treatment options. In a traumatic posterior dislocation of the shoulder, different treatments are required, dependent upon the lapse between the episode and when the patient presents for treatment; discuss the options and the likely outcome of the treatments.

Applied Clinical Knowledge Syllabus (T&O)

A trainee must be able to apply the knowledge defined below in the relevant clinical situations. They should demonstrate their competency through the ability to verbalise the knowledge and justify any action or decision.

	Competence Levels			
1 = Knows of	3 = Knows generally			
2 = Knows basic concepts	4 = Knows specifically and broadly			
	Topic	CORE	ST3-ST8	SPECIALTY
APPLIED CLINICAL (BASIC) SCIENCI				
Anatomy				
Clinical and functional anatomy with pat	hological and operative relevance	3	4	4
Surgical approaches to the limbs and ax	·	2	4	4
Embryology of musculoskeletal system		1	3	4
		<u> </u>		Ė
Structure and function of connective	tissue			
Bone		3	4	4
Cartilage - articular, meniscal		3	4	4
Muscle and tendon		3	4	4
Synovium		3	4	4
Ligament		3	4	4
Nerve		3	4	4
Intervertebral disc		3	4	4
Pathology				
Thromboembolism and prophylaxis		3	4	4
Principles of fracture healing		3	4	4
Biology of wound healing		3	4	4
Tendon and ligament injury and healing		2	4	4
Nerve injury and regeneration		2	4	4
Shock - types, physiology, recognition a	nd treatment	3	4	4
Metabolism and hormonal regulation		3	4	4
Metabolic and immunological response	to trauma	3	4	4
Blood loss in trauma/surgery, fluid balan	ce and blood transfusion	3	4	4
Osteoarthritis		3	4	4
Osteoporosis		3	4	4
Metabolic bone disease		3	4	4
Rheumatoid arthritis and other arthropat	hies (inflammatory, crystal, etc.)	3	4	4
Haemophilia		2	4	4
Inherited musculoskeletal disorders		1	3	4
Neuromuscular disorders - inherited and	-	1	3	4
Mechanisms and classification of failure	of joint replacement and of periprosthetic fractures:	1	4	4
Osteonecrosis		2	4	4

Osteochondritides	Τ_1	1	4
Heterotopic ossification	1	4	4
'	2	4	4
Infection of bone, joint, soft tissue, including tuberculosis , and their prophylaxis Prosthetic infection	2	4	4
Surgery in high risk and immuno- compromised patients	3	4	4
Surgery in high risk and inimuno- compromised patients	3	4	14
Prostheses and Orthoses			
Principles of design	1	4	4
Prescription and fitting of standard prostheses	1	4	4
Principles of orthotic bracing for control of disease, deformity and instability	1	4	4
Pain			
Anaesthesia - principles and practice of local and regional anaesthesia and principles of general anaesthesia	2	3	3
Pain management programmes and management of complex regional pain:	2	3	3
Pain and pain relief	3	4	4
Behavioural dysfunction and somatization	1	3	3
Musculoskeletal oncology	_		
Presentation, radiological features, pathological features, treatment and outcome for	1	3	4
common benign and malignant tumours	<u> </u>	ļ -	ļ ·
Principles of management of patients with metastatic bone disease in terms of investigation,	1	4	4
prophylactic and definitive fixation of pathological fractures and oncological management		+	-
Presenting features, management and outcome of soft tissue swellings, including sarcomas	2	4	4
Biomechanics & Biomaterials			
Bone grafts, bone banking and tissue transplantation	1	4	4
Biomechanics of musculoskeletal tissues	1	4	4
Biomechanics of fracture fixation	2	4	4
Tribology of natural and artificial joints	1	4	4
Design of implants and factors associated with implant failure (wear, loosening)	1	4	4
Biomaterials	1	4	4
Genetics and cell biology			
Application/relevance of modern genetics to orthopaedic disease and treatment	1	4	4
Molecular genetics and molecular biology in T&O	2	3	4
Cell biology in T&O	2	3	4
Cellular and molecular basis of wound healing	2	3	4
Diagnostics			
Musculoskeletal imaging: x-ray, contrast studies, CT, MR, ultrasound, radioisotope studies	3	4	4
Assessment of bone mass and fracture risk	3	4	4
Effects of radiation	3	4	4
Blood tests	4	4	4
Kinematics and gait analysis	1	3	4
Electrophysiological investigations	2	4	4

Clinical Environment			
Theatre Design			
Design of theatres	3	4	4
Equipment Design and Use			
Tourniquets	3	4	4
Sterilisation	3	4	4
Infection prevention and control	4	4	4
Patient warming methods and rationale	3	3	3
Skin preparation	4	4	4
Medical Ethics			
Duty of care	4	4	4
Informed consent	4	4	4
Evidence Management			
Data Analysis			
Data analysis and statistics - principles and applications	2	4	4
Principles of epidemiology	2	4	4
Clinical Trials			
Design and conduct of clinical trials	2	4	4
Quality improvement			
Quality improvement projects including principles, methods and reporting	2	4	4
Audit	2	4	4
Clinical governance	2	4	4

FOOT AND ANIZE F			
FOOT AND ANKLE			
Basic Science (Regional)	<u> </u>	1	
Anatomy	ļ		
Anatomy of the foot and ankle and related structures	3	4	4
Surgical approaches: ankle, subtalar joint, mid-tarsal joint and forefoot and arthroscopic	2	4	4
access			<u> </u>
Surgical approach to Weber B ankle fractures	3	4	4
Physiology			
Physiology of nerve function around the foot and ankle	2	4	4
Pathology			
Inflammatory, degenerative and infective conditions of the foot and ankle	2	4	4
Instability of the foot and ankle	1	4	4
The neuropathic foot	2	4	4
·			
Deformity			1
Acquired and developmental deformities of the foot and ankle	2	4	4
	 		+
Pain			-
Causes of foot pain	2	4	4
Cadoco or root pain		1	+
Biomechanics & Biomaterials	1		+
Biomechanics of the foot and ankle	2	4	4
	2	3	
Biomechanics of tendon transfer techniques	2	3	4
Biomechanics of the various types of ankle and first ray prostheses including the factors	1	3	4
influencing design, wear and loosening		1	1
The functional role of orthotic devices	2	4	4
	ļ	-	-
Investigations	<u> </u>	-	<u> </u>
Radiological investigations to assess foot and ankle conditions	2	4	4
Role of diagnostic and guided injections of the foot and ankle	2	4	4
Role of examination under anaesthetic and diagnostic arthroscopy	1	4	4
Neurophysiology in foot and ankle disorders	1	4	4
	ļ		
Critical Conditions	ļ		
Compartment syndrome	3	4	4
Assessments			
History and examination of the foot and ankle including special clinical tests	3	4	4
Treatments			
Operative			
Prosthetic replacement in the foot and ankle	1	3	4
Arthroscopy of the foot and ankle	1	3	4
Amputations in the foot and ankle	2	4	4
Arthrodesis in the foot and ankle	1	4	4
Excision arthroplasty	1	4	4
First ray surgery	1	4	4
Lesser toe surgery	1	4	4
Ligament reconstruction in the foot and ankle	1	4	4
Eigenfort reconstruction in the root and armic	<u>' ' </u>	1 -	

The rheumatoid foot and ankle	1	3	4
The neuropathic foot	1	4	4
Management of tendon, ligament and nerve injuries	1	4	4
Non-operative			
Footwear modifications, orthoses and total contact casting	1	4	4
Rehabilitation of the foot and ankle	2	3	4
Complications			
Management of failed arthroplasty and management of failed soft tissue surgery	1	3	4

VAILE -			
KNEE			
Basic Science (Regional)		1	
Anatomy		1	1
Anatomy of the knee joint and related structures	3	4	4
Surgical approaches to the knee and arthroscopic access	2	4	4
-			
Physiology		+,-	+
Physiology of nerve function around the knee.	2	4	4
Dethalam.			
Pathology		+	1
Inflammatory, degenerative and infective conditions of the knee	3	4	4
Instability of the knee, including the patellofemoral joint	2	4	4
Defermation		1	
Deformity		+	1
Acquired and developmental deformities of the knee	2	4	4
Dain		-	-
Pain		1	1
Causes of the painful knee	3	4	4
Magnicain		1	
Neoplasia Denim and maliment conditions in the kneed and ourrounding structures		A	4
Benign and malignant conditions in the knee and surrounding structures	2	4	4
Biomechanics & Biomaterials			
	1	1	1
Biomechanics of the knee	1	4	4
Biomechanics of knee arthroplasty	1	4	4
Investigations		-	
Radiological investigation to assess the knee	3	4	4
Diagnostic and therapeutic injections	2	4	4
Examination under anaesthetic and arthroscopy	2	4	4
.,,	1	4	4
Neurophysiology in knee disorders	1	4	4
Critical Conditions		+	
Neurovascular injuries	3	4	4
iveurovasculai irijunies	<u> </u>	4	4
Assessments			
History and examination of the knee joint including special clinical tests	3	4	4
Thatory and examination of the knee joint including apecial clinical tests		+ -	7
Treatments		1	
Operative		+	
Arthroplasty of the knee	2	4	4
Arthroscopy of the knee	2	4	4
Ligamentous instability of the knee	2	4	4
Patello-femoral disorders	1	4	4
Meniscal pathology	2	4	4
Degenerative and inflammatory arthritis	2	4	4
Principles of revision surgery for failed arthroplasty	1	4	4
Techniques available to repair and replace articular cartilage	1	4	4
Management of tendon, ligament and nerve injuries	1	4	4
management of tendon, figament and herve figures		4	+
		1	

Non-operative				
Orthoses	1	1	4	4
Rehabilitation of the knee	1	1	3	4
Complications				
Failed arthroplasty and soft tissue surgery	1	1	3	4

HIP			
Basic Science (Regional)	+		
Anatomy	-		
Anatomy of the hip and polyio region and related structures	2	1	1
Anatomy of the hip and pelvic region and related structures	2	4	4
Surgical approaches to the hip including arthroscopic access	2	4	4
Dhysiology	+		
Physiology Physiology of paragraphs of acting the big	1	1	4
Physiology of nerve function affecting the hip	2	4	4
Pathology			
	3	4	4
Inflammatory, degenerative and infective conditions of the hip		1	<u> </u>
Impingement disorders	1	4	4
Primary and Secondary Tumours around the Hip	1	4	4
Deformity			
Acquired and developmental deformity around the hip	1	4	4
Acquired and developmental deformity around the hip	+ '	7	1
Pain	1		
The painful hip	3	4	4
The paintering	 	<u> </u>	
Biomechanics & Biomaterials			
Biomechanics of the hip	1	4	4
Biomechanics of hip arthroplasty	1	4	4
Investigations			
Radiological investigations to assess the hip	3	4	4
Diagnostic and guided injections	2	4	4
Hip arthroscopy	1	4	4
Neurophysiology in hip disorders	2	4	4
1 7 07 1			
Assessments			
History and examination of hip including special clinical tests	3	4	4
Treatments			
Operative			
Arthroplasty of the hip	2	4	4
Arthroscopy of the hip	1	4	4
Soft tissue surgery, osteotomy, osteoplasty and arthrodesis of the hip	1	3	4
Management of tendon, ligament and nerve injuries	1	4	4
Non-operative			
Orthoses	1	4	4
Complications			
Failed arthroplasty and soft tissue surgery	1	3	4

SPINE			
Basic Science (Regional)			
Dusio Golerioe (regional)			
Anatomy			
Development of the spine, spinal cord and nerve roots	2	3	4
Anatomy and principles of surgical approaches: anterior and posterior at each level and		3	4
endoscopic access	1	3	4
endoscopic access			
Physiology			
Physiology of nerve function affecting the spinal cord and emerging nerves	2	4	4
Spinal shock and associated secondary problems	2	4	4
Opinial shock and associated secondary problems		-	7
Pathology Pathology			
The aging spine and degenerative disease	2	4	4
Acute and chronic infections of the spine	1	4	4
		<u> </u>	4
Metabolic conditions affecting the spine	2	4	4
Neurological conditions affecting the spine	1	1	4
		4	
Deformity			
Deformity Operation of the project			
Congenital and acquired conditions causing deformity around the spine e.g. scoliosis and	1	4	4
kyphosis			
Delin		1	
Pain	4	1	4
Causes of the acutely painful back, including referred pain e.g. acute prolapsed disc	1	4	4
Neoplasia			
-	1	4	4
Primary and secondary tumours of the spine	ı	4	4
Biomechanics & Biomaterials			
Biomechanics of the cervical and lumbar spine	1	3	4
Spinal instability as applied to trauma, tumour, infection and spondylolysis/listhesis	1	3	4
Spinal deformity	1	3	4
Spinal instrumentation and internal fixation devices	1	3	4
Use of spinal bracing	1	3	4
Ose of spirial bracing	ı	3	4
Investigations			
Radiological investigations (and their interpretation) used to assess common spine			
conditions	2	4	4
Role of diagnostic and therapeutic injections	1	4	4
Role of biopsy including routes and complications	1	<u> </u>	4
Blood tests	2	4	4
	1	3	4
Electrophysiological studies (including cord monitoring)	1	3	4
Critical Conditions			
Cauda equina syndrome	3	4	4
Spinal trauma - assessment, immediate care and appropriate referral	2	4	4
Infections e.g. tuberculosis	1	4	4
	1	+	-
Important complications of inflammatory spinal conditions - rheumatoid instability and	1	3	4
ankylosing spondylitis Metastatic spinal cord compression	2	1	4
Metastatic spinal cord compression		4	4
The painful spine in the child	1	3	4

SPINE			
Assessments			
History and examination of the painful and injured spine including special clinical tests	3	4	4
Examinations of conditions causing referred symptoms to the spine (e.g. renal pain)	3	4	4
Recognition of somatisation	2	4	4
Assessment of patients after failed spinal surgery for deformity and reconstruction for non- degenerative disease	1	3	4
Treatments			
Operative			
Indications, options and complications for compressive conditions	1	4	4
Indications, options and complications of instability of the spine	1	4	4
Principles of management of tumours around the spine	1	4	4
Principles of management of deformity of the spine	1	4	4
Principles of the application of spinal bracing	1	4	4
Non-operative			
Non-operative treatment of disorders ,such as low back pain, sciatica	1	4	4
Management of spinal fractures e.g. osteoporotic fractures	1	4	4
Principles of interventional radiology in the management of spinal problems	1	4	4
Initial and ward care of the paralysed patient	2	4	4
Complications			
Management of failed spinal surgery	1	3	4
Management of consequences of delayed surgery	2	4	4

HAND			
Basic Science (Regional)			
Anatomy			+
Anatomy Anatomy of the wrist and hand region and related structures	3	4	4
Surgical approaches in the hand and wrist and arthroscopic access	2	4	4
ourgiour approacries in the hand and what and artifloscopic access		-	T T
Physiology			
Physiology of nerve function around the hand	2	4	4
Pathology		1	
Inflammatory, degenerative and infective conditions of the hand and wrist	2	4	4
Dupuytren's disease	2	4	4
-1 - X	-	† •	
Deformity			
Acquired and developmental deformity around the hand and wrist	1	3	4
Pain		1	
The painful hand and wrist	2	4	4
The paintal hand and whot		+	17
Biomechanics & Biomaterials			
Biomechanics of the hand and wrist	1	3	4
Biomechanics of hand and wrist arthroplasty	1	3	4
Investigations			
Radiological investigations to assess the hand and wrist	3	4	4
Neurophysiology of the hand and wrist	2	4	4
Diagnostic and guided injections	2	4	4
Examination under anaesthetic and arthroscopy	2	4	4
Critical Conditions		+	
Compartment syndrome	3	4	4
Comparation dynaronio		+ -	<u> </u>
Assessments			
History and examination of the hand and wrist including special clinical tests	3	4	4
Treatments		+	
Operative			
Prosthetic replacement in the hand and wrist	1	3	4
Excision arthroplasty in the hand and wrist	1	4	4
Arthroscopy of the hand and wrist	1	3	4
Arthrodesis in hand and wrist	1	4	4
Entrapment neuropathies	3	4	4
The rheumatoid hand and wrist	2	3	4
The congenital hand	1	3	4
Dupuytren's disease	1	4	4
Non anarotiva		1	
Non-operative Rehabilitation of the hand and wrist		2	1
	2	3	4
Orthoses	1	4	4
Complications			
	l l	1	1

Failed arthroplasty and soft tissue surgery	1	3	4
ELBOW			
Basic Science (Regional)			
Anatomy			
,	3	4	4
Surgical approaches to the elbow and arthroscopic access	2	4	4
Physiology			<u> </u>
Physiology of nerve function around the elbow	2	4	4
Pathology			
	3	4	4
Instability around the elbow	1	3	4
	3	4	4
Causes of elbow stiffness	1	3	4
Deformity Assumed and developmental deformative around the all-law	4	_	
Acquired and developmental deformity around the elbow	1	3	4
Pain			
The painful elbow	2	4	4
Biomechanics & Biomaterials			. <u> </u>
Biomechanics of the elbow	1	3	4
Biomechanics of elbow arthroplasty	1	3	4
Investigations			
Radiological investigations to assess the elbow	3	4	4
	2	4	4
Examination under anaesthetic and arthroscopy	2	4	4
Neurophysiology in elbow disorders	1	4	4
Assessments			
	3	4	4
Treatments			
Operative			
Arthroplasty of the elbow	1	3	4
Arthroscopy of the elbow	1	3	4
Ligamentous instability	1	3	4
Entrapment neuropathy	2	4	4
Degenerative and inflammatory arthritis	1	3	4
•	2	4	4
The rheumatoid elbow	1	3	4
Non-operative			
Rehabilitation of the elbow	1	3	4
Orthoses	1	4	4
			. <u> </u>
Complications	Į		
Complications Management of the failed arthroplasty and soft tissue surgery	1	3	4

SHOULDER			
Basic Science (Regional)			
Anatomy			
		4	4
Anatomy of the shoulder girdle and related structures	3	4	4
Surgical approaches to the shoulder girdle including arthroscopic access	2	4	4
Di titi			
Physiology		.	
Physiology of nerve function around the shoulder	2	4	4
Pathology			_
Impingement and rotator cuff disorders	1	4	4
Instability and labral pathology of the shoulder	2	4	4
Inflammatory, degenerative and infective conditions of the shoulder girdle	3	4	4
Shoulder stiffness	1	4	4
Deformity			
Acquired and developmental deformity around the shoulder	1	3	4
Pain			
The painful shoulder	3	4	4
Biomechanics & Biomaterials			
Biomechanics of the shoulder girdle	1	4	4
Biomechanics of shoulder arthroplasty	1	3	4
. ,			
Investigations			
Radiological investigations to assess the shoulder	3	4	4
Diagnostic and guided injections	2	4	4
Examination under anaesthetic and arthroscopy	1	4	4
Neurophysiology in shoulder and brachial plexus disorders	1	3	4
Assessments			
History and examination of the shoulder girdle, including special clinical tests	3	4	4
Examination of the brachial plexus	2	4	4
	_		
Treatments			
Operative			
Arthroplasty of the shoulder	1	3	4
Arthroscopy of the shoulder	1	4	4
Soft tissue disorders of the shoulder girdle	2	4	4
Arthrodesis, osteotomy and excision arthroplasty	1	3	4
Reconstructive surgery for brachial plexus and other neurological disorders	1	3	4
Treconstructive surgery for bracilial piexus and other fieurological disorders	 	3	, ,
Non-operative			
Rehabilitation of the shoulder	1	3	4
		_	
Orthoses	1	3	4
O-multi-actions			
Complications	ļ <u> </u>		
Management of failed arthroplasty and soft tissue surgery	1	3	4


TRAUMA			
Basic Science (Regional)			
Anatomy			
Regional anatomy for trauma	3	4	4
Surgical approaches for bone and soft tissue injuries	2	4	4
Approaches for hip fractures	3	4	4
Approaches for Weber B ankle fractures	3	4	4
Physiology			
Physiological response to trauma	3	4	4
Pathology			
Delayed and non-union	2	4	4
Fractures in abnormal bone	3	4	4
Deformity			
Mal-union of fractures	2	4	4
That time! Of Hadding		•	
Pain			
Pain relief in trauma patients	3	4	4
•			
Biomechanics & Biomaterials			
Principles of open reduction and internal fixation/external fixation of fractures	2	4	4
Splintage and traction	2	4	4
Principles of casting	3	4	4
Investigations			
Radiological investigations to assess the injured patient	3	4	4
Critical Conditions			
Compartment syndrome	3	4	4
Neurovascular injuries	3	4	4
Physiological response to trauma	2	4	4
Assassments			
Assessments Initial clinical assessment of the injured patient	4	4	4
Priorities of treatment and identification of life/limb-threatening injuries	2	4	4
Friorities of treatment and identification of life/fillib-tifieaterling injuries		4	4
Treatments			
The trauma team	3	4	4
	1		
Operative			
Fracture management (closed, open and pathological)	3	4	4
Soft tissue management	3	4	4
Amputation	2	4	4
Non operative			
Non-operative Non-operative management of fractures	3	4	4
	3	4	4
Rehabilitation of the injured patient	ა	4	4

TRAUMA			
TRAOMA			
Complications			
Reconstructive surgery in non-unions/mal-unions	2	4	4
			1
Specific fracture areas			1
Spine			
The acute fracture and dislocation	2	4	4
Spinal shock and cord syndromes	3	4	4
Pelvis			
Pelvic/acetabular fracture stabilisation	2	4	4
Recognition of visceral/neurovascular damage	3	4	4
Shoulder			
Clavicle fractures	2	4	4
Proximal humeral fractures	2	4	4
The dislocated shoulder	3	4	4
Brachial plexus and other nerve injuries	1	4	4
Humeral shaft fractures	2	4	4
Eu .			
Elbow Device the least transfer of the state		1	1
Proximal ulnar fractures	2	4	4
Distal humeral fractures	2	4	4
Proximal radial injuries Radius and ulnar shaft fractures	2	4	4
Radius and ulnar snart fractures		4	4
Wrist			
Distal radius fractures	3	4	4
Scaphoid fractures	2	4	4
Carpal injuries	2	4	4
20110			
Hand			
Metacarpal and digital injuries	2	4	4
The mangled hand	2	4	4
Proximal femur			
Proximal femoral fractures	3	4	4
Femoral shaft fractures	2	4	4
Knee and lower leg			
Periarticular fractures around the knee	2	4	4
Tibial shaft fractures	2	4	4
		<u> </u>	
Ankle		 	<u> </u>
Periarticular fractures around the ankle	2	4	4
Weber B ankle fractures	3	4	4
Foot			1
Foot		1	1
Hindfoot injuries	2	4	4

TRAUMA			
Midfoot injuries	2	4	4
Forefoot injuries	2	4	4
The crushed foot	2	4	4
Peri-prosthetic fractures			
Management of fractures around prostheses and implants	2	4	4

PAEDIATRIC ORTHOPAEDIC SURGERY				
Basic Science				
Anatomy				
Growth of bones, physeal anatomy and its application to fracture types and				
pathological processes and infection in particular	2	4	4	
Anatomy of bones and joints in the growing child and its application to growth and				
deformity	2	4	4	
Neurological processes involved in the production of deformity e.g. spina bifida,				
cerebral palsy and muscular dystrophy	1	3	4	
Clinical Assessment				
History and examination of the child	2	4	4	
Involving the parents in the assessment	2	4	4	
Assessing the disabled child	1	3	4	
Investigations				
Indications for plain x-ray, arthrogram, CT, MRI and the how to interpret the images	2	4	4	
Indications for the use of ultrasound and nuclear imaging	2	4	4	
Limitations of investigations in paediatric practice	1	3	4	
Critical Conditions				
The painful his is a shild	2			
The painful hip in a child	2	4	4	
Treatment				
Operative				
Fractures (including non-accidental injury) and growth plate injuries and their sequelae	2	4	4	
Bone and joint infection	2	4	4	
Common childhood orthopaedic conditions, e.g. irritable hip, anterior knee pain	2	4	4	
Slipped epiphysis	1	4	4	
Perthes' disease	1	3	4	
Developmental dysplasia of the hip	1	4	4	
Talipes	1	4	4	
Scoliosis	1	4	4	
Forefoot deformities	1	4	4	
Congenital hand abnormalities	1	3	4	
Osteogenesis imperfecta	2	3	4	
Skeletal dysplasias	1	3	4	
Tarsal coalitions	1	3	4	
Torticollis	1	3	4	
	1	4	4	
Leg length discrepancy				
Leg length discrepancy	•			
Leg length discrepancy Non-operative		0		
Leg length discrepancy Non-operative The treatment of normal variants such knock knees, flat feet, femoral anteversion	1	3	4	
Non-operative The treatment of normal variants such knock knees, flat feet, femoral anteversion Orthoses	1	3	4	
Non-operative The treatment of normal variants such knock knees, flat feet, femoral anteversion Orthoses Rehabilitation of the child	1 1 1	3	4	
Non-operative The treatment of normal variants such knock knees, flat feet, femoral anteversion Orthoses	1	3	4	

Applied Clinical Skills



Recording a surgical skill such as suturing, or taking consent in isolation does not tell us sufficiently well how a professional deals with problems in the round. Neither do we want to simply credential individuals to carry out a particular hip replacement or fix a certain type of fracture. We therefore want to train and assess the ability of the trainee in the context of the whole patient problem and extrapolate that to dealing with problems in general.

Core competencies

The skills syllabus is not simply a list of procedures with their defined levels of competency, but considers each procedure as a whole from the first encounter with the patient preoperatively to their management afterwards and onwards to discharge. Skills are captured as a list in the core domains of consent etc listed below. They are then broken down further within each core domain to explore different elements, some of which may be verbal, involve interpretation or judgment as well as manual ability etc.

The list of procedures correlates with the elogbook structure, which facilitate the electronic monitoring of the trainee's developing experience.

CORE COMPETENCIES – Domains of the Primary PBAs

I Consent

- Demonstrates sound knowledge of indications and contraindications including alternatives to surgery
- Demonstrates awareness of sequelae of operative or non-operative management
- Demonstrates sound knowledge of complications of surgery
- Explains the perioperative process to the patient and/or relatives or carers and checks understanding
- Explains likely outcome and time to recovery and checks understanding

II Pre-operative planning

- Demonstrates recognition of anatomical and pathological abnormalities (and relevant co-morbidities)
 and selects appropriate operative strategies/techniques to deal with these e.g. nutritional status
- Demonstrates ability to make reasoned choice of appropriate equipment, materials or devices (if any) taking into account appropriate investigations e.g. x-rays
- · Checks materials, equipment and device requirements with operating room staff
- Ensures the operation site is marked where applicable
- Checks patient records, personally reviews investigations

III Pre-operative preparation

- Checks in theatre that consent has been obtained
- Gives effective briefing to theatre team
- Ensures proper and safe positioning of the patient on the operating table
- Demonstrates careful skin preparation
- Demonstrates careful draping of the patient's operative field
- Ensures general equipment and materials are deployed safely (e.g. catheter, diathermy)
- Ensures appropriate drugs administered
- Arranges for and deploys specialist supporting equipment (e.g. image intensifiers) effectively

IV Exposure and closure

- Demonstrates knowledge of optimum skin incision / portal / access
- Achieves an adequate exposure through purposeful dissection in correct tissue planes and identifies all structures correctly
- Completes a sound wound repair where appropriate
- · Protects the wound with dressings, splints and drains where appropriate

V Intra operative Technique

- Follows an agreed, logical sequence or protocol for the procedure
- Consistently handles tissue well with minimal damage
- Controls bleeding promptly by an appropriate method
- Demonstrates a sound technique of knots and sutures/staples
- Uses instruments appropriately and safely
- Proceeds at appropriate pace with economy of movement
- Anticipates and responds appropriately to variation e.g. anatomy
- Deals calmly and effectively with unexpected events/complications
- Uses assistant(s) to the best advantage at all times
- Communicates clearly and consistently with the scrub team
- Communicates clearly and consistently with the anaesthetist

VI Post-operative management

- Ensures the patient is transferred safely from the operating table to bed
- · Constructs a clear operation note
- Records clear and appropriate post-operative instructions
- Deals with specimens. Labels and orientates specimens appropriately

VII Feedback and reflection

- The trainer will provide constructive feedback.
- The trainee will record his or her reflections on the procedure.

Procedures

The required skills remain broadly the same as in previous editions of the curriculum. The Curriculum Development Group recognised a consistent and constant expansion of procedure descriptions in the eLogbook, including some repetition. Therefore, it was decided to group similar procedures into more generic categories which does not detract from the mapping of the syllabus to the eLogbook. It attempts to future-proof it by allowing more flexibility in the detailed description of a procedure.

Each change has been carefully examined and thoroughly debated by both the Curriculum Development Group and individual specialists in order to ensure that nothing has been lost in making this section of the curriculum fit for purpose. The new syllabus section is intended to replace the previous section found on pages 8-17 to 8-27 of the 2010 Curriculum and pages 4-25 to 4-32 of the 2007 Curriculum.

T & O is a surgical specialty covering a massive spectrum of treatment options. No consultant T&O surgeon can be an expert in all areas of T&O. Similarly, trainees cannot be expected to attain the highest levels of competence for all the procedures covered in the applied clinical skills syllabus. However, in line with other surgical specialties, the curriculum group has removed the "s" addition to level 4 as it appeared in the 2010 curriculum.

Level 4 is defined as the ability to manage a complete a procedure, including the most common complications without needing assistance.

Applied Clinical Skills: General

A trainee must be able to demonstrate their competence in the procedures below at the appropriately marked level and stage of training.

Competence Levels

	Competence Levels			
0 = No experience expected	3 = Can manage whole but may need assistance			
1 = Has observed or knows of	4 = Able to manage without assistance including po complications	tential	comm	n
2 = Can manage with assistance				
		T	1	Ī
	Topic	ORE	T3-ST8	

Topic	CORE	8T3-ST8
Trauma General		
Compartment syndrome		
Measurement of compartment pressures	1	4
Fasciotomy for compartment syndrome (any site)	 1	4
MISCELLANEOUS	0	4
Correction of malunion or other deformity	0	7
Evacuation of haematoma	2	4
Excision / ablation of ingrowing nail	2	4
Iliac crest bone graft harvesting	2	4
Removal foreign body from skin / subcutaneous tissue	2	4
Infection		
Incision and drainage of abscess	3	4
Irrigation and debridement native joint for infection	1	4
Metalware and frames		
Application of external fixator (not spanning or Ilizarov)	0	4
Application of Ilizarov frame	0	3
Application of skeletal traction	1	4
Application of spanning external fixator	0	4
Removal external fixator or frame	2	4
Removal K wires or skeletal traction	2	4
Removal metal	2	4
Neurovascular injuries		
Arterial repair +/- graft	0	1
Nerve repair	0	3
1		
Open reduction and fixation of periprosthetic fracture	0	3
ORIF osteochondral fragment in joint	0	3

Topic	CORE	ST3-ST8
Tendon repair	1	4
	_	
Wound management		
Free flap	0	1
Full thickness skin graft	0	3
Muscle flap	0	1
Pedicle flap	0	1
Split skin graft	0	3
Transposition flap Wound closure	0	1
	3	4
Wound debridement	3	4
Floative Constal (Cita New Constitio)		
Elective General (Site Non-Specific)		
Aspirations / injections		4
Aspiration / injection ankle joint	0	4
Aspiration / injection elbow joint	0	4
Aspiration / injection foot joint Aspiration / injection hip joint	0	3
Aspiration/injection hand and wrist	0	4
Aspiration / injection hand and wrist Aspiration / injection knee joint	2	4
Aspiration / injection shoulder joint Aspiration / injection shoulder joint	0	4
Botulinum toxin injection - musculoskeletal	0	3
Botulinum toxim injection - musculoskeletal	- 0	3
Benign tumour excision (not exostosis)	0	3
Biopsy bone - needle	0	3
Biopsy bone - open	0	3
Currettage pinsites	0	4
Cyst bone curettage +/- bone graft	0	3
Distraction lengthening of bone upper limb	0	2
Endoprosthetic replacement for malignant bone tumour - not femur / humerus / tibia	0	1
Epiphysiodesis	0	1
Exostosis / osteochondroma excision	0	3
Injection of bone cyst	0	1
Malignant tumour excision	0	1
Nerve decompression / neurolysis	2	4
Osteomyelitis excision including sequestrectomy	0	3
Soft tissue procedures		
Biopsy soft tissue	0	3
Bursa excision	0	4
Ganglion excision	0	4
Muscle biopsy	0	4
Release contracture joint	0	3

Topic	CORE	ST3-ST8
Synovectomy	0	3
Tendon decompression	0	4
Tendon lengthening	0	3
Tendon transfer	0	3
Tenodesis	0	3
Amputations		
Forequarter amputation	0	1
Above elbow amputation	0	2
Below elbow amputation	0	2
Finger amputation	0	4
Hindquarter amputation	1	1
Above knee amputation	0	3
Through knee amputation	0	1
Below knee amputation	1	4
Through ankle amputation	0	1
Hindfoot amputation	0	2
Midfoot amputation	0	1
Toe amputation	0	4

Applied Clinical Skills: Spine

A trainee must be able to demonstrate their competence in the procedures below at the appropriately marked level and stage of training.

Competence Levels		
0 = No experience expected	3 = Can manage whole but may need assistance	
1 = Has observed or knows of	4 = Able to manage without assistance including potential common complications	
2 = Can manage with assistance		

Topic	CORE	ST3-ST8
Trauma Spine		
Cervical Spine		
	0	1
Table 10 marter of all total of all total of the	0	1
The state of the s	0	1
тине тине то	0	1
	0	1
	0	1
Posterior fixation fracture / dislocation cervical spine	0	1
Brachial Plexus		
Exploration / repair / grafting brachial plexus	0	1
	0	1
Repair +/- grafting brachial plexus	0	1
Thoracic Spine		
Anterior column reconstruction thoracic spine	0	1
Anterior decompression / fixation thoracic spine	0	1
Anterior decompression thoracic spine	0	1
Posterior column reconstruction thoracic spine	0	1
Posterior decompression / fixation thoracic spine	0	1
Posterior decompression thoracic spine	0	1
Lumbar Spine		
	0	1
	0	1
	0	1
	0	1
	0	1
	0	1
Elective Spine		

	1	
Topic	ORE	ST3-ST8
	8	ST
Cervical Spine		
Anterior column reconstruction cervical spine	0	1
Cervical disc replacement	0	1
Cervical laminectomy	0	1
Cervical laminoplasty	0	1
Cervical vertebrectomy for myelopathy	0	1
Excision hemivertebra	0	1
Fixation and fusion procedures		
Anterior decompression +/- fixation / fusion (C2 - C7)	0	1
Atlantoaxial fixation +/- fusion	0	1
C1 pedicle screws and C2 fusion	0	1
Occipital / cervical / thoracic fusion	0	1
Occipital cervical fusion	0	1
Occipito-cervical fusion +/- fixation	0	1
Posterior decompression +/- fixation / fusion (C2 - C7)	0	1
Transarticular screws C1/C2	0	1
1.4.104.1.04.1.04.1.04.1.04.1.04.1.04.1	<u> </u>	<u> </u>
Investigations and injections		
Biopsy cervical spine	0	1
Discogram	0	1
Epidural	0	1
Nerve root / facet joint injection cervical spine	0	1
Osteotomy for spine sagittal plain imbalance	0	1
Posterior column reconstruction cervical spine	0	1
Revision cervical discectomy	0	1
Thoracic outlet obstruction		
Excision cervical / 1st rib	0	1
Thoracic outlet release (not excision cervical / 1st rib)	0	1
Thoracic outlet release (not excision cervicar/ 1st hb)	0	<u> </u>
Thoracic Spine		
Anterior column reconstruction thoracic spine	0	1
Costoplasty	0	1
Excision hemivertebra	0	1
Fixation or fusion procedures		
Anterior decompression +/- fixation / fusion	0	1
Posterior decompression +/- fixation / fusion	0	1
1 Osterior decompression 7/- ination/ fusion	U	
Investigations and injections		
zzu-ganeno wna mjesneno		1

		1
Topic		2
	R R	ST3-ST8
	COR	ST
Biopsy thoracic spine	0	1
Discogram	0	1
Kyphosis correction		1
Kyphoplasty corpectomy	0	1
Kyphosis correction - anterior and posterior	0	1
Kyphosis correction - anterior only	0	1
Posterior column reconstruction thoracic spine Scoliosis correction - anterior release +/- instrumentation	0	1
Scoliosis correction - anterior release +/- instrumentation Scoliosis correction - posterior fusion +/- instrumentation	0	1
Scollosis correction - posterior lusion +/- instrumentation	+ 0	+ '
Scoliosis correction		
Anterior release + posterior fusion and instrumentation for scoliosis	0	1
Growing rods for scoliosis	0	1
Lengthening of growing rods for scoliosis	0	1
Localiser cast for scoliosis	0	1
Scoliosis correction - anterior release +/- instrumentation	0	1
Scoliosis correction - posterior fusion +/- instrumentation	0	1
Thoracic disc replacement	0	1
Vertebroplasty	0	1
Thoracoscopic spinal procedures +/- instrumentation	0	1
Lumbar Spine		_
Anterior column reconstruction lumbar spine	0	1
Decompression lumbar spine without fusion (not discectomy alone)	0	2
Discectomy open / micro	0	2
Excision hemivertebra	0	1
	+	1
Fixation and fusion procedures		
ALIF	0	1
Decompression lumbar spine with fusion +/- fixation	0	1
PLIF	0	1
TLIF	0	1
	+	
Investigations and injections		
Caudal epidural injection	0	3
Discogram	0	1
Epidural	1	3
Facet joint injection lumbar spine	0	1
Nerve root injection lumbar spine	0	1
Lumbar disc replacement	0	1
Lumbar spine - dynamic neutralisation system	0	1
Osteotomy for spine sagittal plane imbalance	0	1

Topic	CORE	ST3-ST8
Posterior column reconstruction lumbar spine	0	1
Revision lumbar discectomy	0	1
Vertebroplasty	0	1

Applied Clinical Skills: Shoulder

A trainee must be able to demonstrate their competence in the procedures below at the appropriately marked level and stage of training.

Competence Levels		
0 = No experience expected	3 = Can manage whole but may need assistance	
1 = Has observed or knows of	4 = Able to manage without assistance including potential common complications	
2 = Can manage with assistance		

Topic	CORE	ST3-ST8
Trauma Shoulder		
Clavicle		
ORIF clavicle fracture	0	4
ORIF non-union clavicle fracture	0	3
SC joint dislocation closed / open reduction	0	3
SC joint instability/open stabilisation	0	2
Shoulder		
Acromioclavicular joint dislocation acute ORIF	0	3
Anterior dislocation shoulder		
Anterior dislocation shoulder closed reduction	2	4
Anterior dislocation shoulder open reduction +/- fixation	0	3
Fracture proximal humerus		
Fracture proximal humerus hemiarthroplasty	0	3
Fracture proximal humerus interlocking IM nail	0	3
Fracture proximal humerus ORIF	0	3
Glenoid fracture ORIF	0	2
Irrigation and debridement native joint for infection - shoulder	0	2
Posterior dislocation shoulder		
Posterior dislocation shoulder closed reduction	0	3
Posterior dislocation shoulder open reduction +/- fixation	0	3
Scapula fracture ORIF	0	2
Humerus		
Fracture diaphysis humerus		

Tonia	RE	ST3-ST8
Topic	CORI	ST3
Fracture diaphysis humerus non-operative	1	4
Non-union ORIF +/- bone grafting	0	3
Fracture diaphyseal humerus application of external fixator	0	3
Fracture diaphyseal humerus non-union - ORIF +/- bone grafting	0	3
Fracture diaphysis humerus IM nailing	0	4
	_	•
Fracture diaphysis humerus ORIF plating	0	4
Elective Shoulder		
Clavicle		
Osteotomy and internal fixation of clavicle malunion	0	2
Shoulder		
Arthroscopic procedures		
Arthroscopic arthrolysis for capsulitis of shoulder	0	4
Arthroscopic biceps tenodesis	0	2
Arthroscopic subacromial decompression	0	4
Arthroscopic removal loose body - shoulder	-	
Arthroscopy diagnostic - shoulder	0	4
Capsular / rotator cuff repair	0	_
Anterior repair for instability arthroscopic	0	2
Anterior repair for instability open including capsular shift	0	2
Posterior repair for instability including capsular shift	0	2
Rotator cuff repair (arthroscopic) +/- acromioplasty	0	2
Rotator cuff repair (open) +/- acromioplasty MUA shoulder	0	2
Shoulder arthrodesis	0	4
Shoulder artificulesis	0	1
Shoulder arthroplasty		
Hemiarthroplasty shoulder (elective)	0	2
Resurfacing hemiarthroplasty of shoulder	0	2
Reverse polarity (inverse) shoulder replacement	0	2
Shoulder replacement revision	0	1
Total shoulder replacement	0	2
Shoulder girdle procedures		
Acromioclavicular joint excision - arthroscopic / open / lateral clavicle	0	2
Acromioclavicular joint reconstruction (eg Weaver Dunn)	0	2
Acromioplasty open	0	3
Latarjet procedure	0	2
Levator scapulae transfer for trapezius palsy	0	1
Scapulothoracic fusion	0	1

Торіс	CORE	ST3-ST8
Humerus		
Endoprosthetic replacement for malignant bone tumour - humerus	0	1

Applied Clinical Skills: Elbow

A trainee must be able to demonstrate their competence in the procedures below at the appropriately marked level and stage of training.

Competence Levels

complications

3 = Can manage whole but may need assistance

4 = Able to manage without assistance including potential common

0 = No experience expected

1 = Has observed or knows of

2 = Can manage with assistance

Topic	CORE	ST3-ST8
Trauma Elbow		
Elbow		
Application of spanning external fixator	0	2
Capitellum ORIF	0	3
Coronoid fractures		
Coronoid fracture ORIF	0	2
Dislocated elbow +/- fracture:		
Dislocated elbow +/- fracture closed reduction	0	4
Dislocated elbow +/- fracture open reduction +/- fixation	0	3
Intraarticular distal humerus fracture ORIF	0	4
Irrigation and debridement native joint for infection – elbow	0	3
Lateral condyle fracture ORIF	0	4
Medial condyle / epicondyle fracture MUA / percutaneous wire / ORIF	0	4
Olecranon fracture ORIF	0	4
Radial head / neck fracture		
Radial head / neck fracture ORIF	0	3
Radial head excision	0	4
Radial head replacement for fracture	0	4
Supracondylar elbow fracture		
Supracondylar elbow fracture MUA +/- percutaneous wires	0	4
Supracondylar elbow fracture open reduction	0	4
Tendon repairs		
Repair of distal biceps tendon rupture	0	3

Topic	CORE	ST3-ST8
Forearm		
Fasciotomy for compartment syndrome	1	4
Fracture shaft radius / ulna:		
Fracture shaft radius / ulna IM nailing	0	3
Fracture shaft radius / ulna MUA & POP	0	4
Fracture shaft radius / ulna ORIF	0	4
Galeazzi fracture ORIF	0	4
Monteggia fracture ORIF	0	4
Elective Elbow		
Elbow		
Arthrolysis elbow (open/arthroscopic)	0	2
Arthroscopy elbow diagnostic	0	2
Arthoscopy elbow therapeutic	0	2
Arthrotomy elbow	0	4
Excision radial head +/- synovectomy	0	2
OK procedure	0	2
Tennis / golfer elbow release	0	4
Total elbow replacement		
Total elbow replacement	0	2
Total elbow replacement - aseptic revision	0	1
Total elbow replacement for trauma	0	1
Total elbow replacement revision 1st stage	0	1
Total elbow replacement revision 2nd stage	0	1
Ulnar nerve decompression / transposition	0	4
Forearm		
Forearm malunion correction or other deformity	0	1

Applied Clinical Skills: Hand

A trainee must be able to demonstrate their competence in the procedures below at the appropriately marked level and stage of training.

Competence Levels

complications

3 = Can manage whole but may need assistance

4 = Able to manage without assistance including potential common

0 = No experience expected

1 = Has observed or knows of

2 = Can manage with assistance

Topic	CORE	ST3-ST8
Trauma Hand		
Wrist		
Fracture distal radius:	_	
Fracture distal radius – closed non-op	3	4
Fracture distal radius external fixation	1	4
Fracture distal radius MUA & percutaneous wires	3	4
Fracture distal radius ORIF	1	4
Application of spanning external fixator	1	4
Arterial repair - wrist	0	1
Vein repair – wrist	0	1
Carpal fracture / dislocation:		
Carpal fracture / dislocation MUA & percutaneous wires	0	3
Carpal fracture / dislocation MUA & POP	0	3
Carpal fracture / dislocation non-op	0	3
Carpal fracture / dislocation ORIF	0	3
Irrigation and debridement prosthesis for infection – wrist	0	2
Nerve repair - wrist	0	3
Replantation of hand	0	0
Revascularisation of hand	0	0
Scapho-lunate ligament reconstruction	0	2
Scaphoid fracture:	_	_
Scaphoid fracture non-operative	2	3
Scaphoid fracture MUA & percutaneous wires	0	2
Scaphoid fracture non-union ORIF +/- graft (excluding vascularised graft)	0	2
Scaphoid fracture non-union using vascularised graft	0	2
Scaphoid fracture ORIF	0	2
Hand		
1st ray fracture / dislocation		
1st ray fracture / dislocation external fixation	0	2

Topic	CORE	ST3-ST8
1st ray fracture / dislocation MUA & percutaneous wires	0	3
1st ray fracture / dislocation MUA & POP	2	4
1st ray fracture / dislocation ORIF	0	2
5 th Ray fracture / dislocation		
5th ray fracture / dislocation external fixation	0	2
5th ray fracture / dislocation MUA & percutaneous wires	0	3
5th ray fracture / dislocation MUA & POP	2	3
5th ray fracture / dislocation ORIF	0	2
Finger tip reconstruction		
Finger tip reconstruction - advancement flap	0	3
Finger tip reconstruction - cross finger flap	0	3
Finger tip reconstruction - cross iniger hap Finger tip reconstruction - homodigital neurovascular island flap	0	2
Finger tip terminalisation	2	5
Nail bed repair	2	4
Hand compartment syndrome decompression	2	4
Excision / ablation of ingrowing nail		4
Infection		
	0	2
High pressure injection injuries		1
Infection hand drainage (not tendon sheath)	1	3
Infection tendon sheath drainage		3
IPJ fracture / dislocation (PIPJ and DIPJ):	4	0
IPJ fracture / dislocation external fixator	1	2
IPJ fracture / dislocation MUA & percutaneous wires	1	4
IPJ fracture / dislocation MUA +/- POP	2	4
IPJ fracture / dislocation ORIF	0	2
Ligament repair		
Ligament repair hand excluding thumb MCPJ ulnar collateral ligament	0	2
Thumb MCPJ ulnar collateral repair	1	5
MCPJ fracture / dislocation		
MCPJ fracture / dislocation external fixator	0	2
MCPJ fracture / dislocation MUA & percutaneous wires	1	4
MCPJ fracture / dislocation MUA +/- POP	1	4
MCPJ fracture / dislocation ORIF	0	3
Metacarpal fracture (not 1st or 5th) non-op	2	4
Metacarpal fracture (not 1st or 5th) MUA & percutaneous wires	1	4
Metacarpal fracture (not 1st or 5th) MUA +/- POP	2	5
Metacarpal fracture (not 1st or 5th) ORIF	0	3
Metacarpal fracture (not 1st or 5th) external fixation	0	3
Neurovascular injuries		
Arterial repair +/- graft hand / digit	0	1

Nerver lepair harbor origit Never lepair lepair lepair lepair origit Never lepair lepair lepair lepair origit Never lepair le	Topic	CORE	ST3-ST8		
Vein repair +/- graft hand / digit	Nerve repair hand / digit	1	4		
Phalangeal fracture non-op					
Phalangeal fracture MUA & percutaneous wires					
Phalangeal fracture MUA +/- POP 2 4 Phalangeal fracture ORIF 0 3 Removal foreign body from skin / subcutaneous tissue 3 4 Replantation finger 0 1 Skin graft 0 1 Free flap 0 1 Full thickness skin graft 2 3 Pedicle flap 0 2 Reversed radial forearm flap 0 2 Reversed radial forearm flap 0 2 Split skin graft 2 4 Transposition flap 0 2 Tangential excision of hand burns 0 2 Tendon repair 0 2 Tendon repair flexcrison 0 2 Tendon repair flexor zone 1 0 2 Tendon repair flexor zone 2 0 2 Tendon repair flexor zone 3-5 0 4 Wound closure Delayed primary or secondary 1 4 <td <="" colspan="2" td=""><td></td><td></td><td></td></td>	<td></td> <td></td> <td></td>				
Phalangeal fracture ORIF 0 3 Removal foreign body from skin / subcutaneous tissue 3 4 Replantation finger 0 1 Skin graft					
Removal foreign body from skin / subcutaneous tissue 3		2			
Replantation finger	-				
Skin graft 0 1 Free flap 0 1 Full thickness skin graft 2 3 Pedicle flap 0 2 Reversed radial forearm flap 0 2 Split skin graft 2 4 Transposition flap 0 2 Transposition flap 0 2 Tangential excision of hand burns 0 1 Tendon repair Spaghetti wrist 0 2 Tendon repair flexor zone 1 0 2 Tendon repair flexor zone 2 0 2 Tendon repair flexor zone 3-5 0 4 Wound closure Delayed primary or secondary 1 4 Wound debridement 1 4 Elective Hand Wrist		3	4		
Free flap 0 1 Full thickness skin graft 2 3 Pedicle flap 0 2 Reversed radial forearm flap 0 2 Split skin graft 2 4 Transposition flap 0 2 Tangential excision of hand burns 0 1 Tendon repair Spaghetti wrist 0 2 Tendon repair extensor 2 4 Tendon repair flexor zone 1 0 2 Tendon repair flexor zone 2 0 2 Tendon repair flexor zone 3-5 0 4 Wound closure Delayed primary or secondary 1 4 Wound debridement 1 4 Elective Hand Wrist Arthrodesis wrist (includes partial arthrodesis) 0 3 Arthroscopy wrist 0 2 Carpal tunnel decompression 1 4 De Quervain's decompression 1 4 Decompre	Replantation finger	0	1		
Full thickness skin graft 2 3 Pedicle flap 0 2 Reversed radial forearm flap 0 2 Split skin graft 2 4 Transposition flap 0 2 Tangential excision of hand burns 0 1 Tendon repair Spaghetti wrist 0 2 Tendon repair flexor zone 1 0 2 Tendon repair flexor zone 2 0 2 Tendon repair flexor zone 3-5 0 4 Wound closure Delayed primary or secondary 1 4 Wound debridement 1 4 Elective Hand Wrist Arthrodesis wrist (includes partial arthrodesis) 0 3 Arthroscopy wrist 0 2 Carpal tunnel decompression 3 4 De Quervain's decompression 1 4 De Quervain's decompression 3 4 De Compression distal ulna 0 3 <	Skin graft				
Pedicle flap	Free flap	0	1		
Reversed radial forearm flap	Full thickness skin graft	2	3		
Reversed radial forearm flap 0 2 2 3 4 4 5 5 5 5 5 5 5 5	Pedicle flap	0	2		
Split skin graft	•	0	2		
Transposition flap 0 2 Tangential excision of hand burns 0 1 Tendon repair Spaghetti wrist 0 2 Tendon repair extensor 2 4 Tendon repair flexor zone 1 0 2 Tendon repair flexor zone 2 0 2 Tendon repair flexor zone 3-5 0 4 Wound closure Delayed primary or secondary 1 4 Wound debridement 1 4 Wrist 0 3 Arthrodesis wrist (includes partial arthrodesis) 0 3 Arthroscopy wrist 0 2 Carpal tunnel decompression 3 4 De Quervain's decompression 1 4 Decompression / synovectomy tendons 0 3 Excision distal ulna 0 4 Ganglion excision at wrist 2 4 Proximal row carpectomy 0 2 Radial shortening 0 2 S	'	2	4		
Tangential excision of hand burns	· · ·	0	2		
Tendon repair Spaghetti wrist 0 2 Tendon repair flexor zone 1 0 2 Tendon repair flexor zone 2 0 2 Tendon repair flexor zone 3-5 0 4 Wound closure Delayed primary or secondary 1 4 Wound debridement 1 4 Elective Hand Wrist 0 3 Arthrodesis wrist (includes partial arthrodesis) 0 3 Arthroscopy wrist 0 2 Carpal tunnel decompression 3 4 De Quervain's decompression 1 4 Decompression / synovectomy tendons 0 3 Denervation wrist 0 3 Excision distal ulna 0 4 Ganglion excision at wrist 2 4 Proximal row carpectomy 0 2 Radial shortening 0 2 Surgery for chronic carpal instability 0 2 TFCC 1 4 </td <td></td> <td></td> <td></td>					
Spaghetti wrist	Tangonia oxoloro di Haria barrio		•		
Tendon repair extensor 2 4 Tendon repair flexor zone 1 0 2 Tendon repair flexor zone 2 0 2 Tendon repair flexor zone 3-5 0 4 Wound closure Delayed primary or secondary 1 4 Wound debridement 1 4 Elective Hand Wrist	-				
Tendon repair flexor zone 1 0 2 Tendon repair flexor zone 2 0 2 Tendon repair flexor zone 3-5 0 4 Wound closure			¥=		
Tendon repair flexor zone 2 0 2 Tendon repair flexor zone 3-5 0 4 Wound closure	•	2	4		
Tendon repair flexor zone 3-5 0 4 Wound closure 1 4 Delayed primary or secondary 1 4 Wound debridement 1 4 Elective Hand Wrist	·	0	2		
Wound closure Delayed primary or secondary 1 4 Wound debridement 1 4 Wound debridement 1 4 Elective Hand	·	0	2		
Delayed primary or secondary 1 4 Wound debridement 1 4 Elective Hand Wrist Arthrodesis wrist (includes partial arthrodesis) 0 3 Arthroscopy wrist 0 2 Carpal tunnel decompression 3 4 De Quervain's decompression 1 4 Decompression / synovectomy tendons 0 3 Denervation wrist 0 3 Excision distal ulna 0 4 Ganglion excision at wrist 2 4 Proximal row carpectomy 0 2 Radial shortening 0 2 Surgery for chronic carpal instability 0 2	Tendon repair flexor zone 3-5	0	4		
Technology	Wound closure				
Technology		1	4		
WristArthrodesis wrist (includes partial arthrodesis)03Arthroscopy wrist02Carpal tunnel decompression34De Quervain's decompression14Decompression / synovectomy tendons03Denervation wrist03Excision distal ulna04Ganglion excision at wrist24Proximal row carpectomy02Radial shortening02Surgery for chronic carpal instability02			4		
WristArthrodesis wrist (includes partial arthrodesis)03Arthroscopy wrist02Carpal tunnel decompression34De Quervain's decompression14Decompression / synovectomy tendons03Denervation wrist03Excision distal ulna04Ganglion excision at wrist24Proximal row carpectomy02Radial shortening02Surgery for chronic carpal instability02					
Arthrodesis wrist (includes partial arthrodesis) Arthroscopy wrist Carpal tunnel decompression De Quervain's decompression Decompression / synovectomy tendons Denervation wrist Excision distal ulna Ganglion excision at wrist Proximal row carpectomy Radial shortening Surgery for chronic carpal instability O 3 4 Carpal tunnel decompression 3 4 4 4 De Quervain's decompression 0 3 4 Carpal tunnel decompression 1 4 Carpal tunnel decompression 0 3 Carpal tunnel decompression 0 3 4 Carpal tunnel decompression 0 3 Carpal tunnel decompression 0 2 Carpal tun					
Arthroscopy wrist 0 2 Carpal tunnel decompression 3 4 De Quervain's decompression 1 4 Decompression / synovectomy tendons 0 3 Denervation wrist 0 3 Excision distal ulna 0 4 Ganglion excision at wrist 2 4 Proximal row carpectomy 0 2 Radial shortening 0 2 Surgery for chronic carpal instability 0 2		0	3		
Carpal tunnel decompression 3 4 De Quervain's decompression 1 4 Decompression / synovectomy tendons 0 3 Denervation wrist 0 3 Excision distal ulna 0 4 Ganglion excision at wrist 2 4 Proximal row carpectomy 0 2 Radial shortening 0 2 Surgery for chronic carpal instability 0 2					
De Quervain's decompression 1 4 Decompression / synovectomy tendons 0 3 Denervation wrist 0 3 Excision distal ulna 0 4 Ganglion excision at wrist 2 4 Proximal row carpectomy 0 2 Radial shortening 0 2 Surgery for chronic carpal instability 0 2			<u> </u>		
Decompression / synovectomy tendons Denervation wrist Excision distal ulna Ganglion excision at wrist Proximal row carpectomy Radial shortening Surgery for chronic carpal instability TFCC 0 3 2 4 0 4 0 2 0 2 0 2	· · · · · · · · · · · · · · · · · · ·				
Denervation wrist 0 3 Excision distal ulna 0 4 Ganglion excision at wrist 2 4 Proximal row carpectomy 0 2 Radial shortening 0 2 Surgery for chronic carpal instability 0 2					
Excision distal ulna Ganglion excision at wrist Proximal row carpectomy Radial shortening Surgery for chronic carpal instability TFCC 0 4 2 4 0 2 1 0 2 1 0 0 2 1 0 0 0 2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		-			
Ganglion excision at wrist 2 4 Proximal row carpectomy 0 2 Radial shortening 0 2 Surgery for chronic carpal instability 0 2 TFCC			_		
Proximal row carpectomy Radial shortening Surgery for chronic carpal instability TFCC 0 2 Control of the proximal row carpectomy 0 3 Control of the p					
Radial shortening 0 2 Surgery for chronic carpal instability 0 2 TFCC					
Surgery for chronic carpal instability 0 2 TFCC			_		
TFCC	-				
	Surgery for Chronic Carpai instability	0			
Repair TFCC - arthroscopic 0 2	TFCC				
	Repair TFCC - arthroscopic	0	2		

Topic	CORE	ST3-ST8
Repair TFCC - open	0	2
I lleg also este asia a		_
Ulna shortening	0	3
Ulnar nerve decompression at wrist	0	3
Wrist arthroplasty	0	2
Hand		
Carpal tunnel decompression	3	4
Congenital hand operation		
Congenital hand operation - clinodactyly	0	1
Congenital hand operation - complex reconstruction of congenital hand deformity	0	1
Congenital hand operation - camptodactyly	0	1
Congenital hand operation - correction of radial club hand	0	1
Congenital hand operation - lengthening procedures	0	1
Congenital hand operation - removal supernumerary digits	0	1
Congenital hand operation - separation of syndactyly	0	1
Congenitar nand operation - separation of syndactyry		'
Dupuytren's contracture operation		
Dupuytrens contracture operation - dermofasciectomy	0	2
Dupuytren's contracture operation - primary multiple digits	0	3
Dupuytren's contracture operation - primary single digit	0	3
Dupuytren's contracture operation - recurrent multiple digits	0	2
Dupuytren's contracture operation - recurrent single digit	0	2
Excision synovial cyst	0	3
Finger malunion correction or other deformity	0	2
Fusion of MCPJ or IPJ	0	3
MCPJ replacement	0	2
PIPJ replacement - hand (other)	0	2
PIPJ replacement - hand (silastic)	0	2
Soft tissue reconstruction hand	0	2
Synovectomy	0	3
Tendon procedures		
Tendon graft hand	0	2
Tendon transfer hand	0	2
Tenolysis hand tendon	0	2
Tenosynovectomy	0	2
Trapezium excision or replacement	0	3
Trigger finger release	2	4
Trigger thumb release	1	4

Applied Clinical Skills: Hip

A trainee must be able to demonstrate their competence in the procedures below at the appropriately marked level and stage of training.

Competence Levels

0 = No experience expected

3 = Can manage whole but may need assistance

4 = Able to manage without assistance including potential common

complications

1 = Has observed or knows of

2 = Can manage with assistance

Topic	CORE	ST3-ST8
Trauma Hip		
Pelvis		
Acetabular fracture ORIF	0	2
Pelvic fracture:		
Pelvic fracture external fixator application	1	3
Pelvic fracture ORIF	0	2
Sacroiliac joint percutaneous screw fixation	0	1
Sacrum ORIF	0	1
Hip		
Dislocated hip		
Dislocated hip (no prosthesis) - closed reduction	1	4
Dislocated hip (no prosthesis) - open reduction +/- fixation	0	3
Dislocated hip hemiarthroplasty - closed reduction	2	4
Dislocated hip hemiarthroplasty - open reduction	0	4
Dislocated total hip replacement - closed reduction	2	4
Dislocated total hip replacement - open reduction	0	4
Extracapsular fracture		
Extracapsular fracture CHS / DHS	3	4
Extracapsular fracture intramedullary fixation	0	4
Extracapsular fracture other fixation	0	4
Introcency less freeture		
Intracapsular fracture Intracapsular fracture bipolar hemiarthroplasty	0	4
Intracapsular fracture bipolar fremiarthropiasty Intracapsular fracture hemiarthropiasty excluding bipolar	2	4
Intracapsular fracture internal fixation	1	4
Intracapsular fracture THR	1	4
Intravapoular naviure nnix	1	4

Topic	CORE	ST3-ST8
Irrigation and debridement native joint for infection - hip	0	4
Irrigation and debridement prosthesis for infection - hip	0	4
Periprosthetic fracture of hip		
Open reduction and fixation of periprosthetic fracture - hip	0	3
Revision THR for periprosthetic fracture of hip	0	2
Fam.,,		
Femur Picators of fracture		
Diaphyseal fracture		_
Diaphyseal femur fracture application of external fixator	0	3
Diaphyseal femur fracture intramedullary nailing	0	4
Diaphyseal femur fracture plate/screw fixation	0	4
Diaphyseal femur fracture spica cast application	0	3
Fasciotomy for compartment syndrome	1	4
Femoral non-union		
Femoral non-union (application of frame) +/- bone grafting	0	2
Femoral non-union (without frame) +/- bone grafting	0	2
Reconstruction of avulsed proximal hamstrings	0	1
Subtrochanteric fracture		
Subtrochanteric fracture intramedullary fixation	0	4
Subtrochanteric fracture plate/screw fixation	0	3
Elective Hip Pelvis		
Sacrococcygeal joint injection / MUA	0	3
Sacro-iliac joint injection	0	3
Hip		
Adductor tenotomy - hip	0	3
Arthrodesis hip	0	2
Arthroscopy hip - diagnostic	0	1
Arthroscopy hip - therapeutic	0	1
Arthrotomy hip	0	3
Aspiration / injection hip joint	0	3
Excision arthroplasty hip (e.g. Girdlestone)	0	3
Femoral head AVN		
Core decompression of femoral head for AVN	0	3
Vascular graft femoral head for AVN	0	2
Fomorogotchular impingement		
Femeroacetabular impingement Open his debridement for femeroacetabular impingement avadreme		4
Open hip debridement for femeroacetabular impingement syndrome	0	1
lliopsoas release / lengthening	0	2
Osteotomy pelvis - not for DDH	0	1

Topic		ST3-ST8
Revision THR		
1 stg of 2 stg rev infected THR - removal of prosthesis +/-insertion of cement spacer / antibiotic beads	0	2
2 stg of 2 stg rev infected THR - removal of spacer/beads	0	2
Single stage revision THR acetabular component	0	2
Single stage revision THR both components	0	2
Single stage revision THR femoral component	0	2
Total Hip Replacement		
THR cemented	1	4
THR hybrid	1	4
THR surface replacement	1	2
THR uncemented	1	4
Femur		
Endoprosthetic replacement for malignant bone tumour - femur	1	2
Femoral malunion correction or other deformity	0	2
Osteotomy corrective (not for DDH)	0	2

Applied Clinical Skills: Knee

A trainee must be able to demonstrate their competence in the procedures below at the appropriately marked level and stage of training.

	Competence Levels
0 = No experience expected	3 = Can manage whole but may need assistance
1 = Has observed or knows of	4 = Able to manage without assistance including potential common complications
2 = Can manage with assistance	
	<u>μ</u> <u>ω</u>

Topic	CORE	ST3-ST8
Trauma Knee		
Knee		
Acute arthroscopy for knee trauma	0	3
Application of spanning external fixator	0	2
Intraarticular fracture distal femur ORIF	0	3
Irrigation and debridement native joint for infection (open or arthroscopic) - knee	1	4
Irrigation and debridement prosthesis for infection - knee	1	4
Knee MUA +/- POP	2	4
Patella fracture		
Patella dislocation closed reduction +/- open repair	1	4
Patella fracture ORIF	0	4
Patellectomy	0	4
Periprosthetic fracture of knee		
Open reduction and fixation of periprosthetic fracture - knee	0	2
Revision TKR for periprosthetic fracture of knee	0	3
Soft tissue repair		
Acute ligament repair	0	3
Patella tendon repair	0	4
Quadriceps tendon repair	0	4
Supracondylar fracture (not intraarticular)		
Supracondylar fracture (not intraarticular) DCS / blade plate etc	0	4
Supracondylar femur fracture (not intraarticular) external fixation	0	4
Supracondylar femur fracture (not intraarticular) Intramedullary fixation	0	4
Supracondylar femur fracture (not intraarticular) MUA & POP	0	4
Tibial plateau fracture		
Repair of tibial spine	0	3
Tibial plateau fracture arthroscopically assisted fixation	0	2

Topic	CORE	ST3-ST8
Tibial plateau fracture ORIF with plates & screws	0	4
Tibial plateau fracture treatment with circular frame	0	2
Tibia & Fibula		
Diaphyseal tibial fracture		
Diaphyseal tibial fracture external fixation (including frame)	1	3
Diaphyseal tibial fracture intramedullary nailing	1	4
Diaphyseal tibial fracture MUA & POP	1	4
Tibial shaft plating	0	3
Fasciotomy for compartment syndrome	2	4
Tibial non-union		
Tibial non-union circular frame management	0	2
Tibial non-union intramedullary nailing +/- bone grafting	0	2
Tibial non-union ORIF +/- bone grafting	0	2
5 0		
Elective Knee		
Knee		
Arthroscopic partial meniscectomy	1	4
Arthroscopic procedures		
Arthroscopic excision of Hoffa's fat pad	0	4
Arthroscopic lateral release	0	4
Arthroscopic menisectomy	0	4
Arthroscopic removal loose bodies knee	0	4
Arthroscopic synovectomy	0	3
Arthroscopy knee diagnostic	1	4
Meniscal repair (arthroscopic)	0	3
Aspiration / injection knee joint	2	4
Below knee amputation	1	4
Delow knee ampatation		
Cartilage regeneration procedures		
Abrasion arthroplasty / microfracture - knee	0	2
Mosaicplasty - knee	0	2
Osteochondral allografting - knee	0	2
Autologous chondrocyte implantation	0	2
7 tatologous orionalocyte implantation		
Knee arthroplasty		
Patella resurfacing alone	0	1
Patello-femoral joint replacement	0	1
TKR	1	4
Unicompartmental knee replacement	0	3
MUA knee	2	4
MOTALIO		_ -
Osteotomy distal femoral	0	2
· · · · · · · · · · · · · · · · · · ·	0	2
Osteotomy proximal tibial		

Topic	CORE	ST3-ST8
Patella tendon decompression (open / arthroscopic)	0	3
Release contracture knee	0	2
Revision TKR		
1 stg of 2 stg rev infected TKR - removal of prosthesis +/- insertion of cement spacer / antibiotic beads	0	2
2 stg of 2 stg rev infected TKR - removal of spacer/beads	0	2
Revision TKR for periprosthetic fracture of knee	0	2
Single stage revision TKR	0	2
Soft tissue reconstruction		
ACL reconstruction - arthroscopic	0	2
ACL reconstruction - open	0	2
Reconstruction of posterolateral corner of knee	0	2
PCL reconstruction	0	2
Revision ACL reconstruction	0	1
Tibia & Fibula		
Endoprosthetic replacement for malignant bone tumour - tibia	1	2
Tibia or fibula malunion correction or other deformity	0	2
Tibial lengthening	0	1

Applied Clinical Skills: Foot and Ankle

A trainee must be able to demonstrate their competence in the procedures below at the appropriately marked level and stage of training.

Competence Levels

Competence Levels			
3 = Can manage whole but may need assistance			
1 = Has observed or knows of 4 = Able to manage without assistance including potential common complications			
2 = Can manage with assistance			

Topic	CORE	ST3-ST8
Trauma Foot and Ankle		
Ankle		
Ankle fracture / dislocation:		
Ankle fracture / dislocation MUA & POP	3	4
Ankle fracture / dislocation ORIF	3	4
Application of spanning external fixator	0	2
Irrigation and debridement native joint for infection - ankle	1	3
Irrigation and debridement prosthesis for infection - ankle	0	2
Pilon fracture		
Pilon fracture ex-fix	0	2
Pilon fracture ORIF	0	2
Pilon fracture treatment with circular frame	0	2
Foot		
Amputation toe / ray for trauma	0	3
Calcaneal fracture		
Calcaneal fracture ex-fix	0	2
Calcaneal fracture ORIF	0	2
Metatarsal fracture ORIF	0	2
Phalangeal fracture MUA +/- K wire +/- ORIF	1	3
Removal foreign body from skin / subcutaneous tissue	2	4
Talar subtalar or midtarsal fracture / dislocation		
Lisfranc fracture ORIF	0	3
Midtarsal fracture / dislocation ORIF	0	3
Subtalar fracture / dislocation ORIF	0	3
Talar fracture / dislocation ORIF	0	3
Talectomy	0	3
Tarsometatarsal arthrodesis	0	2
Achilles tendon repair	1	4

Topic	CORE	ST3-ST8
Tendon repair in foot	0	3
Elective Foot and Ankle		
Ankle		
Arthrodesis ankle (open /arthroscopic)	0	2
Arthroplasty ankle	0	2
Arthroscopic procedures		
Arthrodesis ankle - arthroscopic	0	1
Arthroscopy ankle diagnostic	0	2
Arthroscopy ankle therapeutic	0	2
Arthrotomy ankle	0	2
Aspiration / injection ankle joint	0	3
Ligament repair / reconstruction		1
Ankle - lateral ligament reconstruction	0	2
Ankle - lateral ligament repair	0	2
Ankle - medial ligament repair	0	2
Tendon procedures		
Decompression tendons at ankle	0	2
Gastrocnemius lengthening	0	2
Tendo achilles reconstruction for neglected rupture	0	2
Tendo-achilles lengthening	0	2
Foot		
Akin osteotomy of proximal phalanx great toe		4
Amputation toe / ray		4
Ankle chielectomy	0	2
Aspiration / injection foot joint	0	3
Arthrodesis procedures		+ -
Ankle	0	2
Hindfoot	0	2
Midtarsal	0	2
Forefoot and toes	0	2
OSTEOTOMY		
Calcaneal osteotomy	0	2
Excision Haglund's deformity	0	2
Excision of accessory navicular	0	2
Excision of tarsal coalition	0	2
Pantalar arthrodesis	0	2
First metatarsal osteotomy		Λ
First metatarsal osteotomy - basal	0	4

Topic	CORE	ST3-ST8
First metatarsal osteotomy - distal	0	4
First metatarsal osteotomy – other	0	4
First metatarsal osteotomy - Scarf	0	4
First MTPJ procedures		
First MTPJ arthrodesis	0	4
First MTPJ cheilectomy	0	4
First MTPJ excision arthroplasty	0	4
First MTPJ replacement arthroplasty (silastic or other)	0	4
First MTPJ soft tissue correction	0	4
Foot malunion correction or other deformity	0	2
Forefoot arthroplasty (Mann Thompson / Stainsby / Other	0 2	5
Ingrowing toenail operation Lesser metatarsal osteotomy	0	2
Lesser toe excision part/all phalanx	0	3
MTPJ cheilectomy - not 1st	0	3
Soft tipour manadures		<u> </u>
Soft tissue procedures		
Excision of Morton's neuroma Fifth toe soft tissue correction	0	3
Lesser toe tenotomy	0	3
Plantar fascia release	0	3
Tendon decompression or repair	0	3
Tendon transfer foot	0	3
Tibialis posterior reconstruction	0	3
·		
Talectomy	0	2
Wedge tarsectomy	0	2

Applied Clinical Skills: Children's Trauma and Orthopaedics

A trainee must be able to demonstrate their competence in the procedures below at the appropriately marked level and stage of training.

Competence Levels

0 = No experience expected

1 = Has observed or knows of

4 = Able to manage without assistance including potential common complications

2 = Can manage with assistance

Topic	CORE	ST3-ST8
Trauma Paediatrics		
Supracondylar elbow fracture		
Supracondylar elbow fracture MUA +/- percutaneous wires	1	4
Supracondylar elbow fracture open reduction	0	3
Forearm fractures		
Manipulation and POP forearm	1	4
Manipulation and K wire forearm	0	4
Titanium elastic nailing paediatric long bone	0	2
Slipped upper femoral epiphysis		
Dunn procedure for slipped upper femoral epiphysis	0	2
Slipped upper femoral epiphysis percutaneous cannulated screw fixation	0	2
Drainage of septic arthritis of the hip	0	2
Repair of avulsion of tibial eminence	0	2
ORIF paediatric ankle fracture	0	4
Obstetric brachial plexus injury: exploration / repair / grafting	0	1
Elective Paediatrics		
Cerebral Palsy		
Adductor tenotomy - hip	0	2
Botulinum toxin injection - musculoskeletal	0	2
Hamstring lengthening	0	2
Iliopsoas release / lengthening	0	2
MTPJ arthrdoesis	0	2
Patella realignment	0	2
Steindler's release	0	1
Tendo-achilles lengthening	0	2
Tendon transfer foot	0	1
Tendon transfer not hand / foot	0	1
CTEV correction		

Topic	CORE	ST3-ST8
Arthrodesis for recurrence for CTEV	0	1
Bony release for recurrence for CTEV	0	1
CTEV correction	0	1
Ilizarov correction for CTEV	0	1
Percutaneous tendo-achilles release for CTEV	0	2
Posterior release for CTEV	0	1
Postero-medial release for CTEV	0	1
Soft tissue release for recurrence for CTEV	0	1
Tibilialis anterior transfer for CTEV	0	1
DDH		
Application of hip spica	0	2
Hip MUA	0	2
Open reduction for DDH	0	1
Osteotomy hip - pelvic for DDH	0	1
Osteotomy hip - proximal femoral for DDH	0	1
Distraction lengthening of bone upper limb	0	1
Excision of physeal bar (Langenskjold procedure)	0	1
Femoral lengthening	0	1
GA change of POP	0	3
Repair of avulsion of tibial eminence (child)	0	2
Sternomastoid release (torticollis)	0	1
Tibial lengthening	0	1

Professional Behaviour & Leadership Skills



This section is imported from ISCP.

PROFESSIONAL BEHAVIOUR AND LEADERSHIP SYLLABUS

The Professional Behaviour and Leadership elements are mapped to the leadership curriculum as laid out by the Academy of Medical Royal Colleges. The assessment of these areas is a thread running through the curriculum and this makes them common to all of the disciplines of surgery. For this reason, assessment techniques for this element of the curriculum are summarised in the final column.

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Category	 Good Clinical Care, to include: History taking (GMP Domains: 1, 3, 4) Physical examination (GMP Domains: 1, 2,4) Time management and decision making (GMP Domains: 1,2,3) Clinical reasoning (GMP Domains: 1,2,3,4) Therapeutics and safe prescribing (GMP Domains: 1, 2, 3) Patient as a focus of clinical care (GMP Domains: 1, 3, 4) Patient safety (GMP Domains: 1, 2, 3) Infection control (GMP Domains: 1, 2, 3) 	Area 4.1	
Objective	To achieve an excellent level of care for the individual patient • To elicit a relevant focused history (See modules 2, 3, 4,5) • To perform focused, relevant and accurate clinical examination (See modules 2,3,4,5) • To formulate a diagnostic and therapeutic plan for a patient based upon the clinical findings (See modules 2,3,4,5) • To prioritise the diagnostic and therapeutic plan (See modules 2,3,4,5) • To communicate a diagnostic and therapeutic plan (See modules 2,3,4,5) • To communicate a diagnostic and therapeutic plan appropriately (See modules 2,3,4,5) To produce timely, complete and legible clinical records to include case-note records, handover notes, and operation notes To prescribe, review and monitor appropriate therapeutic interventions relevant to clinical practice including non-medication-based therapeutic and preventative indications (See module 1,2,3,4,5) To prioritise and organise clinical and clerical duties in order to optimise patient care To make appropriate clinical and clerical decisions in order to optimise the effectiveness of the clinical team resource. To prioritise the patient's agenda encompassing their beliefs, concerns, expectations and needs To prioritise and maximise patient safety: • To understand that patient safety depends on		CEX, CBD, MSF, MRCS and Specialty FRCS

Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
 The effective and efficient organisation of care Health care staff working well together Safe systems, individual competency and safe practice To understand the risks of treatments and to discuss these honestly and openly with patients To systematic ways of assessing and minimising risk To ensure that all staff are aware of risks and work together to minimise risk To manage and control infection in patients, including: Controlling the risk of cross-infection Appropriately managing infection in individual patients Working appropriately within the wider community to manage the risk posed by communicable diseases 	Area 4.1	

Patient assessment Knowledge Trainees should be able to **Identify** likely causes and risk factors for conditions relevant to mode of presentation Explain the basis for clinical signs and the relevance of positive and negative physical Recognise constraints and limitations of

- physical examination
- Recognise the role of a chaperone is appropriate or required
- Define health needs of particular populations e.g. ethnic minorities
- Evaluate the impact of health beliefs, culture and ethnicity in presentations of physical and psychological conditions

Clinical reasoning

- Interpret history and clinical signs to generate hypothesis within context of clinical likelihood
- Explain the psychological component of disease and illness presentation
- Test, refine and verify hypotheses
- Develop problem list and action plan
- Use expert advice, clinical guidelines and algorithms
- Recognise and appropriately respond to sources of information accessed by patients
- Determine the best value and most effective treatment both for the individual patient and for a patient cohort

Record keeping

- Use local and national guidelines for the standards of clinical record keeping in all circumstances, including handover
- Link high quality and adequate clinical record keeping and relevance to patient safety and to litigation
- Explain the primacy for confidentiality

Time management

- Link effective organisation to time management
- Sets priorities appropriately
- Differentiates between urgency and importance
- Maintain focus on individual patient needs whilst balancing multiple competing pressures
- Outline techniques for improving time management

Patient safety

- Outline the features of a safe working environment
- Identify hazards of medical equipment in common use

Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
 Formulate principles of risk assessment and management Describe the components of safe working practice in the personal, clinical and organisational settings Use local procedures and protocols for optimal practice e.g. GI bleed protocol, safe prescribing Explain the investigation of significant events, serious untoward incidents and near misses 	Area 4.1	
Infection control		
 Formulate principles of infection control 		
 Formulate principles of preventing infection in high risk groups 		
 Notify appropriate authorities regarding infectious disease within the UK 		
 Define the role of the Health Protection Agency and Consultants in Health Protection 		

Skills Patient assessment Trainees should be able to Take a history from a patient with appropriate use of standardised questionnaires and with appropriate input from other parties including family members, carers and other health professionals Perform an examination relevant to the presentation and risk factors that is valid. targeted and time efficient and which actively elicits important clinical findings Give adequate time for patients and carers to express their beliefs ideas, concerns and expectations Respond to questions honestly and seek advice if unable to answer Develop a self-management plan with the Encourage patients to voice their preferences and personal choices about their care Clinical reasoning Interpret clinical features, their reliability and relevance to clinical scenarios including recognition of the breadth of presentation of common disorders Incorporate an understanding of the psychological and social elements of clinical scenarios into decision making, through a robust process of clinical reasoning Recognise critical illness and respond with due urgency Generate plausible hypothesis(es) following patient assessment Construct a concise and applicable problem list using available information Construct an appropriate management plan in conjunction with the patient, carers and other members of the clinical team and communicate this effectively to the patient, parents and carers where relevant Record keeping Produce legible, timely and comprehensive clinical notes relevant to the setting Formulate and implement care plans appropriate to the clinical situation, in collaboration with members of an interdisciplinary team, incorporating assessment, investigation, treatment and continuing care Present well documented assessments and recommendations in written and/or verbal form

Anticipates clinical and clerical tasks requiring

Time management

attention

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
	Group tasks when this will be the most effective way of working Organise, prioritise and manage both teammembers and workload effectively and flexibly		
	Patient safety		
	 Recognise and practise within limits of own professional competence Recognise when a patient is not responding to treatment, reassess the situation, and encourage others to do so 	Area 4.1	
	Ensure the correct and safe use of medical		
	 equipment Establish patients' and colleagues' understanding of the side effects and contraindications of therapeutic intervention 		
	Support a colleague following a significant untoward event, or near incident, to encourage improvement in practice of individual and unit		
	 Recognise and respond to the manifestations of a patient's deterioration or lack of improvement (symptoms, signs, observations, and laboratory results) and lead other members of the team to act similarly 		
	Infection control		
	 Anticipate the potential for infection in patients being cared for 		
	 Advise patients on matters of infection risk, transmission and control 		
	 Actively engage in local infection control procedures 		
	 Prescribe antibiotics according to local guidelines and work with microbiological services where appropriate 		
	Recognise potential for cross-infection in clinical settings Practice aseptic technique whenever relevant		
Dohandara.	· · ·		
Behaviour	 Show respect and behave in accordance with Good Medical Practice (2013) 		
	 Ensure that patient assessment, whilst clinically appropriate considers social, cultural and religious boundaries 		
	Support patient self-management Act as patient advecate		
	 Act as patient advocate Work flexibly and deal with tasks in an effective and efficient fashion 		
	Remain calm in stressful or high pressure situations and adopt a timely, rational approach		

Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
 Discuss intelligibly with a patient the notion and difficulties of prediction of future events, and benefit/risk balance of therapeutic intervention Adapt and adjust approaches according to the beliefs and preferences of the patient and/or carers Show willingness to facilitate patient choice Recognise one's own biases and inconsistencies in clinical reasoning Maintain a high level of safety awareness and consciousness Encourage feedback from all members of the team on safety issues Report serious untoward incidents and near misses and co-operate with the investigation of the same. Take appropriate action when concerns are raised about performance of members of the healthcare team. Recognise one's own limitations, and operate within them Encourage all staff, patients and relatives to observe infection control principles Link personal ill-health with risk to patients, colleagues and performance 		

Examples and descriptors for Core Surgical Training

Patient assessment

- Obtain, record and present accurate clinical history and physical examination relevant to the clinical presentation, including an indication of patient's views
- Use and interpret findings adjuncts to basic examination appropriately e.g. internal examination, blood pressure measurement, pulse oximetry, peak flow
- Respond honestly and promptly to patient questions
- Refer to others appropriately
- Be respectful to patients by
 - Introducing self clearly to patients and indicating place in team
 - o Checking comfort willingness to be seen
 - Informing patients about elements of examination and any proposed procedures.

Clinical reasoning

 In a straightforward clinical case develop provisional and a differential diagnoses on the basis of the clinical evidence, institute an appropriate investigative and therapeutic plan, seek appropriate support from others and take account of the patients wishes

Record keeping

- Format notes in a logical way and write legibly
- Write timely, comprehensive, informative letters to patients and to GPs

Time management

- Work systematically through tasks and prioritise appropriately
- Discuss the relative importance of tasks with colleagues.
- Communicate progress with other team members

Patient safety

- Participate in clinical governance processes
- Respect and follow local protocols and guidelines
- Take direction from team members on patient safety
- Discuss risks of treatments with patients and help them make decisions
- Use equipment safely
- Act promptly when patient condition deteriorates
- Escalate concerns promptly

Infection control

- Perform simple clinical procedures whilst maintaining full aseptic precautions
- Follow local infection control protocols

Area 4.1

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
	 Explain infection control protocols to students and to patients and their relatives Explain risks of nosocomial infections. 		
Examples and descriptors for CCT	Patient assessment Assess patients (including history and examination) under difficult circumstances. Examples include: Limited time available (emergency situations, outpatients, ward referral), Severely ill patients Angry or distressed patients or relatives Use and interpret findings adjuncts to basic examination appropriately e.g. electrocardiography, spirometry, ankle brachial pressure index, fundoscopy, sigmoidoscopy Recognise and deal with complex situations of communication, accommodate disparate needs and develop strategies to cope Demonstrate sensitivity to patients cultural concerns and norms Explain diagnoses and medical procedures in ways that enable patients to understand and make decisions about their own health care. Clinical reasoning In a complex case, develop provisional and differential diagnoses on the basis of the clinical evidence, institute an appropriate investigative and therapeutic plan, seek appropriate support	∆ rea 4 1	
		Area 4.1	

Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
from others and take account of the patients wishes		
Record keeping		
Produce comprehensive, focused and informative records which summarise complex cases accurately		
Time management		
 Organise, prioritise and manage daily work efficiently and effectively 		
 Work with, guide, supervise and support junior colleagues 		
 Begin to lead and direct the clinical team in effective fashion 		
Patient safety		
 Lead team discussion on risk assessment, risk management, clinical incidents Make organisational changes that will reduce risk and improve safety Promote patients safety to colleagues 		
Recognise and report untoward or significant events		
Undertake a root cause analysis		
 Support colleagues who are involved in untoward events 		
Infection control		
 Perform complex clinical procedures whilst maintaining full aseptic technique 		
Manage complex cases effectively in collaboration with infection control specialists		

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Category	Being a good communicator To include: Communication with patients (GMP Domains: 1, 3, 4) Breaking bad news (GMP Domains: 1, 3, 4) Communication with colleagues (GMP Domains: 1, 3)	N/A	

Objective	Communication with patients	PBA, DOPS, CEX,
	 To establish a doctor/patient relationship characterised by understanding, trust, respect, empathy and confidentiality 	MSF and CBD
	To communicate effectively by listening to patients, asking for and respecting their views about their health and responding to their concerns and preferences	
	To cooperate effectively with healthcare professionals involved in patient care	
	To provide appropriate and timely information to patients and their families	
	Breaking bad news	
	To deliver bad news according to the needs of individual patients	
	Communication with Colleagues	
	To recognise and accept the responsibilities and role of the doctor in relation to other healthcare professionals.	
	 To communicate succinctly and effectively with other professionals as appropriate To present a clinical case in a clear, succinct and systematic manner 	
Knowledge	Trainees should be able to	
	Communication with maticute	
	Communication with patients Use effective questioning and listening	
	techniques	
	Link poor communication with complaints/ litigation	
	Breaking bad news	
	Describe the impact of bad news on the relationship with the patient	
	Prepare appropriately	
	Outline different responses to bad news Balance requirement for confidentiality with the	
	patients wish to be accompanied	
	Explain cognitive capacity	
	Take stress relieving measures	
	Communication and working with colleagues Define roles played by all members of a multi-disciplinary team	
	Describe features of good team	
	dynamics	
	 Formulate principles of effective inter-professional collaboration 	
	Outline principles of confidentiality	

Communication with patients Establish a rapport with patient and any relevant others (eg carers) Listen actively and question sensitively to guide the patient and to clarify information Identify and manage communication barriers, tailoring language to the individual patient and others and using interpreters when indicated Deliver information compassionately, being alert to and managing their and your emotional response (anxiety, antipathy etc) Use, and refer patients to appropriate written and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of	
relevant others (eg carers) Listen actively and question sensitively to guide the patient and to clarify information Identify and manage communication barriers, tailoring language to the individual patient and others and using interpreters when indicated Deliver information compassionately, being alert to and managing their and your emotional response (anxiety, antipathy etc) Use, and refer patients to appropriate written and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of	
guide the patient and to clarify information Identify and manage communication barriers, tailoring language to the individual patient and others and using interpreters when indicated Deliver information compassionately, being alert to and managing their and your emotional response (anxiety, antipathy etc) Use, and refer patients to appropriate written and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of	
 Identify and manage communication barriers, tailoring language to the individual patient and others and using interpreters when indicated Deliver information compassionately, being alert to and managing their and your emotional response (anxiety, antipathy etc) Use, and refer patients to appropriate written and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of 	
barriers, tailoring language to the individual patient and others and using interpreters when indicated • Deliver information compassionately, being alert to and managing their and your emotional response (anxiety, antipathy etc) • Use, and refer patients to appropriate written and other evidence based information sources • Check the patient's understanding, ensuring that all their concerns/questions have been covered • Make accurate contemporaneous records of	
patient and others and using interpreters when indicated Deliver information compassionately, being alert to and managing their and your emotional response (anxiety, antipathy etc) Use, and refer patients to appropriate written and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of	
 when indicated Deliver information compassionately, being alert to and managing their and your emotional response (anxiety, antipathy etc) Use, and refer patients to appropriate written and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of 	
alert to and managing their and your emotional response (anxiety, antipathy etc) Use, and refer patients to appropriate written and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of	
emotional response (anxiety, antipathy etc) Use, and refer patients to appropriate written and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of	
 Use, and refer patients to appropriate written and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of 	
 and other evidence based information sources Check the patient's understanding, ensuring that all their concerns/questions have been covered Make accurate contemporaneous records of 	
that all their concerns/questions have been covered Make accurate contemporaneous records of	
coveredMake accurate contemporaneous records of	
the discussion	
Manage follow-up effectively and safely utilising a variety of methods (eg phone call, email, letter)	
Ensure appropriate referral and	
communications with other healthcare	
professional resulting from the consultation are made accurately and in a timely manner	
Breaking bad news	
Demonstrate to others good practice in breaking bad news	
Recognise the impact of bad news on the patient, carer, supporters, staff members and self	
Act with empathy, honesty and sensitivity avoiding undue optimism or pessimism	
Communication with collegeues	
Communication with colleagues Communicate with colleagues accurately,	
clearly and promptly	
Utilise the expertise of the whole multi- disciplinary team	
Participate in, and co-ordinate, an effective hospital at night or hospital out of hours team	
Communicate effectively with administrative bodies and support organisations	
Prevent and resolve conflict and enhance collaboration	
Behaviour Communication with patients	
Approach situations with courtesy, empathy,	
compassion and professionalism	
Demonstrate an inclusive and patient centred approach, with respect for the	

	diversity of values in patients, carers and	
	colleagues	
	Breaking bad news Behave with respect, honesty and empathy when breaking bad news Respect the different ways people react to bad news Communication with colleagues Contribute to multi-disciplinary teamwork, including adoption of a leadership role Foster an environment that supports open and transparent communication between team members Maintain confidentiality during communication with the team Accept additional duties in situations of unavoidable and unpredictable absence of colleagues	
Examples and descriptors for Core Surgical Training	Conduct a simple consultation with due empathy and sensitivity and write accurate records thereof Recognise when bad news must be imparted. Break bad news in planned settings following preparatory discussion with others Accept his/her role in the healthcare team and communicate appropriately with all relevant members	
Examples and descriptors for CCT	Show mastery of patient communication in all situations, anticipating and managing any difficulties which may occur Break bad news in both unexpected and planned settings Fully recognise the role of, and communicate appropriately with, all relevant team members Predict and manage conflict between members of the healthcare team Begin to take leadership role as appropriate, fully respecting the skills, responsibilities and viewpoints of all team members	

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Category	Teaching and Training (GMP Domains: 1, 3)	N/A	

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Objective	 To teach to a variety of different learners in a variety of different ways To assess the quality of the teaching To train a variety of different trainees in a variety of different ways To plan and deliver a training programme with appropriate assessments 		MSF, reflective writing, observation of teaching tool (OOT) portfolio assessment at ARCP
Knowledge	 Trainees should be able to Refer to relevant educational theory and principles relevant to medical education Structure an effective appraisal interview Define the roles of those involved in medical education Use appropriate learning methods and effective learning objectives and outcomes Differentiate between appraisal, assessment and performance review Differentiate between formative and summative assessment Explain the role, types and use of workplace-based assessments Take appropriate action to assist a trainee in difficulty 		
Skills	 Critically evaluate relevant educational literature Vary teaching format and stimulus, appropriate to situation and subject Exchange effective feedback and promote reflection Conduct developmental conversations as appropriate eg: appraisal, supervision, mentoring Deliver effective lectures, presentations, small group and bed side teaching sessions Participate in patient education Lead departmental teaching programmes including journal clubs Recognise the trainee in difficulty and take appropriate action Identify and plan learning activities in the workplace 		

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Behaviour	 In discharging educational duties, respect the dignity and safety of patients at all times Recognise the importance of the role of the physician as an educator Balance the needs of service delivery with education Demonstrate willingness to teach trainees and other health workers Demonstrate consideration for learners Ensure equality of opportunity for students, trainees, staff and professional colleagues Encourage discussions with colleagues in clinical settings to share understanding Maintain honesty, empathy and objectivity during appraisal and assessment 		
Examples and descriptors for Core Surgical Training	 Prepare appropriately to support teaching episodes Seek and interpret simple feedback following teaching Supervise a medical student, nurse or colleague through a simple procedure Plan, develop and facilitate small group teaching to medical students, nurses or colleagues 		
Examples and descriptors for CCT	Conduct a workplace based assessment including giving appropriate feedback Devise a variety of different assessments (eg MCQs, WBAs) Appraise a medical student, nurse or colleague Acts as a mentor to a medical student, nurse or colleague Plan, develop and deliver an educational session with clear objectives and outcomes Plan, develop and deliver an assessment programme to support educational activities		

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Category	Keeping up to date and understanding how to analyse information Including • Ethical research (GMP Domains: 1) • Evidence and guidelines (GMP Domains: 1) • Audit (GMP Domains: 1, 2) • Personal development	Area 1.3	
Objective	To understand the results of research as they relate to medical practise To participate in medical research		MSF, CBD, audit assessment tool, portfolio assessment

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
	To use current best evidence in making decisions about the care of patients To construct evidence based guidelines and protocols To complete an audit of clinical practice At actively seek opportunities for personal development	Area 1.3	at ARCP, MRCS and specialty FRCS
	To participate in continuous professional development activities	Area 1.3	
Knowledge	Trainees should be able to		
	Refer to GMC guidance on good practice in research		
	Use principles of research governance		
	Explain research methodology including qualitative, quantitative, bio-statistical and epidemiological research methods		
	Explain the application of statistics as applied to medical practise		
	 Outline sources of research funding 		
	 Apply principles of critical appraisal 		
	Explain levels of evidence and quality of evidence		
	Outline guideline development together with their roles and limitations		
	Describe the different methods of obtaining data for audit		
	Define the role of audit in improving patient care and risk management		
	Explain the audit cycle		
	Outline the working and uses of national and local databases used for audit such as specialty data collection systems, cancer registries etc		
	Define the importance of best practice, transparency and consistency		
		Area 1.3	

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Skills	 Demonstrate critical appraisal skills and apply these when reading literature Devise a simple plan to test a hypothesis Write a scientific paper Obtain appropriate ethical research approval Use literature databases Contribute to the construction, review and updating of local (and national) guidelines of good practice using the principles of evidence based medicine Design, implement and complete audit cycles Contribute to local and national audit projects as appropriate Use a reflective approach to practice with an ability to learn from previous experience Use assessment, appraisal, complaints and other feedback to discuss and develop an understanding of own development needs 	Area 1.3 Area 1.3	
Behaviour	 Follow guidelines on ethical conduct in research and consent for research Keep up to date with national reviews and guidelines of practice (e.g. NICE) Aim for best clinical practice at all times, responding to evidence based medicine while recognising the occasional need to practise outside clinical guidelines Recognise the need for audit in clinical practice to promote standard setting and quality assurance Accept responsibility Show commitment to continuing professional development 	Area 1.3 Area 1.3	

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Examples and descriptors for Core Surgical Training	 Define ethical research and refer to GMC guidelines Differentiates between audit and research and outline the different types of research approach e.g. qualitative and quantitative Use literature databases Demonstrate good presentation and writing skills Participate in departmental or other local journal club Critically review an article to identify the level of evidence Attend departmental audit meetings Contribute data to a local or national audit Identify a problem and develop standards for a local audit Describe the audit cycle and take an audit through the first steps Seek feedback on performance from clinical supervisor/mentor/patients/carers/service users 	Area 1.3	
Examples and descriptors for CCT	 Demonstrate critical appraisal skills in relation to the published literature Apply for appropriate ethical research approval Outline research organisation and funding sources Write a scientific paper Lead a departmental or other local journal club Contribute to the development of local or national clinical guidelines or protocols Organise or lead a departmental audit meeting Lead a complete clinical audit cycle including development of conclusions, the changes needed for improvement, implementation of findings and re-audit to assess the effectiveness of the changes Seek opportunities to visit other departments and learn from other professionals 	Area 1.3	

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Sub-	Manager		
category:	Including:		
	Self awareness and self management (GMP Domains: 1)	Area 1.1 and 1.2	
	Team-working (GMP Domains: 1, 3)Leadership (GMP Domains: 1, 2, 3)	Area 2	
	 Principles of quality and safety improvement (GMP Domains: 1, 3, 4) 	Area 4.2, 4.3, 4.4 Area 3	
	Management and NHS structure (GMP Domains: 1)	711 04 0	
Objective	Self awareness and self management	Area 1.1 and 1.2	MSF & CBD
	To recognise and articulate one's own values and principles, appreciating how these may differ from those of others		
	To identify one's own strengths, limitations and the impact of their behaviour		
	 To identify their own emotions and prejudices and understand how these can affect their judgement and behaviour 		
	To obtain, value and act on feedback from a variety of sources		
	To manage the impact of emotions on behaviour and actions		
	 To be reliable in fulfilling responsibilities and commitments to a consistently high standard 		
	 To ensure that plans and actions are flexible, and take into account the needs and requirements of others 		
	To plan workload and activities to fulfill work requirements and commitments with regard to their own personal health		
	Team working		
	To identify opportunities where working with others can bring added benefits		MSF, CBD, reflective
	To work well in a variety of different teams and team settings by listening to others, sharing information, seeking the views of others, empathising with others, communicating well, gaining trust, respecting roles and expertise of others, encouraging others, managing differences of opinion, adopting a team approach	Area 2	writing and portfolio assessment during ARCP
	Leadership		
	 To develop the leadership skills necessary to lead teams effectively. These include: Identification of contexts for change Application of knowledge and evidence to produce an evidence based challenge to systems and processes 		

Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Making decision by integrating values with evidence Evaluating impact of change and taking corrective action where necessary Principles of quality and safety improvement To recognise the desirability of monitoring performance, learning from mistakes and adopting no blame culture in order to ensure high standards of care and optimise patient safety To critically evaluate services To identify where services can be improved To support and facilitate innovative service improvement	Area 5 Area 4.2, 4.3 and 4.4	MSF, CBD, reflective writing and portfolio assessment during ARCP
Management and NHS culture To organise a task where several competing priorities may be involved To actively contribute to plans which achieve service goals To manage resources effectively and safely To manage people effectively and safely To manage performance of themselves and others To understand the structure of the NHS and the management of local healthcare systems in order to be able to participate fully in managing healthcare provision	Area 3	MSF, CBD, reflective writing and portfolio assessment during ARCP MSF, CBD, reflective writing and portfolio assessment during ARCP

Knowledge	The trainee will be able to: Self awareness and self management	Areas 1.1 and 1.2
	Describe individual behaviours impact on	Areas III and II.2
	others;	
	 Outline personality types, group dynamics, learning styles, leadership styles 	
	Obtain feedback from others	
	Use tools and techniques for managing stress	
	Define the role and responsibility of	
	occupational health and other support networks	
	Demonstrate knowledge of the limitations of self professional competence	
	Team working	
	Outline the components of effective	
	collaboration and team workingDemonstrate specific techniques and	Area 2
	methods that facilitate effective and empathetic communication	
	Demonstrate techniques to facilitate and resolve conflict	
	 Define the roles and responsibilities of members of the multidisciplinary team 	
	 Outline factors adversely affecting a doctor's and team performance and methods to rectify these 	
	Compare different leadership styles	
	Leadership	
	Define the responsibilities of the various	
	Executive Board members and Clinical Directors or leaders	
	 Outline the function and responsibilities of national bodies such as DH, HCC, NICE, 	
	NPSA, NCAS; Royal Colleges and	
	Faculties, specialty specific bodies,	Area 5
	representative bodies; regulatory bodies; educational and training organisations	
	Describe patient outcome reporting systems	
	within surgery, the organisation and how these relate to national programmes.	
	 Explain how decisions are made by individuals, teams and the organisation 	
	 Identify effective communication strategies within organisations 	
	Describe impact mapping of service change, barriers to change, qualitative methods to gather the experience of patients and carers	
	Quality and safety improvement	
	 Identify the elements of clinical governance and its relevance to clinical care 	
	Identify significant event reporting systems relevant to surgery	

Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
 Explain the importance of evidence-based practice in relation to clinical effectiveness Anticipate risks associated with the surgery including mechanisms to reduce risk Describe the use of patient early warning systems to detect clinical deterioration Keep abreast of national patient safety initiatives including National Patient Safety Agency, NCEPOD reports, NICE guidelines etc Outline quality improvement methodologies including feedback from patients, public and staff Define the role of audit, research, guidelines and standard setting in improving quality of care Describe methodology of creating solutions for service improvement Evaluate the implications of change 	Area 4.2, 4.3, 4.4	
Management and NHS Structure Refer to guidance given on management and doctors by the GMC Draw the structure of the NHS and its constituent organisation Outline the structure and function of healthcare systems as they apply to surgery Explain the principles of: Clinical coding Relevant legislation including Equality and Diversity, Health and Safety, Employment law, European Working Time Regulations National Service Frameworks Health regulatory agencies (e.g., NICE, Scottish Government) NHS Structure and relationships NHS finance and budgeting Consultant contracts Commissioning, funding and contracting arrangements Resource allocation The role of the independent sector as providers of healthcare Patient and public involvement processes and role Recruitment and appointment procedures Outline basic management techniques	Area 3	

Skills	Self-awareness and self-management	Area 1.2 and 1.2	
Skills	 Maintain and routinely practice critical self-awareness, including ability to discuss strengths and weaknesses with supervisor, recognising external influences and changing behaviour accordingly Demonstrate awareness of and sensitivity to the way in which cultural and religious beliefs affect approaches and decisions, and to respond respectfully Recognise the manifestations of stress on self and others and know where and when to look for support Balance personal and professional roles and responsibilities, prioritise tasks, having realistic expectations of what can be completed by self and others 	Area 1.2 and 1.2	
	Team working		
	Prepare patient lists with clarification of problems and ongoing care plan Hand over between shifts and areas of care appropriately Communicate effectively in the resolution of conflict, providing feedback Develop effective working relationships with colleagues within the multidisciplinary team Demonstrate leadership and management in the following areas: Education and training of junior colleagues and other members of the team Deteriorating performance of colleagues (e.g. stress, fatigue) Effective handover of care between shifts and teams Lead and participate in interdisciplinary team meetings Provide appropriate supervision to less experienced colleagues	Area 2	
	Meet deadlines appropriately		
	Leadership		
	 Outline local, national and UK health priorities and how they impact on the delivery of health care relevant to surgery Identify trends, future options and strategy relevant to surgery Compare and benchmark healthcare services Use a broad range of scientific and policy publications relating to delivering healthcare services Prepare for meetings by reading agendas, 		
	explaining minutes, action points and background research on agenda items	Area 5	

Profe	essional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
•	Work collegiately and collaboratively with a wide range of people outside the immediate clinical setting Evaluate outcomes and re-assess the solutions through research, audit and quality assurance activities Anticipate the wider impact of implementing change in healthcare provision and the potential for opportunity costs		
Quali	ty and safety improvement		
•	Adopt strategies to reduce risk e.g. Safe		
	surgery Contribute to quality improvement processes e.g.		
	 Audit of personal and departmental performance Errors / discrepancy meetings Critical incident and near miss reporting Unit morbidity and mortality meetings 		
	Local and national databases Maintain a personal portfolio of information		
•	and evidence Creatively question existing practise in order to improve service and propose solutions		
Mana	gement and NHS Structures		
•	Manage time and resources effectively		
•	Utilise and implement protocols and guidelines	Area 4.2, 4.3, 4.4	
•	Participate in managerial meetings		
•	Take an active role in promoting the best use of healthcare resources		
•	Work with stakeholders to create and sustain a patient-centred service		
•	Employ new technologies appropriately, including information technology		
•	Conduct an assessment of the community needs for specific health improvement measures	Area 3	

<u> </u>	Solf-awaroness and solf-management	Aroa 1.1 and 1.2
Behaviour	Self-awareness and self-management • Adopt a patient-focused approach to	Area 1.1 and 1.2
	decisions that acknowledges the right,	
	values and strengths of patients and the	
	public	
	 Recognise and show respect for diversity and differences in others 	
	Be conscientious, able to manage time and delegate	
	Recognise personal health as an important issue	
	Team working	Area 2
	 Encourage an open environment to foster and explore concerns and issues about the functioning and safety of team working 	Alou Z
	Recognise limits of own professional competence and only practise within these.	
	Define and respect the skills and expertise of others	
	Respect the request for a second opinion	
	Describe the importance of induction for new members of a team	
	Share prompt and accurate information with Primary Care team following hospital discharge	
	Leadership	
	Comply with national guidelines that	
	influence healthcare provision	
	Articulate strategic ideas and use effective influencing skills	
	Identify issues and potential solutions before acting	
	Outline the role of the public and communities in developing health services	Area 5
	Participate in decision making processes beyond the immediate clinical care setting	
	 Demonstrate commitment to implementing proven improvements in clinical practice and services 	
	Obtain the evidence base before declaring effectiveness of changes	
	Quality and safety improvement	
	Participate in safety improvement strategies	
	such as critical incident reporting	
	Develop reflective practice in order to achieve insight into own professional practice	
	Demonstrates commitment to improve own	
	performance in the light of feedback and assessment	
	Engage with an open no blame culture	
	Respond positively to outcomes of audit and quality improvement	Area 4.2, 4.3, 4.4

Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Co-operate with changes necessary to improve service quality and safety		
Recognise the importance of equitable allocation of healthcare resources and of commissioning Define the role of doctors as active participants in healthcare systems Respond appropriately to health service objectives and targets and take part in the development of services Define the role of patients and carers as active participants in healthcare systems and service planning Develop managerial skills (e.g. management courses) and engage in management of the service	Area 3	

Examples	Self-awareness and self-management	Area 1.1 and 1.2
and	Access 360° feedback as part of an	
descriptors	assessment	
for Core	Participate in peer learning and explore leadership styles and preferences	
Surgical	, , ,	
Training	Complete written clinical notes in a timely fashion	
	Through feedback discuss and reflect on the	
	impact of an emotional situation on	
	communication with another person	
	Learn from coaching on time management	
		Area 2
	Team working	1.1.02.2
	Work well within the multidisciplinary team	
	and recognise when assistance is required	
	Invite and encourage feedback from patients	
	Demonstrate awareness of own contribution to notice to effect within a team and is able to	
	to patient safety within a team and is able to outline the roles of other team members.	
	Keep records up-to-date and legible and	
	relevant to the safe progress of the patient.	
	Hand over care in a precise, timely and	
	effective manner	
	 Supervise the process of finalising and 	
	submitting operating lists to the theatre suite	
	Leadership	
	Comply with clinical governance requirements of organisation.	
	requirements of organisation Present information to clinical and service	
	managers (eg audit)	
	 Contribute to discussions relating to relevant 	
	issues e.g. workload, cover arrangements	
	using clear and concise evidence and	
	information	Area 5
	Quality and safety improvement	
	Quality and safety improvement	
	 Relate clinical governance to quality improvement activities 	
	Participate in local governance processes	
	Maintain a personal portfolio	
	Engage in clinical audit	
	Appraise current systems and processes	
	- Appraiso current systems and processes	Area 4.2, 4.3, 4.4
	Management and NHS Structures	
	Participate in audit to improve a clinical	
	service	
	Work within corporate governance	
	structures	
	Manage others by teaching and mentoring	
	juniors, medical students and others,	
	delegating work effectively, • Identify areas of potential waste	
	identity areas of potential waste	
		Area 3

		TA 112
Examples	Self-awareness and self-management	Area 1.1 and 1.2
and	Participate in case conferences as part of Additional in a part of the conference as part	
descriptors	multidisciplinary and multi-agency team	
for CCT	 Respond to service pressures in a responsible and considered way 	
	Liaise with colleagues in the planning and	
	implementation of work rotas.	
	,	
	Team working	Area 2
	Discuss problems within a team and provide an	Area 2
	analysis and plan for change	
	Work well in a variety of different teams	
	Show the leadership skills necessary to lead the multidisciplinary team	
	 Begin to lead multidisciplinary team meetings 	
	 Promotes contribution from all team 	
	members	
	 Fosters an atmosphere of collaboration 	
	 Ensures that team functioning is 	
	maintained at all times.	
	 Recognises need for optimal team dynamics 	
	Promotes conflict resolution	
	Recognise situations in which others are	
	better equipped to lead or where delegation	
	is appropriate	
	Loadorship	
	Leadership ■ Shadow an NHS manager	
	Attend a multi-agency conference	
	Use and interpret departments performance	Area 5
	data and information to debate services	
	Participate in clinical committee structures	
	within an organisation	
	Quality and safety improvement	
	Define key elements of clinical governance	
	Demonstrate personal and service	
	performance	
	Design audit protocols and complete audit cycle	
	 Identify areas for improvement and initiate improvement projects 	
	 Support and participate in the implementation of change 	Area 4.2, 4.3, 4.4
	Lead review of patient safety issue	
	Outline principles of change management	
	Management and NHS Structure	
	Outline the roles of primary care, including	
	general practice, public health, community,	
	•	
		Aron 3
		Area 3

•	mental health, secondary and tertiary care services within healthcare Participate fully in clinical coding arrangements and other relevant local activities Describe the relationship between PCTs/Health Boards, General Practice and Trusts including relationships with local authorities and social services Participate in team and clinical directorate meetings including discussions around	
•	service development Relate the most recent guidance from the relevant health regulatory agencies to the surgical specialty Relate the local structure for health services to regional or devolved administration structures Outline funding allocation processes from central government in outline and how that might impact on the local health organisation	

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Sub- category:	Promoting good health (GMP Domains: 1, 2, 3)		
Objective	 To demonstrate an understanding of the determinants of health and public policy in relation to individual patients To promote supporting people with long term conditions to self-care To develop the ability to work with individuals and communities to reduce levels of ill health and to remove inequalities in healthcare provision To promote self-care 	N/A	MRCS, specialty FRCS, CBD, MSF
Knowledge	The trainee will be able to Access guidance documents relevant to the support of self-care Identify agencies that can provide care and support out with the hospital List the factors which influence the incidence and prevalence of common conditions including psychological,		

Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
biological, social, cultural and economic factors Outline the screening programmes currently available within the UK Debate the possible positive and negative implications of health promotion activities Outline the determinants of health worldwide and strategies to influence policy relating to health issues Identify the major causes of global morbidity and mortality and effective, affordable interventions to reduce these		

Skills	 Adapt assessment and management according to the patients social circumstances Assess patient's ability to access various services in the health and social system and offers appropriate assistance Discuss appropriate equipment and devices where appropriate put the patient in touch with the relevant agency Facilitate access to appropriate training and skills to develop the patients' confidence and competence to self-care Identify opportunities to promote change in lifestyle and to prevent ill health Counsel patients appropriately on the 	
Behaviour	 benefits and risks of screening and health promotion activities Evaluate the impact of long term conditions on the patient, family and friends Put patients in touch with the relevant agency including the voluntary sector from where they can access support or equipment relevant to their care Maintain a close working relationship with other members of the multi-disciplinary team, primary and community care Recognise and respect the role of family, friends and carers in the management of the patient with a long term condition Encourage where appropriate screening to 	
Examples and descriptors for Core Surgical Training	Articulate that "quality of life" is an important goal of care and that this may have different meanings for each patient Promote patient self-care and independence Help the patient to develop an active understanding of their condition and how they can be involved in self-management Discuss with patients those factors which could influence their health	
Examples and descriptors for CCT	 Outline the impact of long term conditions Develop management plans in partnership with the patient that are pertinent to the patients long term condition Engage with relevant external agencies to promote improving patient care Support small groups in a simple health promotion activity Discuss with small groups the factors that have an influence on their health and describe steps they can undertake to address these Provide information to an individual about a screening programme, offering specific guidance in relation to their personal health 	

and circumstances concerning the factors that would affect the risks and benefits of screening to them as an individual.		
--	--	--

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Sub- category:	Probity and Ethics To include	Area 1.4	
Objective	 To uphold personal, professional ethics and values, taking into account the values of the organisation and the culture and beliefs of individuals To communicate openly, honestly and inclusively To act as a positive role model in all aspects of communication To take appropriate action where ethics and values are compromised To recognise and respond the causes of medical error To know, understand and apply appropriately the principles, guidance and laws regarding medical ethics and confidentiality as they apply to surgery To understand the necessity of obtaining valid consent from the patient and how to obtain To understand the legal framework within which healthcare is provided in the UK To recognise, analyse and know how to deal with unprofessional behaviours in clinical practice, taking into account local and national regulations Understand ethical obligations to patients and colleagues To appreciate an obligation to be aware of personal good health 	Area 1.4	MSF and CBD, PBA, DOPS, MRCS, specialty FRCS

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique	
Knowledge	 The trainee will be able to Outline the local complaints procedure Recognise factors likely to lead to complaints Differentiate between system and individual errors Outline the principles of an effective apology Refer to the professional, legal and ethical codes of the General Medical Council and any other codes to which the physician is bound Outline the principles of medical ethics Explain the principles of confidentiality Define the relevance of the Data Protection Act and Freedom of Information Act to surgical practice Formulate principles of Information Governance and the role of the Caldicott Guardian Relate the legal framework for patient consent to medical practise Identify factors influencing ethical decision making including religion, personal and moral beliefs, cultural practices Apply standards of practice defined by the GMC when deciding to withhold or withdraw life-prolonging treatment Work within the UK legal framework and GMC guidelines for taking and using informed consent for invasive procedures including issues of patient incapacity 	Area 1.4		
Skills	 Recognise, analyse and deal with unprofessional behaviours in clinical practice taking into account local and national regulations Create open and non-discriminatory professional working relationships with colleagues helping to prevent bullying and harassment Contribute to processes whereby complaints are reviewed and learned from Explain comprehensibly to the patient the events leading up to a medical error or serious untoward incident, and sources of support for patients and their relatives Deliver an appropriate apology and explanation relating to error Use and share information with the highest regard for confidentiality both within the team and in relation to patients Counsel patients, family, carers and advocates tactfully and effectively when making decisions about resuscitation status, and withholding or withdrawing treatment 	Area 1.4		

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
	 Present appropriate information to patients (and carers) in a format they understand, checking understanding and allowing time for reflection on the decision to give consent Provide a balanced view of all care options Apply the relevant legislation that relates to the health care system in order to guide one's clinical practice including reporting to the Coroner's/Procurator Officer, the Police or the proper officer of the local authority in relevant circumstances Prepare appropriate medico-legal statements for submission to the Coroner's Court, Procurator Fiscal, Fatal Accident Inquiry and other legal proceedings Present such material in Court 		
Behaviour	 Accept professional regulation Promote professional attitudes and values Demonstrate probity and the willingness to be truthful and to admit errors Adopt behaviour likely to prevent causes for complaints Deal appropriately with concerned or dissatisfied patients or relatives Recognise the impact of complaints and medical error on staff, patients, and the National Health Service Contribute to a fair and transparent culture around complaints and errors Recognise the rights of patients to make a complaint Identify sources of help and support for patients and yourself when a complaint is made about you or a colleague 	Area 1.4 Area 1.4 Area 1.4	


	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
	 Seek advice of peers, legal bodies, and the GMC in the event of ethical dilemmas over disclosure and confidentiality Share patient information as appropriate, and take into account the wishes of the patient Seek the opinion of others when making decisions about resuscitation status, and withholding or withdrawing treatment Seek and use consent from patients for procedures that they are competent to perform while Respecting the patient's autonomy Respecting personal, moral or religious beliefs Not exceeding the scope of authority given by the patient Not withholding relevant information Seek a second opinion, senior opinion, and legal advice in difficult situations of consent or capacity Seek advice from the employer, appropriate legal bodies (including defence societies), and the GMC on medico-legal matters 		
Examples and descriptors for Core Surgical Training	 Report and rectify an error if it occurs Participate in significant event audits Participate in ethics discussions and forums Apologise to patients for any failure as soon as an error is recognised Describe the local complaints procedure Recognises need for honesty in management of complaints Learn from errors Respect patients' confidentiality and their autonomy Define the relevance of the Data Protection Act and Freedom of Information Act to surgical practice Consult appropriately, including the patient, before sharing patient information Participate in decisions about resuscitation status, withholding or withdrawing treatment Obtain consent for interventions that he/she is competent to undertake Remain within limits of their own professional capabilities 	Area 1.4 Area 1.4 Area 1.4	

	Professional Behaviour and Leadership	Mapping to Leadership Curriculum	Assessment Technique
Examples and descriptors for CCT	 Recognise and respond to both system failure and individual error Provide timely accurate written responses to complaints when required Counsel patients on the need for information distribution within members of the immediate healthcare team Seek patients' consent for disclosure of identifiable information Appropriately discuss with patients with whom they would like information about their health to be shared Identify the need for ethical approval when patient information is to be used for any purpose Differentiate between confidentiality and anonymity Apply for ethical approval for research Assume a full role in making and implementing decisions about resuscitation status and withholding or withdrawing treatment Support decision making on behalf of those who are not competent to make decisions about their own care Obtain consent for interventions that he/she is competent to undertake, even when there are communication difficulties Identify cases which should be reported to external bodies Identify situations where medico-legal issues may be relevant Work with external bodies around appropriate cases. Collaborate with external bodies by preparing and presenting reports as required 		

Learning Opportunities

LEARNING AGREEMENT

The Learning Agreement between the assigned educational supervisor (AES) and the trainee forms the cement that binds together the T&O curriculum. The formulation of this agreement in the workplace environment is made as simple and straightforward as possible through the use of a series of templates and agendas, which form a protocol accessed through ISCP.



In order for the trainee to maximise the learning opportunities available, a number of points need to be considered:

The trainee and AES need to discuss prior training experiences to establish an understanding of the overall level of competency that the trainee has.

The AES needs to be able to present to the trainee what training opportunities are going to be on offer for that trainee at his or her level. ISCP has embedded within the system, trainer profiles, which SHOULD BE COMPLETED AS THEY WILL be accessed by trainees. This is an invaluable opportunity to set out expectations the AES has, including how the individual prefers to work eg through face to face or web media EG Skype or FaceTime meetings.

The AES must be flexible to ensure that the trainee has as many learning opportunities as possible given the limitations of NHS practice.

The trainee must accept that not all perceived learning opportunities will be available given the constraints of NHS practice.

Both trainee and AES must be prepared to give and receive feedback and both must reflect upon the experiences.

Learning agreements:

The documents for the learning agreements are managed through ISCP. Essentially these are completed at the start of the attachment, near the mid-point and the end.

The learning agreements should establish in detail what is going to be achieved for the period of the attachment, including clinical skills, quality improvement projects, research and attendance at courses and meetings.


There should be an agreement about the opportunities to complete WBAs in the post. A mix of 50% assessment of operative skills and 50% other assessments is suggested as a general guide

MODELS OF LEARNING

Educational Models

There are numerous educational models, theories and papers relevant to this curriculum and to the activity of training in T & O. Of all of these, trainers and trainees should be familiar with four, listed below, that have underpinned the development of this curriculum.

How surgeons learn




David Kolb's learning cycle illustrates the importance of reflection in the learning process. Without the key activities of reflecting and drawing conclusions, learning is reduced to a series of events with no connection to changes or improvements in behaviour or competence.

The T&O curriculum encourages reflective learning on the part of both trainer and trainee in the learning agreement. All trainers are required to reflect on their own practice in the production of a trainer profile which is shared with each trainee at the start of an attachment. The trainee in turn uses this profile to reflect on their own progress to date, sharing this with the AES in the first learning agreement meeting where, together, they set goals for the attachment. As the attachment progresses workplace based assessments generate feedback for the trainee on which s/he reflects informally on a day to day basis and formally at two further learning agreement meetings, the last of which offers the opportunity to reflect on the attachment as a whole and draw conclusions to be actioned in the next post.

What surgeons learn

Argyris & Schön proposed that to be effective in the workplace, learning must cover multiple levels synergistically. It is not enough to move rapidly around loop 1 (detecting errors and fixing immediate problems). Without loop 2 (values, underlying principles, why the problems occur in the first place) learning is incomplete.




Similarly it is not enough for a surgical trainee to learn the specific details of clinical work (doing surgery) without simultaneously extending their competence in being a surgeon, a much wider activity.



In the T & O curriculum the content of the clinical syllabus represents the detail of surgery (including those skills relating to the generality of the discipline) whereas the Professional Behaviour and Leadership Skills syllabus represents the breadth of surgical activity beyond the solution of clinical problems (Good Medical Practice, 2013).



Assessment of learning




George Miller provided a framework for assessment in his pyramid model. In Miller's view a portfolio of assessments needs to be used to evaluate the trainee at different levels.

In the T& O curriculum the WBA including Procedure Based Assessments CEX, CBD and MSF target the highest levels of the pyramid. and the examination focuses largely at knowledge level.

Articulating Tacit Knowledge (& skills)

Most surgeons will find it difficult to articulate how or when they learned "professional judgement", "leadership" or many other meta-skills. This may be in part because such learning was through socialisation (rather than programmed) but fundamentally because such knowledge and skills are routinely held tacitly by consultants.

Tacit knowledge is the collection of things we don't know we know, even though we use them to do things. Explicit knowledge (skills) refers to the things we know that we know and are able to share with others through words or deliberate actions. Ikujiro Nonaka's work on knowledge management helps us to see that two people may share their tacit knowledge (through socialisation, unguided observation...). One or other may then externalise that knowledge, combine it with other knowledge and then re-internalise it through practice.



For example, a trainee assists the trainer in a difficult procedure during which an unexpected complication occurs. The trainee has seen and heard much during the procedure, including conversations between the surgeon, scrub nurse and anaesthetist. In commenting to the surgeon afterwards on what has (factually) been observed, the trainee makes the knowledge explicit and then combines this explicit knowledge with explanations from the surgeon or other knowledge. The trainee then "takes on board" or internalises it as part of ongoing competence development in readiness to pursue the learning cycle further. The articulation of Tacit Knowledge a frequently occurring element of reflection within the overall learning cycle.

There is much in this T&O curriculum that will be "newly explicit" to many trainers and trainees. There has been a clinical knowledge syllabus for many years (on which various examinations have been based) but the material now included in the professional behaviour and leadership skills syllabus covers competencies, which have, until now, been "picked up on the way". It is to be hoped that the curriculum will enable trainers and trainees to progress more easily by the externalisation of such skills.

LEARNING ENVIRONMENT

As surgery is a craft specialty, it is essential that trainees are able to acquire specialist surgical skills in the work place under supervision that is appropriate for the level of the trainee and the particular learning experience. They will be expected to use those skills to deliver clinical services and thus acquire experience based on the competencies they achieve. The delivery of training occurs alongside service delivery as a matter of necessity. Clarity is required on the nature of this partnership in order that the interests of all parties (trainee, AES, trust and patient) are best served. It is the responsibility of the programme director, in partnership with the Postgraduate Dean and the individual training unit, to ensure that an adequate learning environment is provided.

INDIVIDUALS IN THE WORKPLACE

Trainees

Individual trainees must take ultimate responsibility for their own learning. It will be their duty to ensure that they cover the syllabus (as set out in this document) and supplement the other aspects of their training with planned learning, personal study, audit and research.

As part of the process of work based learning a trainee would be expected to:

- Attend supervised fracture and orthopaedic clinics.
- Attend supervised elective and trauma operating lists.
- Undertake emergency assessments of the acute presentations of trauma and orthopaedic problems in the Emergency Department.
- Participate in the presentation of trauma cases and trauma management discussions.
- Work as a member of a team that includes other health care professionals.
- Undertake the care of patients in the ward environment.
- Participate in the organisation and management of in and outpatient care.
- Attend teaching sessions within the work place.
- · Participate in audit meetings.
- Participate in journal clubs.
- Undertake clinical reviews and research.
- The trainee is also required to take advantage of external learning opportunities.
- Attend programme based teaching sessions.
- Attend appropriately organised and instructed external courses and workshops as agreed in their learning agreements.
- Attend professional association instructional courses and conferences.

- Produce poster presentations, presentations and publications.
- Undertake guided reading.
- Undertake e- learning.

Trainers

One of the most valued resources of the current training system is the time, commitment and energy devoted by the trainers.

Currently trainers are expected to fulfil the requirements of the GMC as stated in "Recognising and Approving Trainers 2012". They must be able to demonstrate competencies as follows:

- Ensuring safe and effective patient care through training
- Establishing and maintaining an environment for learning
- Teaching and facilitating learning
- Enhancing learning through assessment
- Supporting and monitoring educational progress
- Guiding personal and professional development
- Continuing professional development as an educator

For clarity of trainer roles:

Clinical supervisor

The clinical supervisor is responsible for day-to-day supervision in the workplace. Clinical supervision involves being available, looking over the shoulder of the trainee, teaching on-the-job with developmental conversations, regular feedback and the provision of a rapid response to issues as they arise. All trainees should have a named clinical supervisor for each post. Workplace-based assessment will also tend to fall to the clinical supervisor.

Assigned Educational supervisor

The educational supervisor is responsible for the supervision of a trainee's progress over time. Educational supervisors are responsible for ensuring that trainees are making the necessary clinical and educational progress. Educational supervisors will need all the skills of clinical supervision, plus an appreciation of supporting educational theory, the ability to undertake appraisal, work with portfolios and provide careers advice. Managing the trainee in difficulty will also, inevitably involve the educational supervisor with support from deanery training structures.

DEANERY/PROGRAMME

The training programme director (TPD) should produce an outline rotation for each stage of training to enable trainees to acquire the necessary knowledge, skills, judgement and professionalism to fulfil each stage of their educational requirements. The outline rotation may need to be adjusted subject to the outcomes of the ARCP process

The programme should provide a cohesive, progressive core curriculum programme, which should include opportunities for didactic tuition, clinical presentation, paper presentations and for journal discussion.

Page 120 of 215

EXTERNAL RESOURCES

Courses

External organisations regularly promote and organise courses of study. Trainees (in discussion with their AES) must choose courses appropriate to their stage of learning and identify them in their learning agreement. Full funding for these courses will rarely be available from training budgets and trainees should be aware of this when planning these external opportunities.

Resources

There is now a wealth of web based instructional materials and medical resources with which the trainee should become familiar.

Colleges

All the Royal Colleges produce publications and instructional material, sometimes on an intercollegiate basis.

British Orthopaedic Association (BOA)

The BOA hosts instructional courses for trainees and includes instructional sessions within its Annual Congress.

The BOA web site has a specific education section with information and hyperlinks.

Other Specialty Interest Associations

All areas of T&O specialty interests have associations that will provide a variety of learning opportunities.

STAGES OF LEARNING

Core Training

Core training enables surgical trainees to develop their basic knowledge and skills and provides the opportunity to be exposed to several different surgical specialties. Core trainees wishing to enter T&O for higher training should endeavour to choose a core training programme that enables them to build foundations for a future career in the specialty. There is a specified requirement of a minimum of 10 months training in T&O for core trainees wishing to become ST3 trainees in T&O. These posts must be able to deliver the competencies as defined in the Core Training Curriculum.


ST3 - 6 Overview

This is the stage when the trainee obtains many of the clinical competencies. They will also acquire both in and outpatient diagnostic and management skills and will supervise the day to day ward work of the foundation and core trainee doctors.

The intermediate phase includes further training in trauma and the introduction of specialty modules for example ankle and foot, hand, shoulder and elbow, hip, knee, spine and children's surgery. The precise shaping of the modules will differ in different training programmes. MOST training posts provide attachments to MORE THAN ONE clinical supervisor. Trainees should not have to "compete" with others seeking training, such as fellows, when attached to a particular trainer. Training posts should have a job plan that maximises contact between the trainer and trainee, has combination of trauma and elective orthopaedics and must include time for personal study, attendance at regional training programme teaching and time for audit and research.

The majority of posts include trauma on call according to a rota which would normally be supervised by a number of different trainers during an attachment. This provides an opportunity to receive feedback from more than one source, during a training interval, which is to be encouraged. Occasionally posts will include no trauma commitment, but this is unusual. Overall, approximately 50% of training experience should be allocated to the specialist subjects and 50% to trauma.

Over the intermediate training interval the majority of the examples of modular training outlined above should be covered.



ST7 - 8 Overview

The final phase is assumed to occur in the last one to two indicative years of the programme, assuming that by then all the necessary competencies outlined in the curriculum have been acquired. During this period trainees have a number of choices.

The purpose of this phase is for the trainee to consolidate their skills in the generality of T&O surgery and practice and to extend their expertise in one or more of their areas of special interest. This period enables the trainee to further develop their decision making skills under guidance based on the solid grounding of knowledge, skills, judgement and professionalism obtained in the earlier phases. It prepares the trainee for entry onto the Specialist Register and for the role of team leader required as a consultant in the NHS.

The most likely choice training posts may be a combination of one of the following:-

- A reprise in one of the modular components revisiting existing training places on your rotation to study in more depth. For example, ankle and foot, hand, shoulder and elbow, hip, knee, spine and paediatric.
- Visits to another specialist in the trainee's declared field of interest in the existing programme. This is only likely to apply in larger programmes
- All fellowships must have prospective approval from GMC prior to commencement. The SAC liaison
 member for training programme is required to consider a post for approval and will review the
 experience once the post has been completed. Approval that the post will contribute to overall training
 will be given only if evidence is provided demonstrating the acquired competencies.

- A period in research. If a trainee has already spent a period in research and sought to have it approved
 for training, a second period is unlikely to be recognised unless it has a substantial clinical element. It
 is vital that the trainee checks with the SAC if such a proposal is to be considered. The SAC wishes to
 support academic development but within the context of training.
- The trainee is required to successfully complete the Intercollegiate Specialty Examination in Trauma and Orthopaedics during this last phase of training.
- Acting up as a consultant (AUC) 'Acting up' under supervision provides final year trainees with
 experience to help them make the transition from trainee to consultant. A period of acting up offers
 trainees an opportunity to get a feel for the consultant role while still being under a level of
 supervision.
- The post must be defined as acting up for an absent consultant, and cannot be used to fill a new locum consultant post or to fill service needs. The trainee acting up will be carrying out a consultant's tasks but with the understanding that they will have a named supervisor at the hosting hospital and that the designated supervisor will always be available for support, including out of hours or during on-call work. Specialty Advisory Committee (SAC) support is required and must be sought prospectively through an application to the JCST. Further GMC prospective approval is not required unless the acting up post is outside your home Deanery/LETB. If accepted the AUC will be able to count towards the award of a CCT/CESR CP. Trainees will need to follow the JCST guidance which can be found on the JCST website http://www.jcst.org/uk-trainees/str-trainees/acting-up-as-a-consultant.

ACADEMIC T & O SURGERY AND RESEARCH

T&O actively supports research and the need for the training of academic clinicians. The programmes for such posts are governed through National Institute for Health Research (NIHR) initiatives and highly competitive. Academic trainees will have to demonstrate both clinical and academic competencies.

In general it is expected that all trainees will be involved in research. The type and direction of the research will depend upon the support that is on offer. Some trainers have a research background and so are able to develop and support research programmes that trainees can join. Academic departments can and will support research, both basic science and clinical.

It is essential that all trainees have knowledge of some aspects of research methodology, especially epidemiology and statistics. It is, however, also important that all T&O trainees are able to understand the language of modern scientific technologies as applied to the specialty. The ability to critically appraise scientific publications is an essential skill for all T&O surgeons.

Trainees may ask what acceptable research output is during their training. There is no easy answer to this. Being proscriptive about numbers of publications and presentations simply leads to wasted effort by the trainees who may not have sought or found the necessary support to successfully complete a piece of work. However, it is expected that all trainees provide evidence of involvement in research. Some guidance can be found on the JCST website.

Some points to be considered by trainees:

- Find a topic that you find personally interesting and stimulating.
- Spend some time finding out if you can make an original contribution to knowledge by following that topic.
- Discuss widely with others who are experienced in undertaking research. You will need a mentor.
- Get statistical support if appropriate.
- Be realistic about timescales. The necessary permissions such as ethics can take months to gain.

- Get other trainees involved so that you are not working on your own. Help is essential at various points, such as when you are preparing for the intercollegiate examination and cannot concentrate on the research.
- If you are wishing to undertake basic science research in a laboratory, remember that you are likely to
 be less experienced than anyone else in that environment, so respect other workers who will be willing
 to help.
- Discuss, at an early stage, whether a piece of work may be suitable for a research degree or as a thesis
 as part of a taught masters degree.

QUALITY IMPROVEMENT PROJECTS

There is a requirement that all doctors are involved in quality improvement projects. Traditionally this has been accepted as undertaking an audit that does not necessarily close the loop.

For this version of the curriculum it will be a requirement that all trainees are able to provide evidence of involvement in quality improvement projects. Success at ARCP will be dependent on providing such evidence.

Undertaking a full audit cycle (closing the loop) leading to a change in practice and improved quality of care has become part of the revalidation process for consultants. Trainees have been expected to take part in regular audit and demonstrate that activity in their portfolio. However, there has not been a curriculum requirement to undertake audit. In this revision of the curriculum there is a requirement for all trainees to undertake a minimum of one full audit per year. Within the 6 years of higher training, trainees must undertake at least 2 audits where the loop is closed. The completed audit cycle should be presented at a local, national or international meeting.

It is recognised that other methodologies can demonstrate quality improvement. Therefore, trainees should consider using root cause analysis or other quality improvement methodologies to demonstrate competency in this area.

ACUTE MANAGEMENT OF THE INJURED PATIENT

It is a requirement of all trainees that they have a current certificate (provider status) in Advanced Trauma Life Support (ATLS) or an equivalent course. Trainees must be able to assess and manage the acutely injured patients using a structured approach. Trainees will be part of the trauma team at various stages in their training and indeed as they become senior may have to take a leadership role. ATLS or similar provides a structure which is familiar to all who are involved in the acute management of the injured patient.

AT COMPLETION OF ST8

Trainees will be able to demonstrate the following evidence in support of their application for a CCT and entry into the Specialist Register:

- Completion of 8 indicative years of training 2 at core level and 6 at higher level.
- Successful completion of the intercollegiate specialty examination in Trauma and Orthopaedics.
- A comprehensive portfolio showing training in the generality of T&O and evidence of specialty interest advanced training.
- Consolidation sheets from an e-logbook that demonstrate the breadth of exposure and performance
 of procedures progressing from supervised with the trainer scrubbed to more independent operating.
- Completion of all primary PBAs to level 4; completion of CBDs for critical conditions to level 4;
- Completion of quality improvement projects including the completion of 2 full audit loops in ST3 –ST8.

Page 125 of 215

- Completion, presentation and publication of appropriate research work.
- Maintenance of ATLS® provider status or an equivalent status in the acute management of the injured.
- Completion of an appropriate teaching course such as the Training Orthopaedic Trainers programme as a minimum requirement.
- Completion of a course on management in the NHS.
- Completion of training in equality and diversity and assessment and appraisal.

CESR applicants

It should be noted that some surgeons will enter the Specialist Register via the CESR route. Applicants for such entry must be able to demonstrate evidence as outlined for those receiving a CCT. CESR applicants are encouraged to seek mentorship from a senior consultant. CESR applicants will need to ensure that they are able to show recent (within 5 years) experience in all the specialty interest areas (hands, spines and children's trauma and orthopaedics).

Assessment & Feedback

INTRODUCTION


The curriculum is designed to provide clear outcomes at all stages. It includes elements germane to the whole of surgery in the early years and becoming increasingly specialised towards a competency model mapped back to Good Medical Practice (2013) in the context of T & O in later stages. The assessment and feedback mechanisms are fashioned to enable trainees to monitor their progress against these outcomes through a series of learning agreements which will be reviewed at regular intervals by the clinical supervisor and the trainee through a process of informal day to day encounters supported by formal and regular educational appraisals.

The assessment framework is constructed along the lines proposed by the GMC sub-committee on workplace based assessment (WBA) and illustrated below (GMC 2010).

The feedback process has three stages:

- Reaching a learning agreement and reviewing it educational appraisal
- Structured assessment in the workplace
- An annual review which has two components:
 - A review of the evidence of progression achieved as a result of stages one and two described above. The annual review is a high stakes event and will include Deanery and SAC nominated external scrutiny – it is also likely to be a paper-based or virtual process for most trainees.
 - An educational review between trainee and designated members of the local training committee (ARCP) which will plan the next stage of training or any remedial action recommended as a result of the high stakes review. This second stage is entirely formative and designed to encourage progression.

This is summarised in the diagram below:



The only exception to the above process will be in CT1 when at least two high stakes educational reviews will be necessary to ensure the trainee remains comfortable with their chosen career and to permit both AES and trainees to reflect on progress or suggestions for the need for counselling or career change in a minority of cases.

THE ROLE OF T&O TRAINERS

Clinical supervisor

The clinical supervisor is responsible for day-to-day supervision in the workplace. Clinical supervision involves being available, looking over the shoulder of the trainee, teaching on-the-job with developmental conversations, regular feedback and the provision of a rapid response to issues as they arise. All trainees should have a named clinical supervisor for each post. Workplace-based assessment will also tend to fall to the clinical supervisor.

Educational supervisor

The educational supervisor is responsible for the supervision of a trainee's progress over time. Educational supervisors are responsible for ensuring that trainees are making the necessary clinical and educational progress. Educational supervisors will need all the skills of clinical supervision, plus an appreciation of supporting educational theory, the ability to undertake appraisal, work with portfolios and provide careers advice. Managing the trainee in difficulty will also, inevitably involve the educational supervisor with support from deanery training structures.

THE LEARNING AGREEMENT

Learning agreements are the central agenda setting tool for the assigned educational supervisor (AES) and trainee. They form a link between the short-term learning opportunities within a specific attachment and the curriculum as a whole.

The learning agreement enables the trainee (in consultation with the AES) not only to monitor their learning continuously but also to review their progress against the overall curriculum. It is essential that all AES & CS and trainees utilise the learning agreement to maintain the overall progression in acquiring the generic skills and judgment required of a surgeon in addition to the specific skills and knowledge acquired in any particular post. The selection of assessment tools within the learning agreement must be made with the intention of sampling the trainee's growing competence with a reliability and scope, which ensures learning overall is quality assured. The recommendation is a mix of 50% operative assessments eg PBA, or DOPS and 50% non-operative WBA eg CBD or CEX

THE INSTRUMENTS OF ASSESSMENT

In general, assessment will take place in the workplace where possible, using an agenda set by the learning agreement and regular educational appraisal as described above. Where appropriate, knowledge and its application will be assessed by formal examinations. Progression will be determined by the series of reviews which will take into account all the evidence presented in a portfolio. The elements, which provide evidence of progression, will be looked at in an integrated manner, ensuring the outcome-based curriculum has been addressed satisfactorily by a trainee. All the components discussed in the curriculum must be achieved to the standards laid out in this curriculum.

T & O recognises the need to test knowledge, skills, judgement and professionalism relevant to the general practice of surgery in the early years of training.

The reasons for this are three fold:

- Surgeons are primarily 'doctors who do surgery' and must acknowledge the knowledge, skills, judgement and professionalism (built on undergraduate and foundation training) which consolidate this principle.
- An individual's aspirations in relation to surgery may turn out to be unrealistic or they may wish to change their careers and need educational credit.
- To enable individuals to focus on the breadth of medicine as well as the depths of surgery to the benefit of their patients.

As trainees progress, assessments will focus increasingly on the T & O context but still conceptualized in all aspects of Good Medical Practice (2013). If a trainee is felt to be deficient in an element of GMP then Multi Source Feedback (MSF) should be triggered.

The assessment strategy is explained below.

The foundation and core training instruments are common to all 10 disciplines of surgery with the exception of Procedure Based Assessment instruments specific to the T & O specialist components laid out in the curriculum. Early assessments will test transferable knowledge, skills, judgement and professionalism relevant to surgery in general. The early test of knowledge encompassed in a revised test similar to the basic sciences element of the current MRCS will be predominantly germane to the whole of surgery, but some elements may be specific to T & O, such as anatomy and surgical pathology.

CEX (Clinical Evaluation Exercise)

Following direct observation of clinical skills on the ward, emergency department or in outpatients by a trainer of a trainee; e.g. history taking, physical examination, taking consent, breaking bad news or discharge work up, an assessment can be recorded as a CEX Usually the trainer and trainee will agree in advance (generally triggered by the trainee) that an opportunity will be found in an imminent event such as a clinic, to observe part of a patient interaction. The trainer becomes an observer/ assessor and makes notes for feedback around suggested areas identified on the CEX form. These areas are generic. Multiple encounters are needed by multiple assessors (four different ones) over time, in order to provide a valid and reliable measure of clinical performance. The trainee is encouraged to self and peer assess using the instruments when opportunities arise. Trainers from other specialties, e.g. radiology, anaesthetics and emergency medicine also make good assessors.

DOPS (Direct Observation of Procedural Skills)

Initially these will build from Foundation skills outlined in the Foundation curriculum commonly agreed. For surgery in general, a series of potential DOPS is described in ISCP including some specific to T & O.

The concept is simply that commonly performed straightforward procedures will be observed in the operating room and clinic or ward settings. This could include suturing, applying a cast, injecting a joint for example plus other techniques not encountered in foundation years but relevant to surgery. Casting for T&O surgeons is a vital skill and appropriate DOPS can be an effective way to drive learning and monitor performance.

CBD (Case Based Discussion)

CBDs capture focused discussion on the trainee's management of a patient and recent entries in a patient's notes to explore clinical thinking and management. Although clinical knowledge will inevitably be assessed, the more important aim is to assess the trainee's judgement.

The trainee should select a couple of cases they have managed, to be discussed with their trainer. The focus should be more on WHY they made decisions, rather than what they decided to do. Sometimes unexpected cases arise, which make an excellent vehicle for discussion. Trainers may need to trigger a CBD after an unexpected event, or when a trainee does not seems to be fully engaged with the assessment process.

Critical conditions must be assessed to level 4 before taking the FRCS (orth) exam. Details are available further on in this document. There are two options for structuring a CBD: standard and reflective. The reflective CBD is less structured and relies more heavily on the trainee's ability to critically analyse their thought processes. .

CBD can be used flexibly in the simulated environment too

Page 129 of 215

Multi-source feedback

Multi-Source Feedback or 360° appraisal, which measures performance across the domains of Good Medical Practice (2013), will help trainers and trainees access feedback on professional and leadership behaviours. Raters should include surgical staff of a variety of grades, plus nurses, anaesthetists and allied health professionals selected by the trainee. A minimum of 8 raters are required, although 11-13 respondents are recommended.

Once results are available, the trainee and their assigned educational supervisor should discuss strengths and areas for development. A written summary of discussions and plans should then be uploaded to the portfolio.

PBA (Procedure Based Assessments)

Procedure Based Assessments are direct observations of surgical skills in intermediate and advanced procedures such as total knee replacement or open reduction and internal fixation of fractures. Either a part or the whole of the procedure can be assessed, including obtaining consent and developing a management plan.

The design of the PBA has the following criteria:

- A PBA can be applied to many procedures, theoretically, but in order to ensure validity and high levels
 of reliability, each PBA has tightly controlled descriptors of good and bad practice in each of the domains
 of observation.
- Only behaviours are measured it is not possible to second guess or interpret assumed intentions or beliefs.
- Procedures are selected as PBAs on the basis that they are indicative of a wide range of activity. The
 internal elements of PBAs are also selected on the basis that they are indicative of performance
 throughout the procedure.
- The range of primary (formerly called index) PBAs are descriptive of T & O activity in general and are
 not designed to accredit particular procedures, but rather to indicate an educational trajectory in the
 discipline as a whole. As indicated earlier this has been triangulated in terms of frequency with the T &
 O log book.
- Elements within specific PBAs are cross-referenced to all PBAs. This enables a variety of observers in a number of contexts to increase the validity of the assessments.
- Assessment is both global and domain specific with a view to providing triangulation with transferable skills, such as communication and also in order to provide precise feedback as to why a global rating overall has been given. This is described below.
- The PBA Summary Sheet (see Appendix (d)) shows the trainee's development at a glance. The crossreferencing function of PBAs reveals areas that may require attention e.g. a trainee who is good technically but a poor communicator.
- PBAs are designed to be conducted immediately after the procedure has been completed. ISCP has
 been set-up to facilitate on-line completion of the tool. The end of the procedure is an ideal time for the
 trainee to receive feedback and for reflection, both of which must be recorded in the electronic record
 for review at the ARCP.

Three rules for primary (index) PBAs:

- Assessable: it is possible to assess the procedure in all its domains and that the assessment is valid.
 Hence, all PBAs are subjected to a validation process in the form of a Delphic group determining positive and negative behaviours relevant to the procedure.
- Accessible: That a trainee has access to the procedures in sufficient numbers to allow them to demonstrate progression in competency.
- Indicative: That the primary PBAs demonstrate a wide range of skills applicable to the generality of T&O, i.e. indicative of a wide performance of surgical activity.

Rule 1 and 2 also apply to secondary PBAs.

Primary PBAs are designed to assess a wide range of generic T&O skills. Each individual PBA is formative; feedback and reflection are essential and progression in competency in a procedure should be demonstrated. Trainees must understand that being deemed to be at level 4 on a PBA on a specific day does not mean they are competent for all procedures of that type. On the other hand achieving a level 4 in all the primary PBAs shows that the trainee has gained most of the generic skills required to be able to enable them to learn the majority of T&O procedures.

OVERVIEW OF CHANGES

In this update of the curriculum we have introduced several changes:

- PBAs are only one of several workplace based assessment (WBA) tools that trainees will use for formative assessment of progress.
- The range of primary PBAs has been changed to reflect current practice but also a realistic view of the possible opportunities that trainees may have to complete the assessments.
- The index PBAs are now termed primary PBAs and are all to be completed at level 4 before gaining a CCT.
- Secondary PBAs are those to be completed by trainees going through the specialty interest areas of T&O and will form a record of progress.
- Secondary PBAs will be validated by a Delphic group, but the form to be completed by the trainee and trainer is a "generic" form. The emphasis will be on feedback and trainee reflection.
- Non-consultant grades who are in a good position to provide formative assessments of operative procedures, can complete PBA forms by confirming in the text boxes that they have reviewed performance and that the form has been completed accurately. This can then be validated by the trainee's AES for upload to the trainee's portfolio. Non-consultant PBA assessors would include those who have passed the FRCS(orth) exam, are on the specialist register, have achieved level 4 at assessment themselves, and have attended appropriate ISCP training. eg TOES or TOCS
- Critical conditions will be assessed using a case based discussion (CBD). It will be a requirement that
 the trainees complete the assessment to level 4 prior to attempting the intercollegiate examination.
- CBDs are primarily designed to assess judgement but also DOPs where appropriate, should be used to assess knowledge and skills not assessed by the PBAs.

The **primary** PBAs for T & O are as follows:

- 1. Carpal tunnel decompression
- 2. Arthroscopy and simple arthroscopic procedures
- 3. Total knee replacement
- 4. 1st ray surgery
- 5. Total hip replacement
- 6. ORIF for proximal intertrochanteric facture neck of femur
- 7. Arthroplasty for intracapsular fracture neck of femur
- 8. Application of limb external fixator
- 9. Operative fixation of ankle fractures
- 10. Tension band wiring of a patellar or olecranon fracture
- 11. Intramedullary nailing for femoral or tibial shaft fractures
- 12. Tendon repair
- 13. ORIF long bone fracture
- 14. Stabilisation of distal radius growth plate injury (use MUA distal radius PBA)

Secondary PBAs:

Upper limb:

- 1. Arthroscopic subacromial decompression
- 2. Arthroscopic acromioclavicular joint excision
- 3. Arthroscopic rotator cuff repair
- 4. Arthroscopic shoulder stabilisation
- 5. Diagnostic shoulder arthroscopy
- 6. Open rotator cuff repair
- 7. Open shoulder stabilisation
- 8. ORIF distal humerus fracture
- 9. ORIF humeral shaft fracture
- 10. ORIF proximal humerus fracture
- 11. ORIF olecranon fracture&
- 12. ORIF clavicle fracture
- 13. Tennis elbow release
- 14. Total elbow replacement
- 15. Total shoulder replacement
- 16. Ulna nerve decompression
- 17. Shoulder hemiarthroplasty

Children's trauma and orthopaedics:

- 1. Arthrotomy for septic hip.
- 2. Application of a hip spica.
- 3. MUA distal radius fracture ±K wires.
- 4. Botulinum toxin injection.
- 5. MUA and K wire fixation of a supracondylar elbow fracture.
- 6. Ponseti cast application.
- 7. Proximal femoral corrective osteotomy.
- 8. Percutaneous cannulated screw fixation for slipped upper femoral epiphysis (SUFE).

Hand & Wrist surgery:

- 1. Closed reduction of a hand fracture and K wire fixation.
- 2. Correction of simple syndactyly.
- 3. Flexor tendon repair.
- 4. ORIF metacarpal fracture.
- 5. ORIF phalangeal fracture.
- 6. Trapeziectomy.
- 7. Digital & palmar fasciectomy

Spinal Surgery:

- 1. Anterior cervical discectomy
- 2. Application of halo jacket
- 3. Application of skull traction
- 4. Cervical decompression
- 5. Cervical laminectomy
- 6. Lumbar decompression
- 7. Lumbar discectomy
- 8. Lumbar laminectomy
- 9. Posterior spinal instrumentation

The neurosurgical curriculum includes a number of these PBAs which are accessible for T&O trainees

Knee Surgery:

- 1. Meniscus repair
- 2. ACL reconstruction
- 3. Revision ACL reconstruction
- 4. Complex ligament repair / reconstruction
- 5. Articular cartilage regenerative procedures
- 6. Osteotomy around the knee
- 7. Patellar re-alignment
- 8. Partial knee replacement
- 9. Revision total knee replacement single stage
- 10. Revision total knee replacement stage 1 of 2 stages
- 11. Revision total knee replacement stage 2 of 2 stages

Foot and ankle:

- 1. Tendo-achilles repair
- 2. Ankle arthroscopy
- 3. Ankle fusion

In order to progress to CCT, primary PBAs should be achieved to level 4 (that required at CCT level). We acknowledge that some procedures may be difficult to access frequently enough to achieve reliable measures in an individual procedure but sampling across the PBAs is to make an overall judgment feasible. Trainers and trainees need to make maximum use of learning opportunities. The utilization of such opportunities is and will continue to be monitored through triangulation with the log book.

Case Based Discussions (CBD):

CBDs are designed to assess judgement and decision making. In this curriculum revision it is a requirement that all critical conditions are assessed by a CBD to level 4.

A critical condition is defined as "any condition where a misdiagnosis can be associated with devastating consequences for life or limb".

The critical conditions list is:

- 1. Compartment syndrome (any site).
- 2. Neurovascular injuries (any site).
- 3. Cauda equina syndrome
- 4. Immediate assessment, care and referral of spinal trauma.
- 5. Spinal infections
- 6. Complications of inflammatory spinal conditions.
- 7. Metastatic spinal compression.
- 8. The painful spine in the child.
- 9. Physiological response to trauma.
- 10. The painful hip in a child

The WBAs to be used during any post will be agreed at the learning agreement meeting, depending on a trainees needs and the realistic expectation of available opportunity within the context of the training post, as part of the learning agreement. The WBAs selected will be related to a particular post, however, all WBAs give indications of more generalized progression as indicated through the summary sheets. It cannot be over emphasized how important it is to view the WBAs holistically and not to see them as assessments of competence in a single procedure. For general guidance a mix of 50% operative assessments and 50% others, is suggested.

Before deciding which WBA tool to use, identify which aspect of practice is to be assessed :knowledge, skills judgement or professionalism. Different tools can be used to assess different aspects of the same event eg resuscitation of a multiply injured patient can be assessed through a CEX or a CbD.

Logbook

The Functions of the Current eLogbook/ePortfolio

All trainees must maintain their portfolio through ISCP. An important component of ISCP is an e-Logbook, recording procedures in which the trainee has been involved and whether they assisted or were the primary surgeon. When recording logbook information, it is essential that when a trainee is the primary surgeon that the level of supervision is accurately recorded. In the more junior years of higher training there should be an expectation that the majority of surgical experience will be supervised by the consultant trainer scrubbed in theatre. As the trainee becomes more experienced, the level of supervision can and should diminish such that in ST7/8 there may be a number of procedures where the trainee is deemed competent to undertake the operation unsupervised.

The e-Logbook forms one part of the evidence to support progression in training. Simple numbers of operations alone are not sufficient to demonstrate competency. Experience in operations needs to be supported by WBAs (particularly PBAs) that are completed contemporaneously with the procedure.

The JCST, advised by the T&O SAC, has produced several quality indicators in regard to indicative numbers of procedures. Trainees are advised to consult those documents as the information may be used in the ARCP discussions. It must be emphasised that trainees must demonstrate competency using all forms of evidence.

What the eLogbook/ePortfolio offers to trainees in Trauma and Orthopaedics

The eLogbook allows the trainee user an opportunity to document all the operations, which they attend, and the extent of their involvement in the operation. This is coded using the JCST coding scheme which is as follows:-

A = Assisted at the operation S-TS* = Supervised – trainer scrubbed

S-TU = Supervised – trainer unscrubbed but in theatre
P = Performed operation (not supervised in theatre)

T = Training a more junior trainee

plus an added field of:O = Observed

(* in T&O the trainee must perform at least 70% of the operation to satisfy this code)

Consolidation reports are easily produced demonstrating the surgical experience of the user/trainee to date or during a particular attachment, or, for example highlighting key procedures such as "total hip replacement" or "total knee replacement".

A unique technique has been developed to "normalise" the data as described below:-

The trainee's uploaded information is interrogated and compared with the data uploaded by their peers in the same year of training, and at the same stage of training. This allows the trainee and the ARCP panel to compare each individual's operative experience with a comparable deanery or their national (UK) peer group. Comparisons of numbers of operations attended, the extent of surgical exposure and the level of supervision can now be made and this is highlighted by bar charts such as the one shown below.

Joint replacement - hip S-TS S-TU P Year 1 National = 20 Trainee = 36 Year 2 National = 20 Trainee = 32 Year 3 National = 17 Trainee = 17 Year 4 National = 18 Trainee = 6 Year 5 National = 20 Trainee = 12 National = 30 Year 6 Trainee = 53 Years 1 to 4 National = 76 Trainee = 91 Years 1 to 6 National = 127 Trainee = 156

What the eLogbook/ePortfolio offers to Trainers in T&O

The eLogbook produces a mirror trainer "footprint" every time a trainee logs an operation. In this way a training profile of procedures undertaken and patterns of training soon emerge for individual trainers. This consolidated data can be accessed by both the trainer and by the TPD and the SAC.

What the eLogbook/ePortfolio offers to Training Programme Directors (TPDs) in T&O

The data available to the TPD allows scrutiny not only of an individual trainee's experience but of training patterns by trainers for trainees at varying stages of their careers. This can be vital "hard data" in understanding satisfactory and unsatisfactory progress on the part of a trainee or even demonstrating an unsatisfactory training environment and a problem trainer.

What the eLogbook offers to the SAC in T&O

The Chair of the SAC has the capacity to examine individual trainees, training programmes and even national trends in the practice of T&O surgery.

The data have demonstrated that training posts at the ST1 and ST2 level can be configured correctly and deliver more operative opportunity than the old SHO grade. It also demonstrated that poorly configured posts offer less operative training. (Jameson SS, Gupta S, Khan A, Lamb A, Sher L, Wallace WA, Reed MR *Has MMC improved early years training in T&O?* Glasgow Meeting of Orthopaedic Research, 2009).

Other data have suggested a significant drop in operative training cases per year with the introduction of shift patterns to support the European Working Time Regulations and further examination of this data in the coming years is seen as vital for quality assurance of the national training programme (Wraighte et al 2012))

Conclusions

The eLogbook has already proven to be a valuable tool in monitoring and influencing exposure of trainees to operative surgery in the specialty of T&O surgery.

SIMULATION

To improve patient safety, many surgical/procedural, clinical and communication skills will be practiced in the simulated environment. This will also help increase trainees confidence and competence before they practice in the clinical setting.

We aspire to provide opportunities for all trainees in simulation but recognise that cost and availability of facilities may limit access locally. There will be scope for a range of simulations from low to high fidelity and low to high technology. Many of these are available locally but some will be provided at national or regional centres. This will help to provide uniformity of standards across T&O in the UK.

The mapping of particular types of simulation against the requirement of the curriculum is an on-going process and will evolve over the next 5 years or so.

Simulation refers to any reproduction or approximation of a real event, process or set of conditions or problems for the purposes of learning or assessment. Wet and dry lab facilities are available around the country, both permanently in "skills centres" and through regular course provision e.g. AO and RCS courses.

Trauma and orthopaedics has a long and established track record in the area of simulation and simulated tasks. Whilst the Training Standards Committee are anxious to embrace technology enhanced learning, our priority must be the expert supervision of trainees and appropriate preparation of trainers. We have endeavoured to explore aspects of simulation, which can be easily and inexpensively accessed by T&O trainers and trainees throughout the country. Ideally, facilities should be available close to the clinical area, with expert supervision/ feedback available, and accessed in a flexible way around patient workload.

Kneebone et al (2010) have developed the concept of Distributed Simulation (DS), with the underlying philosophy to provide simulation facilities that are "good enough" to engage participants and achieve learning goals, yet are low cost, portable and can be set up in a variety of clinical or non-clinical locations.

The key for T&O is the preparation of both trainees and trainers. A number of courses are available for such training and include "Training Orthopaedic Trainers" and "Training Orthopaedic Educational Supervisors".

The framework for technology enhanced learning (DOH 2011) identified six key principles recommending that technology integrated into the curriculum should:

1. Be patient centred and service driven

Page **137** of **215**

- 2. Be educationally coherent
- 3. Be innovative and evidence based
- 4. Deliver high quality educational outcomes
- 5. Deliver value for money
- 6. Ensure equity of access and quality of provision.

Technology refers to the use of "information technology" such as computers, handheld devices, simulators and simulation facilities for individual, group, multidisciplinary and interprofessional use.

The TSC has mapped the new curriculum to simulation opportunities and in due course recommendations will be available. These are likely to be based on the following principles:

Bath and Lawrence (2012)

- 1. Target skills appropriate to the learner
- 2. Establish mandatory simulation sessions
- 3. Procure appropriate tools for the job along with adequate funding
- 4. Develop relevant teaching skills in trainers
- 5. A standardised approach to simulation
- 6. Establish experienced proctors (recognised proficiency in simulation and surgical skill)
- 7. Schedule rehearsal prior to simulation sessions
- 8. Monitor and report the outcomes of simulation training
- 9. Follow the 4 step approach to skills training
- 10. Use situational "stressors" to increase simulation learning
- 11. Integrate simulation learning within a clinical scenario
- 12. Integrate elements of assessment to maximise learning

Three simulation pathways have been suggested for the T&O curriculum:

- A. Surgical approach learnt in Anatomy Lab → Dry Lab Simulation (Dry Bones, models, simulators etc) → +/-Cadaveric Surgery e.g. Total Hip Replacement
- B. Surgical approach learnt in Anatomy Lab → Wet Lab Simulation (Animal Model, simulators e.g. arthroscopy) → +/- Cadaveric Surgery e.g. Knee arthroscopy
- C. Simulation practical (models, simulators, simulated patients eg peers) → +/- Simulated Scenarios e.g. Musculoskeletal examination

The level of technology and fidelity of each simulation pathway may vary from region to region to allow for best use of available facilities and budgets. However, even low tech, low fidelity simulation can help to mind map a clinical skill. Some clinical skills e.g. ATLS, aspects of professionalism and communication skills may be learnt as part of a national, generic programme for all surgical specialties.

FORMAL TESTS OF KNOWLEDGE RELEVANT TO THE TRAINING OF A SURGEON

Entry into ST3 level training in T&O requires the successful completion of the intercollegiate MRCS examination.

A CCT will not be awarded unless a trainee has successfully completed the intercollegiate FRCS (T&O).

FEEDBACK

The learning agreements between trainee and Assigned Educational Supervisor (AES) require regular meetings between the individuals and that a record is kept of those meetings and reviewed at the ARCP. The minimum

Page 138 of 215

formal meetings are at the beginning, middle and at the end of an attachment. These meetings, which should take place outside the clinical setting should enable both the trainee and AES to discuss any and all aspects of progress. The regular Educational Appraisals will be primarily enabling processes, designed to encourage the trainee through feedback. There is no maximum limit to the amount of informal feedback and assessment that a trainee may receive during an attachment. Reasons for poor progress must be explored at these meetings and a remedial plan agreed. Full documentation of these meetings is obligatory.

Usually more formal WBA episodes will be triggered by trainees who feel ready to move on. Occasionally a trainer may trigger a WBA either to encourage confidence or occasionally to highlight concerns.

The educational appraisal – short loop feedback

Feedback should be ongoing between trainee and trainer through WBAs as described above. A minimum of three distinct medium term reviews of progress will be made:-

At the beginning of a designated training attachment when the learning agreement will be finalised.

Half way through the attachment when progress against outcomes will be checked and the contract modified if necessary (goals should remain realistic).

Finally the evidence in the trainee's portfolio supporting the agreed achievements relative to the learning agreement will be reviewed between AES and trainee. This will be presented as part of the ARCP.

Annual review- long loop feedback

- A more in-depth annual feedback meeting must take place as part of the ARCP process. Evidence is reviewed either with the trainee or virtually, in the absence of the individual. The ARCP, however, will discuss the outcome of that review with the trainee. Progression is likely to be confirmed in the majority of cases (an ARCP 1 outcome) but some trainees will be given targets to achieve within a specified time (an ARCP 2 outcome). In this situation, if the targets are achieved, an ARCP 1 outcome will be subsequently recorded. In a small number of cases progression is poor and it is decided that the trainee would benefit from an extra period of training where specified targets must be met (an ARCP 3 outcome). If the targets are satisfactorily completed, the trainee will be given an ARCP 1 outcome at the end of the period of extra training. Failure to achieve targets may mean that the training will be terminated through the approved processes.
- Fundamental to the ARCPs is that trainees are able to provide robust and complete evidence to demonstrate their competency and progression. Further, it is a requirement that AES must record concerns about the progression of a trainee. An AES must not submit information that has not been made available to the trainee.
- The evidence supporting an agreed position about progression will include:-
- The WBA as described above. Sufficient evidence should be provided to ensure the instruments provide valid and reliable assessments. Measures are in place to ensure this is underway. In summary we believe the instruments chosen are rational, have face validity and are reliable in the numbers which approximate in current evidence to those described by Norcini and Holcombe (personal communication). We suggest a mix of 50% operative and 50% non-operative assessments
- A log book of surgical experience. This is described in detail above. The key procedures on which PBAs
 are based are tracked to the log book.
- Evidence of achievement of summative exams.
- Evidence of reflective practice through a critical appraisal of study leave, courses etc.
- Evidence from previous ARCPs.

- The review process at deanery level must ensure transparency, clarity and feedback designed to inform
 progression wherever possible. It should not only facilitate setting a minimum standard, or recommend
 remediation but also permit strong candidates to demonstrate excellence and mastery.
- This review should ask three core questions about the conduct of the process before dealing with any specific elements of the learning agreement. These are:-
 - On reflection were the goals set in the learning agreement reasonable?
 - o Have there been any unanticipated constraints such as illness, systems failures etc?
 - Has the relationship between AES and trainee been conducive to achieving a realistic and objective appraisal of progress?

If these issues (which are rarely likely to be of concern) are dealt with, then the agreement goals can be compared to the evidence provided in the WBAs. It is the role of the first part of the annual review to ensure that the agreed position between a trainee and their AES over the year is a reasonable one. If in doubt they may interview trainees and their AES. If the position is accepted then the trainee will go to the second half of the process of educational planning with a designated member or member of the training panel agreed with the training programme director.

The second phase of the annual review will determine what needs to be achieved next according to the overall blueprint. The details of how this will be delivered must be discussed in a face to face interview with the trainee by representatives of the local training committee and ideally an external appraiser nominated by the SAC.

APPEALS

If a trainee is unhappy with the verdict of an ARCP panel they have the right to appeal.

THE END POINT OF TRAINING

Training will be deemed complete when the trainee has populated the curriculum knowledge and procedures maps/ syllabus appropriately and to a standard defined in the levels of the individual domains of the syllabus. The outcomes must fulfil the requirements of Good Medical Practice (2013).

KEY ROLES IN ASSESSMENT

The central stakeholder is the trainee who must be responsible for their own learning ,supported by the designated Assigned Educational and Clinical Supervisors (AES & CS) and the TPD who is accountable to the School of Surgery which represents the Deanery. Those responsible for training and assessing the trainee are ultimately responsible to patients in ensuring newly trained surgeons comply with the best standards that ensure safety and indeed excellence in Good Medical Practice (2013) in the context of T&O surgery.

The Trainee

The trainee will be responsible for the contents and probity of their portfolio. Failure to keep accurate and honest information will be regarded as a professional disciplinary matter, which could ultimately, in serious cases of fraud or plagiarism, result in reporting the individual to the fitness to practise committee of the GMC.

All WBAs triggered by trainee and / or trainer must be retained whatever their outcome. Where an assessment is unsatisfactory, repeated assessments will be required until a satisfactory standard is reached. Trainees must appreciate that a record of assessments which require development and ultimately show improvement and success can be a positive experience in reflective learning. Likewise trainees who reach a satisfactory standard early are encouraged to continue to trigger assessments in order to demonstrate continuing improvement and progress to mastery and excellence.

It is the responsibility of the trainee to ensure the TPD and the School of Surgery are fully appraised of contact details, address etc as well as personal health issues and any ongoing disciplinary matters involving the GMC.

The trainee will be responsible for completing and storing information and evidence in their portfolio with a view to informing the educational appraisal process and any examination board which represents compulsory testing of trainees.

The trainee will be solely responsible for the payment of fees and subscriptions deemed necessary to complete training.

The Assigned Educational Supervisor (AES) and Clinical Supervisor (CS)

Clinical supervisor

The clinical supervisor is responsible for day-to-day supervision in the workplace. Clinical supervision involves being available, looking over the shoulder of the trainee, teaching on-the-job with developmental conversations, regular feedback and the provision of a rapid response to issues as they arise. All trainees should have a named clinical supervisor for each post. Workplace-based assessment will also tend to fall to the clinical supervisor.

Assigned Educational supervisor

The educational supervisor is responsible for the supervision of a trainee's progress over time. Educational supervisors are responsible for ensuring that trainees are making the necessary clinical and educational progress. Educational supervisors will need all the skills of clinical supervision, plus an appreciation of supporting educational theory, the ability to undertake appraisal, work with portfolios and provide careers advice. Managing the trainee in difficulty will also, inevitably involve the educational supervisor with support from deanery training structures.

The AES must complete learning agreements and reviews according to the set protocols:under normal circumstances within the first 2 weeks of starting a post, with an interim review halfway through and a final review at the end. The AES will work in partnership with trainees to review progress and ensure all appropriate documents are signed and validated. With the trainee, they should ensure the evidence prepared for ARCP is appropriate, complete and meets all standards of probity. Difficulties with completing learning agreements or reviews for whatever reason must be raised as soon as possible with the TPD.

The clinical supervisor (CS) will also carry out assessments and must be clear when that is the role they are fulfilling and that a particular workplace event should be recorded. All trainers who carry out assessments must have been trained and be competent in the application of the tools described.

The Training Programme Director (TPD)

The training programme director is responsible for the whole programme and accountable locally via the School of Surgery to the Postgraduate Dean. The TPD is the first port of call should a trainee have difficulty – either personally or with their AES. They will be the first point of appeal should a AES and trainee have any kind of difficulty or dispute. Their aim should be to resolve disputes as quickly and effectively as possible.

BLUEPRINTING AND SAMPLING OF ASSESSMENT TO THE CURRICULUM-ACHIEVING INTEGRATION

	PBA	DOPS	CEX	CBD	MSF	ООТ
Knowledge	✓			✓	✓	✓
Skills	✓	✓	✓		✓	
Judgement			✓	✓	✓	
Professionalism	✓		✓		✓	✓

The whole curriculum has been mapped back to GMP.

It is essential that the assessments be they workplace based or summative in the case of set examinations provide a fair spectrum of appraisal of all aspects of knowledge, skills, judgement and professionalism required of a T & O surgeon practising as leader of an on call team and delivering emergency and elective services.

The blueprint of assessment methodology mapped back to (2103) is shown above and relates back to the outcomes in terms of clinical, professional and management activities.

The challenge for the examination board is to provide an exam blueprint which reciprocates with the other assessment methodologies which themselves sample broadly across the curriculum, but by necessity will inevitably be less systematic and more opportunistic.

In terms of integration of assessment, the right amount of assessment overall must be achieved without leaving gaps in sampling across the blueprint. WBAs should map back to the procedure and knowledge syllabuses in ensuring that contextualised application of knowledge and testing at the peak of Miller's pyramid occurs. In terms of formal summative tests, a fair sampling of real clinical problems will be balanced with clinical scenarios, which test clinical situations commonly encountered. This will also provide triangulation with WBAs. It will also generate an overall profile of a trainee's ability across the spectrum of the syllabus which is appropriately sampled.

TRANSITION TO LIFELONG CONTINUOUS PROFESSIONAL DEVELOPMENT AND RECORDING PRACTICE IN A PORTFOLIO

At the point of exit a trainee will be considered fit to practice as part of a team leading the receipt and management of trauma and emergencies etc. However we accept that the selected specialist interest will require further development.

We expect that the transition to lifelong learning will be a seamless and natural transition for someone steeped in the philosophy of our curriculum, which pivots around the values of professionalism and reflective practice.

The GMC has defined the requirements for revalidation. CPD is an important aspect of the revalidation process and enables surgeons to continually update knowledge, skills, judgement and professionalism

SPECIALTY ADVISORY COMMITTEE (SAC) STATEMENT OF OUTCOMES

At the end of training, a number of factors will be in place; a trainee will have a series of ARCP 1 outcomes, which will demonstrate to both professional colleagues and the public the level of training achieved to work as an independent consultant surgeon in T & O.

In order to satisfy the final ARCP process the trainee's portfolio must contain a number of mandatory elements:

- A complete set of mandatory learning agreements which have been satisfactorily discharged.
- Sufficient WBAs to make a reliable assessment that a satisfactory standard has been reached.
- Attendance certificates for professional development courses.
- Evidence of publications and presentations.
- Evidence of involvement in quality improvement projects.
- Legal documents.
- Evidence that during their training the trainee has satisfied the intercollegiate specialty examinations board.
- E-log book consolidation data.
- Maintenance of ATLS or equivalent provider status.
- Evidence that the programme director has scrutinised the e-log book and is satisfied that it contains a range and number of operations necessary in order to carry out the duties of the modern T&O surgeon.
- Evidence that the programme director has scrutinised the learning agreements and WBAs and has sought and received evidence of satisfactory progress and completion of training from those trainers who have been involved in those assessment processes.

After the completion of the ARCP process, the SAC will recommend to the JCST that a CCT be issued by GMC

CERTIFICATE OF COMPLETION OF TRAINING (CCT)

At the end of training, a CCT will be awarded when the trainee has satisfied the GMC that they have been trained in the generality of T&O, assessed as having completed the competencies laid out in the T &O curriculum and having the knowledge, skills, judgement and professionalism of a surgeon capable of independent practice.

The SAC recommendation to GMC for the award of the CCT will take into consideration that:

- 1. The syllabus is for the generality of T&O and this will have been assessed in the summative intercollegiate specialty board exam which trainees must have completed by the end of their training. This exam forms part of the trainee's portfolio which also includes WBAs, evidence of previous learning agreements and ARCP assessments. The portfolio will have been assessed in its entirety at the final ARCP assessment prior to the recommendation of the award of the CCT.
- 2. Towards the end of their training in the generality of the discipline the overwhelming majority of trainees will have developed a specialty interest which will have been assessed in the work place both pre- and post-CCT and is likely to be formally assessed in a subsequent peer review process.
- 3. Such an individual would then be able to join and lead a multidisciplinary team which would receive, assess and go on to definitively manage the majority of patients who needed emergency treatments. They would provide a similar service for a range of common orthopaedic conditions. In both T&O services they would recognise the need to refer rarer and specific conditions for more specialised definitive management.

Page **144** of **215**

Management of Quality Assurance (QA) of Programme

JCST AND COPSS JOINT RECOMMENDATIONS ON EXTERNALITY FOR SURGICAL TRAINING PROGRAMMES.

Overview

The Schools of Surgery or their equivalent have had a close working relationship with JCST and the SACs and rely on the SAC Liaison Member (LM) to provide externality for several processes within the School / Deanery. The provision of externality has been the subject of advice and reports from the regulator and the Deans via COPMED and JACTAG.

All surgical specialties in the Schools of Surgery have an allocated SAC liaison member (SAC LM) from another region to act as a link between the local specialty trainers and the SAC. The SAC LM facilitates communication in both directions.

The JCST must ensure that all SAC LMs have the necessary knowledge and skills to fulfil their various roles.

This paper outlines a set of principles agreed between the Heads of Schools of Surgery and JCST that defines the roles of the SAC LM in the surgical specialties. The JCST has provided guidance on the role of the SAC LM within the Schools of Surgery and has stressed that the LM should actively participate in, but not necessarily attend several events.

STC meetings

It is recommended that -

- 1. SAC Liaison Members should attend, as a minimum, one STC meeting per year. SAC Liaison Members should aim to attend the meeting at which key issues are discussed, such as the Annual Specialty Report and ARCP outcomes.
- SAC Liaison Members should explore videoconferencing options to allow them to participate in all STC meetings
- 3. SAC Liaison Members should receive and review the agenda papers and minutes of all STC meetings

Visits

Trusts and local education providers (LEPs) may be subjected to quality monitoring visits in various circumstances –

- A regular quality review visit from a Deanery or School team (usually the two are combined).
- A specific review where there are concerns over training or the response to a previous visit.
- A triggered visit where there are serious concerns. The concerns may relate to the global provision of
 education across all medical specialties, just the surgical specialties, one specific surgical specialty or
 core surgical training.

In addition, external advice may be required if a specialty or core training programme across a School is causing concerns.

- As part of a review of a programme arranged in agreement with the SAC LM, the TPD, the School and the Deanery
- As a triggered visit where there are serious concerns over the performance of a specialty programme.

Structure of resulting review visits.

The SAC LM can provide external specialist advice in all these situations.

Underlying principles of arranged visits

Expenses will need to be paid by the Deanery to the SAC LM as well as travel and incidental expenses of other visitors. To keep service disruption to a minimum, only those trainers and trainees necessary to the process will be interviewed – all relevant information from the trainees must be gathered from the interim reviews, JCST and GMC surveys or a specific survey arranged by the Programme Director. Any conflicts of interest should be declared by the SAC LM.

Interim reviews

The interim review is a process adopted by several Schools to appraise the trainee and give feedback. This is a formative process and is outside the requirements of the Gold Guide and SAC. It is not envisaged that the SAC LM is required for these reviews. However, for those Schools that do conduct interim reviews, externality would be welcomed for those trainees who are identified as having problems that could result in an outcome 2 or 3 in the ARCP. There would need to be deanery agreement to fund travel expenses.

ARCP panels

The same comments apply as for RITA attendance. The Panel A ARCP should be a paper/electronic process alone. It may be appropriate for the SAC LM to attend as a member of one of the Panel B committees to fulfil the same role as in the RITA committee.

It is stated that 10% of ARCPs should be subjected to external review and the SAC LM is ideally placed to provide this, but in reality it would be of more value for the SAC LM to attend at least all Panel Bs.

It is recommended that -

- 1. SAC Liaison Members should, as a minimum, attend ARCPs for the following groups of trainees:
- a) Where it is likely or even possible that a trainee could have an outcome indicating unsatisfactory performance
- b) New starters
- c) Those in their penultimate year of training
- 2. Ideally, SAC Liaison Members should participate in as many ARCPs as possible to give an overview of process and also to gather information on the training units that will help inform their annual speciality report.

Page 146 of 215

Annual Specialty Reports

The SAC LM has a key role in providing information on the local scheme that will be incorporated into the specialty report and ultimately into the JCST report to the GMC. Similar information is provided by the TPD to the School for incorporation into the Annual Deanery Report that is also submitted to the GMC.

It is recommended that the TPD and SAC LM should collaborate closely on these reports so that good practice is shared and a consistent review of the programme is reflected to both the JCST and Deanery.

Reports

Each visit by an SAC LM should generate a report that will go to both the School of Surgery and the SAC. The report should concentrate on the processes observed during the visit and on the structure and quality management of the training programme.

The format of the report should be agreed as the School or Deanery may have a standardised report pro-forma for external visits that is not equivalent to the JCST report form.

As an overriding principle, individual trainees must not be identified in any recognisable way in these reports.

Funding for expenses and travel

The SAC and JCST do not pay for any SAC LM visits, so all expenses including travel to the School, travel between appointments during the visit, accommodation and subsistence will have to be met by the Deanery. Because of this, a process is required to ensure the visit is necessary and valuable. Within each Deanery or School there should be a mechanism to agree the purpose and structure of the visit.

Wherever possible, full use should be made of the SAC LM's time by combining activities such as STCs and ARCP panels. Usually, expenses will only be met upon receipt of an independent report at the conclusion of the visit.

Trainers

The GMC document Recognising and Approving Trainers, 2012 applies to all clinical and educational supervisors involved in the training of T&O trainees.

All trainers should follow the requirements in that document together with the recommended time lines. Failure to follow guidance may result in a trainee being removed.

Trainers are expected to fulfil the requirements of the GMC as stated in "Recognising and Approving Trainers 2012". They must be able to demonstrate competencies as follows:

- Ensuring safe and effective patient care through training
- Establishing and maintaining an environment for learning
- Teaching and facilitating learning
- Enhancing learning through assessment
- Supporting and monitoring educational progress
- Guiding personal and professional development
- Continuing professional development as an educator

Further Work and Development

The 2013 curriculum is little different from its predecessors. It is hoped that many areas have been improved even though the fundamental principles in the training of T&O remain the same. An aim of this version of the curriculum has been to improve clarity. This will not be the last version and further changes will be needed in the light of discussions within T&O and as a result of external pressures, for example, the changing health education environment in England.

It is anticipated that the following will be changes in the future:

Ongoing review and development of secondary and tertiary PBAs in the specialty interest areas.

- Further validation and reliability testing of the assessment tools.
- Further blueprinting such that WBA integrate with formal tests and examinations.
- Thorough embedding of recognised trainers.
- Assessment of professional skills competencies.
- Thorough mapping of the curriculum to possible simulation methodologies.

Ongoing review and development of the PBAs

A number of specialty interest groups have already produced secondary PBAs. Other groups are in the process of forming Delphic groups to develop appropriate instruments such that we are able to support tools for all of T&O.

Further validation and reliability testing of the assessment instruments

Appropriate methodologies need to be used to determine the validity and reliability of the WBAs.

Further blueprinting such that WBA integrate with formal tests and examinations

We have illustrated a curriculum map, which can be linked to good clinical practice and can indicate where examinations can define the best methodologies for testing knowledge in particular. The challenge will be to consolidate the whole map onto a living blueprint, which can define the scope and depth of assessment by ensuring WBA appropriately triangulate with set piece examinations. The tension between undue overlap and assurance of sufficient assessment to indicate reliability is still a challenge to be met. We do not, however, feel alone in this deficiency and would welcome opportunities to share best practice and solutions with other medical disciplines.

Assessment of Professional Competencies

Clinical skills are assessed in the workplace and so must "professional" skills. The same constraints apply and so a similar assessment method must be developed.

It remains our intention to identify a series of "indicative activities", for example:

- Giving a presentation
- Writing a report
- Chairing a meeting
- Conducting a briefing session

Plus others to cover range of professional skills.

competence statements that can be mapped across a wide range of activities.			

Each activity will have an Activity Based Assessment (ABA) in a similar format to the existing WBA, with

References

Argyris, M. and Schön, D. (1974) Theory in Practice. Increasing professional effectiveness, San Francisco: Jossey-Bass

Bath, J and Lawrence, P.F (2012) Twelve tips for developing and implementing an effective surgical simulation programme. Medical Teacher 34:3, 192-197.

Costa, M. L., G. Spence, et al. (2009). "Does Teacher Training Improve Medical Education?" Bulletin of The Royal College of Surgeons of England 91(5): 180-182.

GMC. (2010). Workplace Based Assessment: a guide for implementation. Leeds, GMC.

DOH (2011) A Framework for Technology Enhanced Learning

Kneebone, R. (2010) Simulation, safety and surgery. Quality & Safety in Health Care, 19 (Ergonomics & Safety Supplement), i47-i52

Kneebone,R (2011) Simulation. In H. Fry & Kneebone,R (eds), Surgical Education: theorising an emerging domain: London: Springer

Kolb, D. A. (1984) Experiential Learning, Englewood Cliffs, NJ: Prentice Hall

Miller GE. The assessment of clinical skills/competence/performance. Acad Med 1990; 65: S63-S67

Pitts D, Rowley D. Competence evaluation in orthopaedics – a "bottom up" approach. In: Safer Surgery: Analysing Behaviour in the Operating Theatre. Eds: Flin RH and Mitchell L.

Sher L, Reed M, Calvert P, Wallace WA, Lamb A (2005) Influencing the national training agenda: the UK and Ireland Orthopaedic eLogbook and operative training in trauma orthopaedic surgery evidence from Logbooks. JBJS (Br) 87-B: 1182-6.

Standards in Competence Framework, UK Cabinet publication

Michael Eraut. Developing Professional Knowledge and Competence. Falmer. 1994:172-181

Van Der Vleuten CPM, (1996) The Assessment of Professional Competence: Developments, Research and Practical Implications. Advances in Health Sciences Education 1: 41-67

Wraighte, P. J., D. P. Forward, et al. (2012). "The Impact of the European Working Time Regulations on Orthopaedic Trainee Operative Experience." Bulletin of The Royal College of Surgeons of England 94(5): 156-158.

FURTHER READING

Riemen, A. F., Finlayson DF (2011) Finding your way around the Intercollegiate Surgical Curriculum Programme website. careers.bmj.com DOI: http://careers.bmj.com/careers/advice/view-article.html?id=20003483

APPENDIX 1

Trauma & Orthopaedics PBA 4: Total Knee Replacement

Trainee:	Assessor:	Date:		
Start time:	End time:	Duration:		
Operation more difficult than usual? Yes / No (If yes, state reason)				

Score: N = Not observed or not appropriate D = Development required S = Satisfactory

		Score		
Comp	petencies and Definitions	N/D/S	Comments	
	Consent			
C1	Demonstrates sound knowledge of indications and contraindications			
	including alternatives to surgery			
C2	Demonstrates awareness of sequelae of operative or non-operative management			
С3	Demonstrates sound knowledge of complications of surgery			
C4	Explains the perioperative process to the patient and/or relatives or carers and checks understanding			
C5	Explains likely outcome and time to recovery and checks understanding			
	Pre-operative planning			
PL1	Demonstrates recognition of anatomical and pathological abnormalities (and relevant co-morbidities) and selects appropriate operative strategies/techniques to deal with these e.g. nutritional status			
PL2	Demonstrates ability to make reasoned choice of appropriate equipment, materials or devices (if any) taking into account appropriate investigations e.g. x-rays			
PL3	Checks materials, equipment and device requirements with operating room staff			
PL4	Ensures the operation site is marked where applicable			
PL5	Checks patient records, personally reviews investigations			
	Pre-operative preparation			
PR1	Checks in theatre that consent has been obtained			
PR2	Gives effective briefing to theatre team			
PR3	Ensures proper and safe positioning of the patient on the operating table			
PR4	Demonstrates careful skin preparation			
PR5	Demonstrates careful draping of the patient's operative field			
PR6	Ensures general equipment and materials are deployed safely (e.g. catheter, diathermy)			
PR7	Ensures appropriate drugs administered			
PR8	Arranges for and deploys specialist supporting equipment (e.g. image intensifiers) effectively			
	Exposure and closure			

Comp	etencies and Definitions	Score N/D/S	Comments
E1	Demonstrates knowledge of optimum skin incision / portal / access		
E2	Achieves an adequate exposure through purposeful dissection in correct tissue planes and identifies all structures correctly		
E3	Completes a sound wound repair where appropriate		
E4	Protects the wound with dressings, splints and drains where appropriate		
	Intra Operative Technique		
IT1	Follows an agreed, logical sequence or protocol for the procedure		
IT2	Consistently handles tissue well with minimal damage		
IT3	Controls bleeding promptly by an appropriate method		
IT4	Demonstrates a sound technique of knots and sutures/staples		
IT5	Uses instruments appropriately and safely		
IT6	Proceeds at appropriate pace with economy of movement		
IT7	Anticipates and responds appropriately to variation e.g. anatomy		
IT8	Deals calmly and effectively with untoward events/complications		
IT9	Uses assistant(s) to the best advantage at all times		
IT10	Communicates clearly and consistently with the scrub team		
IT11	Communicates clearly and consistently with the anaesthetist		
IT12	Demonstrates familiarity and understanding of the use of alignment jigs		
IT13	Understands tibial and femoral referencing		
IT14	Understands flexion and extension gap balance		
IT15	Demonstrates ability to achieve a balanced tibial femoral and patellofemoral implantation		
IT16	Demonstrates ability to cement the components into place		
	Post-operative management		
PM1	Ensures the patient is transferred safely from the operating table to bed		
PM2	Constructs a clear operation note		
РМ3	Records clear and appropriate post-operative instructions		
PM4	Deals with specimens. Labels and orientates specimens appropriately		

Trainer feedback	
Trainee Reflection	

Global summary

Level at wi	nich completed elements of the PBA were performed	Tick as appropriate		
Level 0	Insufficient evidence observed to support a judgment			
Level 1	Level 1 Unable to perform the procedure under supervision			
Level 2	Able to perform the procedure under supervision			
Level 3	Able to perform the procedure with minimum supervision (would			
Level 3	need occasional help)			
Level 4	Able to perform the procedure unsupervised (could deal with			
Level 4	potential complications)			

Signatures:

Trainee:	Assessor(s):

Procedure Based Assessment Validation Worksheet

Procedure-Based Assessment Validation

PBA 4: Total Knee Replacement

		Positive Behaviours	Negative Behaviours	Negative – Passive Behaviours
Competencies and Definitions		(doing what should be done)	(doing what shouldn't be done)	(not doing what should be done)
	Consent			
		Explains using examples relevant to the patient:	Expresses unrealistic views of the improvement in function expected following the procedure	Fails to point out the limitations of the operation
C4	Demonstrates sound knowledge of indications and contraindications	Principle benefit of operation		
C1	including alternatives to surgery	Subsequent improvement of function		
		Limitations of surgery		
		Consequences of not having surgery		
		Indicates pain relief as principle, aim	Glosses over potential difficulties	Fails to point out limitations of a TKR
		of operation and improvement of	related to activities such as kneeling	in very active patients, particularly
		function being subsidiary to that.	or playing sport	patients who require considerable
		Discusses limitations of activities		bending
		relative patients age and specific requests		

C2	Demonstrates awareness of sequelae of operative or non-operative management	Describes consequences, agrees expectations and checks patient understanding	Is over confident in describing consequences, reinforces patient's unrealistic expectations	Fails to mention key inevitable consequences
		Show through discussion they can understand the long term issues around wear and loosening, risks of infection and specific limitations regarding movement and kneeling	Overrides legitimate concerns patient may have	Not discussed the risk of infection. The long term effects in terms of loosening
С3	Demonstrates sound knowledge of complications of surgery	Explains in priority order the complications likely to occur in terms of commonality and in terms of seriousness	Spends time explaining rare complications and fails to mention commoner ones	Misses out one or more major complications when explaining to trainer or patient
		Describes infection as the principle problem followed by the much more remote risk of dislocation and indicates the problems of the potential stiffness and the need for rehabilitation		
C4	Explains the perioperative process to the patient and/or relatives or carers and checks understanding	Describes what will happen throughout the management of the condition indicating clear post-operative milestones giving a rough idea of time involved and specifying who will do what. Questions the patient to check that their expectations are realistic and they have understood fully	Uses technical terms, explains too quickly and does not check understanding	Misses out common events, particularly those likely to happen in the early post-operative period
		Discusses the likely length of stay. The need for post-operative physiotherapy and rehabilitation and that the knee replacement gradually shows dramatic improvement followed by a more gradual improvement		

C5	Explains likely outcome and time to recovery and checks understanding	Expresses sensible prognosis and clearly has knowledge of the current outcome data	Expresses over optimistic outcomes and glosses over realistic difficulties	Fails to check that the patient has understood by actively listening to the patients reiteration of what is being said to them
		Able to articulate realistic likelihood of longevity of the knee implant showing clear knowledge of the current outcome data	Expresses over optimistic outcomes in terms of high levels of function for example playing sport and kneeling and squatting	
	Pre-operative planning			
PL1	Demonstrates recognition of anatomical and pathological abnormalities (and relevant co-morbidities) and selects appropriate operative strategies/techniques to deal with these e.g. nutritional status	Articulates the realistic clinical findings against any investigative findings and achieves a balance between the two	Describes an operative plan without the full use of the clinical and investigative material	Fails to take into account specific medical conditions that might limit the technical choices
		Looks at the standing x-ray both AP and lateral and in discussion indicates the likely prosthesis to be used and is able to defend their position	Simply indicates they will use the routine prosthesis irrespective of whether that is appropriate or not	Having for example noted calcification on the artery still intends to use a tourniquet without being able to defend that position
PL2	Demonstrates ability to make reasoned choice of appropriate equipment, materials or devices (if any) taking into account appropriate investigations e.g. x-rays	Draws, writes or iterates a Pre-operative plan	Does not take into account investigative findings when planning or selecting the equipment	Fails to check the notes for relevant or unexpected findings
		Takes standing x-rays AP and a standard lateral	Does not check that the AP film is a true standing film	Fails to check the lateral x-ray, in particular the patella position and makes all the decisions on an ill defined AP x-ray
PL3	Checks materials, equipment and device requirements with operating room staff	Either personally visits or rings up the operating theatre to check on equipment availability	Delegates the task to a more junior team member with no plans to check the instruction has been carried out	Fails to communicate with the theatre staff

PL4	Ensures the operation site is marked where applicable	Personally marks the site	Delegates the task of marking the site to a junior doctor or nurse	Fails to check that the site has been marked
PL5	Checks patient records, personally reviews investigations	Ensures that the relevant information such as investigative findings are present, checks wristband	During the procedure asks theatre staff to look something up in the notes	Fails to check notes to ensure all information is available that is needed
		Ensures that the x-rays are placed on the viewing box at the time of the operation		
	Pre-operative preparation			
PR1	Checks in theatre that consent has been obtained	Checks the consent form in the notes	Leaves the consent checking to nurses or junior medical staff	Makes no effort to check the consent form in the notes
PR2	Gives effective briefing to theatre team	Checks with nurse that they have all equipment needed ready to hand and discusses planned actions	Complains when something not available during the procedure. Asks for something which results in theatre staff to go on a hunt for it	Makes no attempt to discuss operation with team
		Checks with the theatre that they anticipated range of implants in the pre-operative plan are in fact available		
PR3	Ensures proper and safe positioning of the patient on the operating table	Prior to scrubbing supervises the positioning of the patient	Delegates the task to a theatre orderly and does not check	Concentrates on the process of scrubbing up while the patient is being transferred onto the operating table
		Arranges for the patient to be placed in a supine position with appropriate supports for the foot and protects the other leg. Personally supervises the process		
PR4	Demonstrates careful skin preparation	Personally paints the operative field and ensures the material covers the whole surface	Paints (or supervises) the operative field leaving gaps or inadequate coverage	Delegates painting to an unsupervised member of the team or fails to check that the area has been adequately painted

PR5	Demonstrates careful draping of the patient's operative field	Drapes (or supervises draping of) the operative field to adequately expose site ensuring only prepared site is exposed	Exposes an inadequate area for the incision/access	Fails to secure drapes adequately
PR6	Ensures general equipment and materials are deployed safely (e.g. catheter, diathermy)	Checks with the anaesthetic nurse that the diathermy has been placed well away from any existing metal implants	Delegates the task unsupervised to the anaesthetic nurse or orderly	Fails to brief the team if metalware is in place in the other limb
		Ensures the tourniquet is sufficiently high to give proper access to the knee. Checks with the anaesthetic nurse that the diathermy has been placed well away from any existing metal implants	Does not check the tourniquetposition ensuring access e.g. Delegates the task unsupervised to the anaesthetic nurse or orderly	e.g. makes team aware presence of metalware in the other limb or THR on same side
PR7	Ensures appropriate drugs administered	Checks notes, liaises with anaesthetic team to ensure prescribed drugs administered	Assumes drugs have been administered without checking	Fails to check with anaesthetic team that drugs have been administered
PR8	Arranges for and deploys specialist supporting equipment (e.g. image intensifiers) effectively	Briefs and discusses with the team where equipment is to be placed relative to the operative field	Takes no regard of where equipment is placed such as diathermy scabbard and/or places it in a position where the devices can't be used safely	Ignores the set up procedure in the immediate pre-operative period and has a conversation with a third party
		Personally ensures that the stabilizers and sandbags are properly position so that a suitable degree of flexion can be satisfactorily obtained		
	Exposure and closure			
E1	Demonstrates knowledge of optimum skin incision / portal / access	Verbally states or marks with a pen the anatomical landmarks prior to making the incision	Makes an incision that is clearly too small or too large	Does not extend an incision when struggling for access

E2	Achieves an adequate exposure through purposeful dissection in correct tissue planes and identifies all structurescorrectly	Gives a running commentary to the trainer of the structures encountered	Describes the structure encountered in the dissection in the wrong location	Tries to maintain the standard approach despite the fact that access is proving difficult
E3	Completes a sound wound repair where appropriate	Closes each layer without tension	Ties very tight sutures, clearly strangulating soft tissue	Leaves too large a gap between sutures so that structures are not properly opposed
		Ensures the knee flexes whilst sutures are in place		Fails to check that the knee can be flexed after the reconstruction
E4	Protects the wound with dressings, splints and drains where appropriate	Personally supervises the application of the wound dressing	Walks away from the operating table without briefing the assistant or the nurse what they require to cover the wound	Fails to specify required dressing
	Intra Operative Technique			
IT1	Follows an agreed, logical sequence or protocol for the procedure	Justifies actions at any point in procedure	Spends a lot of time removing superfluous tissue	When a difficulty is encountered fails to complete manoeuvre
IT2	Consistently handles tissue well with minimal damage	Personally places self-retaining retractors and checks whether the skin is under tension	Pulls and tears tissue. Allows the wound edges to become dry	Fails to recognise tissue damage
IT2	<u> </u>	retractors and checks whether the		Fails to recognise tissue damage
IT2	<u> </u>	retractors and checks whether the		Fails to recognise tissue damage Fails to act calmly. Fails to brief team. Fails to control blood flow.

IT4	Demonstrates a sound technique of knots and sutures/staples	Draws soft tissue together without tension and forms proper reef knots	Pulls tissues tight so that the tissues blanche. Lets a wound edge gape or pulls one layer of tissue under another	Fails to use the correct method or technique
IT5	Uses instruments appropriately and safely	Asks for instruments in a timely manner anticipating what is needed	Uses an instrument for a purpose it is not intended. Takes whatever is given to them then complains	Fails to ask for correct instruments at the correct time
IT6	Proceeds at appropriate pace with economy of movement	Lets the nurse know what is to be done or needed next	Stops and starts, picking things upand then putting them down without using them. Spends a long time on a task not appropriate to the pace	
IT7	Anticipates and responds appropriately to variation e.g. anatomy	When encountering something unexpected stops and verbalizes concerns with the team	Persists in a task that is proving difficult and has to be stopped	Fails to recognize anatomical variation and has to be stopped
IT8	Deals calmly and effectively with unexpected events/complications	Verbalises that there is a problem and briefs the team what needs to happen next	Verbalises negative concerns and issues conflicting instructions. Tries to continue inappropriately (has to be stopped)	Fails to brief the assistant adequately
IT9	Uses assistant(s) to the best advantage at all times	Briefs assistants and places them and the instruments where they are needed	Accepts whatever assistant does irrespective of whether or not appropriate	Fails to brief assistant and expresses irritation when positions are not what are required
IT10	Communicates clearly and consistently with the scrub team	Sets positive tone with appropriate greeting. Asks for instruments clearly. Informs as to next steps. Asks for instruments by correct name	Uses rough or inappropriate tone of voice or words. Uses slang or 'local' descriptions of instruments	Gives no greeting, does not ask for anything (but expects to be given it)

IT11	Communicates clearly and consistently with the anaesthetist	Sets positive tone with appropriate greeting. Sets clear goals and expectations	Proceeds with next step of procedure without anaesthetic advice (where required)	Fails to inform anaesthetist of key phase requiring anaesthetic cooperation
IT12	Demonstrates familiarity and understanding of the use of alignment jigs	Clearly indicates to the nurse what instrument is required next in the sequence of jigs. In particular indicates whether they will proceed down a femoral or tibial route first	Responds aggressively to being offered the wrong jig because it is not that which they asked for.	Does not ask positively for exactly what they require in terms of jig in the appropriate sequence
IT13	Understands tibial and femoral referencing	Iterates clearly that they are using anterior posterior or transcondylar referencing principles in the use of the jigs	Enable to iterate a firm conclusion as to what referencing system they are using	Places the jig with no obvious regard to femoral rotation
IT14	Understands flexion and extension gap balance	Uses the blocks to indicate they are balancing the flexion and extension gap and uses associated rods	Fails to use alignment devises to demonstrate balance	Fails to check the position of the anatomical axis
IT15	Demonstrates ability to achieve a balanced tibial femoral and patellofemoral implantation	Places trial components and patella component included if appropriate. Carries out a thumbs off test	Makes no attempt to use the trial implants to check position and flexion extension.	Goes straight from blocks to final implants without using appropriate range of provisionals
IT16	Demonstrates ability to cement the components into place	Briefs the nurse when ready to insert cement. Places the cement on the bone and/or the implant without using too much or too little. Pushes the components into place with the appropriate devices. Removes excess cement and ensures the cement is retained under compression until it is demonstrably set at the implant interface	Continues to flex and extend the knee before the cement is set.	Fails to ensure that the articulating surfaces are free of cement before it goes hard and does not retain compression on the implant until the cement is demonstrably set

	Post-operative management			
PM1	Ensures the patient is transferred safely from the operating table to bed	Personally takes part in the transfer of the patient from the operating table to the bed.	Leaves the operating room prior to the transfer	Fails to check patient once they are in bed
		Checks the patients leg is lying comfortably and that there are palpable distal pulses and capillary filling		
PM2	Constructs a clear operation note	Makes a legibly written or clearly dictated note	Writes illegibly, mumbles on dictaphone	Fails to write or dictate anything at all
РМ3	Records clear and appropriate post- operative instructions	Writes in clear text a list of post- operative instructions in the notes	Gives verbal instructions to a passing nurse	Fails to write anything in the notes at all
PM4	Deals with specimens. Labels and orientates specimens appropriately	Personally arranges specimens for pathologist	Delegates checking labels to junior	Does not label specimens

Generic pba tool

[Specialty] PBA: [Procedure] SURGICAL

APPROVED

Trainee:	Assessor:	Date:	
Start time:	End time:	Duration:	
Operation more difficult than usual? Yes / No (If yes, state reason)			

Score: N = Not observed or not appropriate D= Development required S = Satisfactory

Compe	tencies and Definitions	Score N/D/S	Comments
	Consent		
C1	Demonstrates sound knowledge of indications and contraindications including alternatives to surgery		
C2	Demonstrates awareness of sequelae of operative or non-operative management		
C3	Demonstrates sound knowledge of complications of surgery		
C4	Explains the perioperative process to the patient and/or relatives or carers and checks understanding		
C5	Explains likely outcome and time to recovery and checks understanding		
	Pre-operative planning		
PL1	Demonstrates recognition of anatomical and pathological abnormalities (and relevant co-morbidities) and selects appropriate operative strategies/techniques to deal with these e.g. nutritional status		
PL2	Demonstrates ability to make reasoned choice of appropriate equipment, materials or devices (if any) taking into account appropriate investigations e.g. x-rays		
PL3	Checks materials, equipment and device requirements with operating room staff		
PL4	Ensures the operation site is marked where applicable		
PL5	Checks patient records, personally reviews investigations		

	Pre-operative preparation	
PR1	Checks in theatre that consent has been obtained	
PR2	Gives effective briefing to theatre team	
PR3	Ensures proper and safe positioning of the patient on the operating table	
PR4	Demonstrates careful skin preparation	
PR5	Demonstrates careful draping of the patient's operative field	
PR6	Ensures general equipment and materials are deployed safely (e.g. catheter, diathermy)	
PR7	Ensures appropriate drugs administered	
PR8	Arranges for and deploys specialist supporting equipment (e.g. image intensifiers) effectively	
	Exposure and closure	
E1	Demonstrates knowledge of optimum skin incision / portal / access	
E2	Achieves an adequate exposure through purposeful dissection in correct tissue planes and identifies all structures correctly	
E3	Completes a sound wound repair where appropriate	
E4	Protects the wound with dressings, splints and drains where appropriate	

Compe	tencies and Definitions	Score N/D/S	Comments
	Intra operative Technique	117 07 0	
IT1	Follows an agreed, logical sequence or protocol for the procedure		
IT2	Consistently handles tissue well with minimal damage		
IT3	Controls bleeding promptly by an appropriate method		
IT4	Demonstrates a sound technique of knots and sutures/staples		
IT5	Uses instruments appropriately and safely		
IT6	Proceeds at appropriate pace with economy of movement		
IT7	Anticipates and responds appropriately to variation e.g. anatomy		
IT8	Deals calmly and effectively with unexpected events/complications		
IT9	Uses assistant(s) to the best advantage at all times		
IT10	Communicates clearly and consistently with the scrub team		
IT11	Communicates clearly and consistently with the anaesthetist		
	Post-operative management		
PM1	Ensures the patient is transferred safely from the operating table to bed		
PM2	Constructs a clear operation note		
РМ3	Records clear and appropriate post-operative instructions		
PM4	Deals with specimens. Labels and orientates specimens appropriately		

Trainer feedback	
Trainee Reflection	
Trained Reneditori	

Global summary

Level at wh	Level at which completed elements of the PBA were performed Tick as appropriate		
Level 0	Insufficient evidence observed to support a judgment		
Level 1	Unable to perform the procedure under supervision		
Level 2	Able to perform the procedure under supervision		
Level 3	Able to perform the procedure with minimum supervision (would need occasional help)		
Level 4	Able to perform the procedure unsupervised (could deal with complications)		

Signatures:

Trainee:	Assessor(s):

Appendix 2

Hand interface syllabus

VIVIEN LEES, DAVID SHEWRING IAN EARDLEY, DAVID PITTS

(on behalf of the Hand Surgery Interface Group)

Nationally recognised specialist hand surgery posts require training in aspects of both T&O and plastic surgery. The following syllabus, approved by GMC for plastic surgery, is the syllabus to be used by interface trainees. Trainees

Syllabus Structure

This syllabus is structured on a modular basis. The modules are based on those originally used by FESSH, the BSSH Instructional Courses and the BSSH Postgraduate Diploma in Hand Surgery (BSSH/UoM).

The modules are as follows:

- Skin and soft tissue (including microsurgery and Dupuytren's disease)
- Fractures and joint injuries (including wrist instability)
- Osteoarthritis and inflammatory arthritis
- Tendon
- Nerve
- The child's hand, vascular anomalies and tumours of the hand

Within each module, there are three levels of topics, reflecting progressive complexity. These levels are entitled Basic, Intermediate and Advanced.

It is envisaged that trainees in the Interface Hand Fellowships will achieve:

- Level 4 competence in all basic topics in every module
- · Level 4 competence in all intermediate topics in every module
- Level 4 competence of all advanced topics in 3 modules

These individuals will be capable of working as interface consultants e.g. plastic surgeon working in an orthopaedic department etc.

Final Years trainees who train in a mono-specialty and who wish to specialise in hand surgery will be expected to achieve:

- Level 4 competence in all basic topics in every module
- Level 4 competence in all intermediate topics in 3 modules
- Level 4 competence of all advanced topics in 2 modules

MODULES

Topic	HAND
Category	ST7/8 Final Years and TIG Fellows
Module 1	Skin / Soft tissue / Microsurgery / Dupuytren's Disease
Objective	Acquire competence in the diagnosis and management of soft tissue problems around the hand and upper limb including traumatic loss. Acquire competence in all aspects of care of Dupuytren's disease.
	BASIC Should demonstrate knowledge of: anatomy, embryology, physiology of skin, blood supply and blood flow, models of skin blood supply mechanism of action of pharmacology on the microcirculation, elements of wound healing, organisms causing soft tissue infection including, microbiology of infecting organisms, surgical pathology and spread of infection, surgical and pathological anatomy of Dupuytren's disease in the palm and digits. INTERMEDIATE Should demonstrate knowledge of:
Knowledge	 range, indications and principles of operations to treat conditions listed in this module, post-operative complications and their management, hand therapy interventions for wound & scar management, reduction of swelling and management of stiffness, levels of amputation for the upper limb, principles of microvascular surgery, principles of replantation including macroreplantation. sciences of pathogenesis of Dupuytren's disease. ADVANCED Should demonstrate knowledge of: recent advances in wound healing including wound healing technology such as vacuum-assisted closure, ancillary investigations including those pertinent to vascular compromise

	 techniques to raise vascularised free tissue transfers including lateral arm flap, latissimus dorsi flap, gracilis flap, toe transfer, management of the mutilating hand injury including rollover injury, gunshot injury, management of extravasation and high-pressure injection injury to the hand. management of thermal injury to the hand including local treatment of scald, flame, chemical & electrical burns and frostbite,
	BASIC
	Should perform:
	 assessment and non-operative management of the acute surgical patient including targeted hand-related history and hand examination.
	INTERMEDIATE
Clinical Skills	Should demonstrate ability to:
	devise management algorithms for the conditions covered in this section including investigations.
	ADVANCED
	Should demonstrate abilities of
	analysis and diagnostic synthesis, judgement, surgical planning.
	BASIC
	Should be able to perform:
Technical Skills and Procedures	 nail bed repair, different types of skin grafts including split skin/full thickness skin graft, palmar fasciectomy for Dupuytren's disease, fasciocutaneous flaps around the forearm. variety of flap reconstructions, local flap (transposition, rotation, island), microsurgical techniques including simulation-based exercises arterial and venous repair – small and medium vessels
	INTERMEDIATE
	Should be able to perform:
	 fingertip reconstruction: heterodigital flap reconstruction including cross- finger flap, thenar flap, Foucher flap, and homodigital neurovascular island flaps

- application of mechanical vacuum suction device for appropriate wounds,
- debridement of complex wounds,
- fasciectomy for MCPJ contracture (Dupuytren's disease),
- fasciectomy with correction of PIPJ contracture.

ADVANCED

Should be able to perform:

- planning and execution of flap reconstruction
 - distant flap e.g. groin, posterior interosseous artery flap, radial forearm flap
- free tissue transfer flap elevation
 - elevation of variety of free tissue transfers e.g. lateral arm flap, latissimus dorsi muscle flap, second toe transfer etc., includes cadaver based flap elevation as part of simulation exercises
- microsurgical techniques
 - o microsurgical free tissue transfer
 - o revascularisation digit or upper limb part
 - o replantation of digit or upper limb segment
- fasciectomy for recurrence of Dupuytren's disease,
- dermofasciectomy for Dupuytren's disease.

Topic	HAND
Category	ST7/8 Final Years and TIG Fellows
Module 2	Fractures and Joint Injuries including Wrist Instability
Objective	Acquire competence in the diagnosis and management of all types of fractures of the phalanges, metacarpals, carpus and distal radius. Acquire competence in the diagnosis and management of the unstable wrist including distal radioulnar joint.
	 pathophysiology of fracture healing including non-union and malunion, principles of operative and non-operative management of hand and wrist fractures, detailed anatomy of: radio-carpal/DRUJ/MCP/PIP/DIP joints and CMC joint of the thumb ligamentous anatomy of these joints and how it influences treatment available imaging techniques and their interpretation: plain and stress radiographs of the wrist and hand. other specific views relevant to particular situations role of: MRI/bone scan / ultrasound / arthrography / arthroscopy for investigating the hand and wrist
Knowledge	INTERMEDIATE Should be able to demonstrate knowledge of • detailed management of fractures and dislocations of bones and joints of hand and wrist including carpus and distal radioulnar joint, • normal biomechanics of the osseoligamentous structures of the hand and wrist. ADVANCED Should be able to demonstrate knowledge of • detailed wrist anatomy, • pathophysiology of wrist instability / recognised patterns of instability and their clinical presentation, • investigations for complex joint disorders and wrist instability,

	 appropriate interventions for wrist instability through knowledge of indications, indications for diagnostic and therapeutic wrist arthroscopy.
	BASIC
	Should demonstrate ability to
	 clinically assess fractures, dislocations and ligamentous injuries of the hand and wrist, assess the unstable wrist,
	manage common fractures of the hand and wrist,apply a range of plaster splints.
	INTERMEDIATE
	Should demonstrate ability to
Clinical skills	 manage more complex fractures of the hand and wrist, manage distal radius and scaphoid fractures by standard techniques.
	ADVANCED
	Should demonstrate ability to
	 clinically assess and manage complex fractures of the distal radius and scaphoid, manage ligamentous injury of the carpus and distal radioulnar joint, manage malunion and non-union of fractures of the phalanges, carpus and distal radius.
	BASIC
	Should be able to perform
	 simulation-based exercises of the techniques for fracture fixation: closed reduction with application splint or cast, K-wiring and interosseous wiring, plate and screws, and lag screw.
Technical Skills and Procedures	INTERMEDIATE
	Should be able to perform
	 closed K-wiring for: CMC/PIP joint dislocations phalangeal/metacarpal fractures distal radius fractures (pins & plaster) open fixation of metacarpal fractures, open fixation of uncomplicated distal radius fractures,

 repair of ulnar collateral ligament of MCPJ of thumb (Gamekeeper's thumb), application of external fixator to upper limb.
ADVANCED
Should be able to perform
 open fixation of phalangeal fractures, operative treatment of intra-articular fractures of the PIP joint, open fixation of complex distal radius fractures, scaphoid fracture fixation (acute and for non-union), vascularised bone grafting for scaphoid non-union, Operative stabilisation of acute carpal disruptions, ligament stabilisation procedures for chronic problems of the, scapholunate, lunotriquetral CMC joints and midcarpal instability, bone transport, and Should be able to use bone substitutes.

Topic	HAND
Category	ST7/8 Final Years and TIG Fellows
Module 3	Osteoarthritis and Inflammatory Arthritis
Objective	Acquire competence in the diagnosis and management of all aspects of management of osteoarthritic joints of the hand and wrist. Acquire competence in the diagnosis and management of all aspects of management of inflammatory arthritis of the hand and wrist.
	BASIC
Knowledge	Should be able to demonstrate knowledge of: • pathophysiology of osteoarthritis, inflammatory arthritis and septic arthritis including appreciation of patterns of disease. • imbalances and deformities associated with inflammatory arthritis • pathomechanics of common rheumatoid hand deformities including: • distal radioulnar joint subluxation and carpal translocation • MCPJ subluxation and ulnar drift • digital boutonnière and swan neck • thumb deformity and CMC disease • principles of arthroplasty. INTERMEDIATE Should be able to demonstrate knowledge of: • principles and detailed management of the common osteoarthritic disorders of the hand and wrist including the basal joint of the thumb, • principles and detailed management of rheumatoid arthritis in the hand and wrist, • aetiology, pathomechanics of deformity in inflammatory arthritides including understanding disease patterns, • biomechanics of small joint replacement, • place of soft tissue reconstruction, joint fusion, • replacement, interposition and excision arthroplasty in the treatment of the rheumatoid hand and wrist, • planning and prioritising treatment within an MDT setting. ADVANCED Should be able to demonstrate knowledge of:
	principles and detailed management of more complex and osteoarthritic disorders of the hand including secondary osteoarthritis,

	 surgical and non-surgical management of the wrist, tendons, small joints and imbalance disorders (swan neck and boutonnière) occurring in rheumatoid arthritis, pathology, mechanisms of deformity and management of other inflammatory conditions (non-rheumatoid) affecting the hand and wrist, management of Kienbőch's disease and Madelung's deformity.
	BASIC
	Should demonstrate ability to:
	 clinically assess the arthritic patient and recognise the typical patterns of disease, demonstrate conservative management techniques including splinting, exercises and understanding of occupational therapy assessment and provision of aids to daily living, undertake external K-wire removal.
	INTERMEDIATE
	Should demonstrate ability to
Clinical Skills	 undertake detailed examination of the patient with inflammatory arthritis to demonstrate the features of: distal radioulnar joint subluxation and carpal translocation MCPJ subluxation and ulnar drift digital boutonnière and swan neck thumb deformity and CMCJ disease diagnose pathology through local anaesthetic joint injection techniques, undertake treatment by joint injection, includes simulation-based exercises for joint injection techniques
	ADVANCED
	Should demonstrate knowledge of detailed management algorithms for the conditions covered in this module including complex conditions.
	BASIC
Technical Skills and Procedures	Should be able to perform: harvesting of iliac bone graft / radius bone graft, simulation-based exercises of wrist arthroscopy
	INTERMEDIATE

Should be able to perform: arthrodesis of DIPJ / PIPJ/ MCPJ, trapeziectomy plus/minus soft tissue ligamentous reconstruction, total wrist arthrodesis Darrach's procedure Suave-Kapandje procedure diagnostic wrist arthroscopy **ADVANCED** Should be able to perform therapeutic wrist arthroscopy e.g. TFCC debridement limited arthrodesis including STT, 4-corner, radiolunate variety of procedures for rheumatoid arthritis including MCPJ arthroplasty e.g. Swanson silicone spacer replacement, surface replacement arthroplasty, soft tissue arthroplasty with ligament reconstruction for instability, soft tissue correction for swan neck/boutonnière deformities joint replacement arthroplasty: PIP / CMCJ / Wrist / DRUJ

Topic	HAND
Category	ST7/8 Final Years and TIG Fellows
Module 4	Tendon and tendon-related disorders
Objective	Acquire competence in the diagnosis and management of all aspects of flexor and extensor tendon injuries and associated reconstruction. Detailed knowledge of the hand therapy and rehabilitation regimens for the same.
Knowledge	BASIC Should be able to demonstrate knowledge of: mechanisms of tendon injury and healing, pathophysiology of related tendon disorders. INTERMEDIATE Should be able to demonstrate knowledge of: principles of tendon transfer, biomechanics of the tendons and tendon sheath / pulleys, available suture techniques for repair of the divided tendon including multistrand repair, rehabilitation regimens for flexor and extensor tendon repair. ADVANCED Should be able to demonstrate knowledge of: recent advances in basic sciences of tendon injury and repair, basic science and evidence base informing use of different techniques of tendon repair and rehabilitation regimens, the role of the intrinsic muscles in facilitating co-ordinated tendon function.
Clinical Skills	BASIC Should demonstrate ability to: clinically assess the injured tendon and other tendon disorders, select use of relevant specialist imaging techniques such as ultrasound. INTERMEDIATE Should demonstrate ability to clinically assess and manage algorithms for the conditions covered in this module,

	 examine the stiff finger and distinguish flexor/extensor adhesions / primary or secondary joint stiffness.
	ADVANCED
	Should demonstrate ability to
	 undertake detailed assessment of and advise on complex tendon problems including reconstruction and reanimation of the hand in cases of tendon loss and nerve palsy using individualised tendon transfers, analyse and advise on modifications needed to standard therapy regimens to correct specific problems such as joint contracture.
	BASIC
Technical Skills and Procedures	Should be able to perform: extensor tendon repair flexor tendon repair (Zones III-V) tendon graft harvest extensor / flexor synovectomy trigger digit release Includes simulation-based exercises related to tendon surgery INTERMEDIATE Should be able to perform: De Quervain's release flexor tendon repair (multistrand)(Zones I & II) flexor or extensor tenolysis tendon transfer (EI-EPL) tenodesis (EDC replacement in partial EDC rupture)
	ADVANCED
	Should be able to perform:
	late reconstruction of flexor and extensor tendons:
	 tendon grafting 1 and 2-stage tendon transfer radial nerve set opponensplasty for opposition intrinsic replacement for claw hand
	 Intrinsic replacement for claw hand adductorplasty for key pinch

Topic	HAND
Category	ST7/8 Final Years and TIG Fellows
Module 5	Nerve and nerve-related disorders
Objective	Acquires competence in the diagnosis and management of all aspects of nerve related disorders including nerve compression, nerve palsy and nerve injuries along with associated reconstructive techniques. Acquires detailed knowledge of the rehabilitation regimens for the same.
Knowledge	BASIC Should demonstrate knowledge of: • topographic anatomy of peripheral nerve including brachial plexus, • response of peripheral nerve to injury and repair, • pathophysiology of nerve compressive disorders. • appropriate outcome assessment instruments. INTERMEDIATE Should demonstrate knowledge of: • techniques of nerve repair, • mechanisms of brachial plexus injury, the patterns of injury and outline treatment options, • pathophysiology and classification of CRPS and neuropathic pain problems. ADVANCED Should demonstrate knowledge of: • appropriate use of nerve grafts and other conduits, • techniques of nerve reconstruction, neurotisation, and muscle transfers for reanimation of the upper limb, • principles of management and classification systems pertinent to cerebral palsy and tetraplegia, • pharmacological and non-pharmacological methods for the relief of nerve-related pain problems.
Clinical Skills	BASIC Should demonstrate ability to:

- · clinically assess nerve-related disorders including brachial plexus,
- apply relevant specialist imaging techniques such as electrophysiological investigation and ultrasound,
- prevent iatrogenic nerve injury.

INTERMEDIATE

Should demonstrate ability to:

- clinically assess and manage algorithms for the conditions covered in this module.
- assessment of nerve function using specific equipment used in rehabilitation and assessment (such as Semmes Weinstein filaments).

ADVANCED

Should demonstrate ability to:

- clinically assess brachial plexus and obstetrical brachial plexus injury including acute and interval treatment,
- clinically assess the spastic and tetraplegic upper limb.
- define the management algorithm of the iatrogenic nerve injury.

BASIC

Should be able to perform:

- peripheral nerve repair including digital nerve including simulation-based exercises for microsurgical peripheral nerve repair
- nerve graft harvest
- carpal tunnel release
- cubital tunnel release (simple decompression)

INTERMEDIATE

Technical Skills and Procedures

Should be able to perform:

- nerve decompression:
 - o cubital tunnel release (transposition / medial epicondylectomy)
 - o revision carpal tunnel release
- nerve grafting for segmental nerve defect

ADVANCED

Should be able to perform:

- nerve decompression
 - ulna nerve in Guyon's canal

|--|

Topic	HAND		
Category	ST7/8 Final Years and TIG Fellows		
Module 6	The Child's Hand, Vascular Disorders and Tumours		
Objective	Acquire overall competence in the diagnosis and management of children's hand problems with emphasis on congenital hand conditions. Acquire competence in the management of vascular disorders and neoplastic conditions of the upper limb in both children and adults. Demonstrate knowledge of the aetiology, classification, risk factors and surgical management of these conditions.		
Knowledge	Should demonstrate knowledge of: principles of management of children's hand disorders including classification, reconstructive principles and timing of operations for congenital difference, embryology of the upper limb and the mechanisms of malformation, patterns of normal growth and development management of vascular injury including compartment syndrome principles of management of soft tissue and bony tumours particularly the more common swellings found around the hand management of upper limb tumours with reference to surgical oncology including biopsy techniques, excision margins, management of regional lymph nodes, formal amputations. INTERMEDIATE Should demonstrate knowledge of: the following conditions of the Child's Hand: trigger digits, polydactyly including thumb duplication, simple syndactyly, epiphyseal injury (Salter Harris) management of vascular insufficiency syndromes, - haemangiomas and vascular malformations, management of soft tissue and bony tumours including formal amputations, reconstructions, principles of management of skin cancer occurring in the upper limb and management of the regional lymph nodes. ADVANCED Should demonstrate knowledge of: the following conditions of the Child's Hand:		
	 complex syndactyly (e.g. Apert's hand) radial dysplasia (radial club hand), ulnar dysplasia thumb hypoplasia upper limb malformations in arthrogryposis 		

	 Madelung's deformity Constriction band syndrome cerebral palsy, spasticity use of prosthetics vascular lesions including vascular malformations, management of acute and chronic vascular insufficiency syndromes including compartment syndrome / Volkmann's ischaemic contracture. classification systems and histopathology relevant to neoplasms of the upper limb including skin cancer, sarcoma and bone tumours, modalities of treatment including non-surgical and surgical options, surgical margins for the commoner tumours, options for reconstruction of the surgically excised defect, adjuvant treatments used in combination with surgery for malignant neoplasms.
	BASIC
	Should demonstrate ability to:
	 clinically assess and deliver non-operative management of the Child's Hand disorder, in respect of cancer diagnoses demonstrates the skill set necessary to advise a patient of such diagnosis. work and communicate within the relevant multidisciplinary team (MDT)
	INTERMEDIATE
Clinical Skills	Should demonstrate ability to apply a working knowledge of the management algorithms to the conditions covered in this module.
	ADVANCED
	Should demonstrate:
	 skills of analysis and diagnostic synthesis, judgement, and surgical planning. in respect of the Child's Hand, the ability to advise regarding timing of reconstruction and effect of growth on reconstructive surgery previously performed,
	 in respect of vascular disorders shows the ability to advise regarding conservative, non-surgical and surgical treatment options,

in respect of neoplastic conditions of the upper limb the shows the ability to provide detailed advice on the treatment pathway, including interpretation of

specialist imaging, within the context of the relevant MDT.

	BASIC				
	Should be able to perform:				
	 surgery for uncomplicated traumatic conditions of the Child's Hand, excision of small superficial vascular malformations, ganglion excision (dorsal wrist, volar wrist, DIPJ) safe biopsy for suspected tumours of the upper limb 				
	INTERMEDIATE				
	Should be able to perform:				
Technical Skills and Procedures	 trigger thumb/finger release simple syndactyly separation correction of duplicate thumb correction of polydactyly reconstruction of vascular defects by vein grafting, excision of vascular malformations involving multiple tissue layers, fasciotomies for compartment syndrome, excision of giant cell tumour of tendon sheath, excision/curettage enchondroma, removal of swellings from nerves e.g. Schwannoma excision of other benign tumours of bone and soft tissue. ADVANCED				
	complex syndactyly correction radialisation radial club hand application external distraction devices for radial club hand pollicisation cleft hand correction recreation of first web space (various conditions) excision of major vascular malformations and reconstruction resultant defects excision of malignant tumours of bone and soft tissue including compartmentectomy and reconstruction of resultant defects. axillary lymphadenectomy				

Appendix 3

Core Surgical Training Syllabus

Module 1	BASIC SCIENCES	ASSESSMENT TECHNIQUE	SIMULATION TECHNIQUES
Module 1	To acquire and demonstrate underpinning basic science knowledge appropriate for the practice of surgery, including: Applied anatomy: Knowledge of anatomy appropriate for surgery Physiology: Knowledge of physiology relevant to surgical practice Pharmacology: Knowledge of pharmacology relevant to surgical practice centred around safe prescribing of common drugs Pathology: Knowledge of pathological principles underlying system specific pathology Microbiology: Knowledge of microbiology relevant to surgical practice lmaging:		
	 Knowledge of the principles, strengths and weaknesses of various diagnostic and interventional imaging methods 		Team-Based clinical Scenario training
			Optional Human Factors
			training
	Applied anatomy:		
Knowledge	 Development and embryology Gross and microscopic anatomy of the organs and other structures 		

- Surface anatomy
- Imaging anatomy

This will include anatomy of thorax, abdomen, pelvis, perineum, limbs, spine, head and neck as appropriate for surgical operations that the trainee will be involved with during core training (see Module 2).

Physiology:

General physiological principles including:

- Homeostasis
- Thermoregulation
- Metabolic pathways and abnormalities
- Blood loss and hypovolaemic shock
- Sepsis and septic shock
- Fluid balance and fluid replacement therapy
- Acid base balance
- Bleeding and coagulation
- Nutrition

This will include the physiology of specific organ systems relevant to surgical care including the cardiovascular, respiratory, gastrointestinal, urinary, endocrine and neurological systems.

Pharmacology:

- The pharmacology and safe prescribing of drugs used in the treatment of surgical diseases including analgesics, antibiotics, cardiovascular drugs, antiepileptic, anticoagulants, respiratory drugs, renal drugs, drugs used for the management of endocrine disorders (including diabetes) and local anaesthetics.
- The principles of general anaesthesia
- The principles of drugs used in the treatment of common malignancies

Pathology:

General pathological principles including:

- Inflammation
- Wound healing
- Cellular injury
- Tissue death including necrosis and apoptosis
- Vascular disorders
- Disorders of growth, differentiation and morphogenesis
- Surgical immunology
- Surgical haematology
- Surgical biochemistry
- Pathology of neoplasia
- Classification of tumours
- Tumour development and growth including metastasis
- Principles of staging and grading of cancers
- Principles of cancer therapy including surgery, radiotherapy, chemotherapy, immunotherapy and hormone therapy
- Principles of cancer registration
- Principles of cancer screening
- The pathology of specific organ systems relevant to surgical care including cardiovascular pathology, respiratory pathology, gastrointestinal pathology, genitourinary disease, breast, exocrine and endocrine pathology, central and peripheral, neurological systems, skin, lymphoreticular and musculoskeletal systems

Microbiology:

- Surgically important micro organisms including blood borne viruses
- Soft tissue infections including cellulitis, abscesses, necrotising fasciitis, gangrene
- Sources of infection
- Sepsis and septic shock
- Asepsis and antisepsis
- Principles of disinfection and sterilisation
- Antibiotics including prophylaxis and resistance
- Principles of high risk patient management
- Hospital acquired infections

Imaging:	
 Principles of diagnostic and interventional imaging including x- rays, ultrasound, CT, MRI. PET, radiounucleotide scanning 	

MODULE 2	COMMON SURGICAL CONDITIONS	ASSESSMENT TECHNIQUE	SIMULATION TECHNIQUES
Objective	This section assumes that trainees have general medical competences consistent with a doctor leaving Foundation in the UK. It also assumes an ongoing commitment to keeping these skills and knowledge up to date as laid out in GMP. It is predicated on the value that surgeons are doctors who carry our surgery and require competence.	Certificate of successful completion of course	Essential: A basic surgical skills course designed to meet the objectives of this module
	To demonstrate understanding of the relevant basic scientific principles for each of these surgical conditions and to be able to provide the relevant clinical care as defined in modules assessment and management as defined in		A basic laparoscopic skills course
	Modules 1 and 4.		An anastomosis work shops
			Desirable
			Access to a cadaveric / wet lab
			Access to high fidelity laparoscopic simulators
			Access to angiographic simulators
			Vascular ultrasound courses

			1
or syndro	ng symptoms omes Abdominal pain Abdominal swelling Change in cowel habit Gastrointestinal naemorrhage Rectal bleeding Dysphagia Dyspepsia Jaundice	To include the following conditions	Access to a cadaveric/ wet lab access for surgical approaches to fractures
		hepatic, gall bladder and pancreatic	
Breast di	isease	To include the following	
• /	Breast lumps and nipple discharge Acute Breast pain	Benign and malignant breast lumps Mastitis and breast abscess	
Periphera disease	al vascular	To include the following conditions	

Presenting symptoms or syndrome Chronic and acute limb ischaemia Aneurismal disease Transient ischaemic attacks Varicose veins Leg ulceration	 Atherosclerotic arterial disease Embolic and thrombotic arterial disease Venous insufficiency Diabetic ulceration 	
Cardiovascular and pulmonary disease	To include the following conditions	
Genitourinary disease Presenting symptoms or syndrome Loin pain Haematuria Lower urinary tract symptoms Urinary retention Renal failure Scrotal swellings Testicular pain	To include the following conditions Genitourinary malignancy Urinary calculus disease Urinary tract infection Benign prostatic hyperplasia Obstructive uropathy	
Trauma and orthopaedics Presenting symptoms or syndrome	To include the following conditions • Simple fractures and joint dislocations	

Traumatic limb and joint pain and deformity Chronic limb and joint pain and deformity Back pain	 Fractures around the hip and ankle Basic principles of Degenerative joint disease Basic principles of inflammatory joint disease including bone and joint infection Compartment syndrome Spinal nerve root entrapment and spinal cord compression Metastatic bone cancer Common peripheral neuropathies and nerve injuries 	
Disease of the Skin, Head and Neck Presenting symptoms or syndrome Lumps in the neck Epistaxis Upper airway obstructions	To include the following conditions Benign and malignant skin lesions Benign and malignant lesions of the mouth and tongue	
Neurology and Neurosurgery Presenting symptoms or syndrome Headache Facial pain Coma Endocrine	To include the following conditions • Space occupying lesions from bleeding and tumour To include the following conditions	

Presenting symptoms or syndrome • Lumps in the neck • Acute endocrine crises	 Thyroid and parathyroid disease Adrenal gland disease Diabetes 		
---	--	--	--

MODULE 3	BASIC SURGICAL SKILLS	ASSESSMENT TECHNIQUE	SIMULATION TECHNIQUES
Objective	 Preparation of the surgeon for surgery Safe administration of appropriate local anaesthetic agents Acquisition of basic surgical skills in instrument and tissue handling. Understanding of the formation and healing of surgical wounds Incise superficial tissues accurately with suitable instruments. Close superficial tissues accurately. Tie secure knots. 	WBA- PBA, CBD, DOPS	Essential A Basic surgical skills course designed to meet the objectives of this module Desirable:

•	Safely use surgical diathermy Achieve haemostasis of superficial vessels. Use suitable methods of retraction. Knowledge of when to use a drain and which to choose. Handle tissues gently with appropriate instruments. Assist helpfully, even when the operation is not familiar. Understand the principles of anastomosis Understand the principles of endoscopy	Access to a Basic Surgical Skills Laboratory Local anastomosis workshops Cadaveric / Wet lab training
		Endoscopy simulators
Knowledge Princip	les of safe surgery	
•	Preparation of the surgeon for surgery Principles of hand washing, scrubbing and gowning Immunisation protocols for surgeons and patients	
Admini	istration of local anaesthesia	
	Choice of anaesthetic agent Safe practise	
Surgica	al wounds	
•	Classification of surgical wounds Principles of wound management Pathophysiology of wound healing Scars and contractures Incision of skin and subcutaneous tissue:	

	Ţ
	Knot tying Range and choice of material for suture and ligation Safe application of knots for surgical sutures and ligatures
	 Haemostasis: Surgical techniques Principles of diathermy Tissue handling and retraction: Choice of instruments Biopsy techniques including fine needle aspiration cytology
	Use of drains: Indications Types Management/removal Principles of anastomosis Principles of surgical endoscopy
Clinical Skills	 Preparation of the surgeon for surgery Effective and safe hand washing, gloving and gowning Administration of local anaesthesia Accurate and safe administration of local anaesthetic agent
	 4 Preparation of a patient for surgery Creation of a sterile field Antisepsis Draping
Technical Skills and Procedures	Preparation of the surgeon for surgery Effective and safe hand washing, gloving and gowning
	Administration of local anaesthesia Accurate and safe administration of local anaesthetic agent

4 Incision of skin and subcutaneous tissue:
Ability to use scalpel, diathermy and scissors 4 Closure of skin and subcutaneous tissue:
 Accurate and tension free apposition of wound edges Knot tying:
 Single handed Double handed Instrument Superficial Deep
3 Haemostasis:
 Control of bleeding vessel (superficial) Diathermy Suture ligation Tie ligation Clip application Transfixion suture
4 Tissue retraction:
Tissue forcepsPlacement of wound retractors
3 Use of drains:
InsertionFixationRemoval
3 Tissue handling:
 Appropriate application of instruments and respect for tissues Biopsy techniques

4 Skill as assistant:	
Anticipation of needs of surgeon when assisting	

MODULE 4	THE ASSESSMENT AND MANAGEMENT OF THE SURGICAL PATIENT	ASSESSMENT TECHNIQUE	SIMULATION TECHNIQUES
		Examinations- MRCS	Essential: ATLS course
			CCrisp course
			Desirable
Objective	To demonstrate the relevant knowledge, skills and attitudes in assessing the patient and manage the patient, and propose surgical or non-surgical management.		Interactive human patient simulators and manikins
			Life Support and Critical Care training
			Team-Based clinical Scenario training
			Optional:
			Human Factors training
Knowledge	The knowledge relevant to this section will be variable from patient to patient and is covered within the rest of the syllabus – see common		

	surgical conditions in particular (Module 2).
	As a trainee develops an interest in a particular speciality then the principles of history taking and examination may be increasingly applied in that context.
	4 Surgical history and examination (elective and emergency)
	3 Construct a differential diagnosis
	3 Plan investigations
	3 Clinical decision making
	3 Team working and planning
	Case work up and evaluation; risk management
Clinical Skills	Active participation in clinical audit events
	3 Appropriate prescribing
	3 Taking consent for intermediate level intervention; emergency and elective
	3 Written clinical communication skills
	3 Interactive clinical communication skills: patients
	3 Interactive clinical communication skills: colleagues

MODULE 5	PERI-OPERATIVE CARE	ASSESSMENT TECHNIQUE	SIMULATION TECHNIQUES
Objective	To assess and manage pre- operative risk	WBA Course test completion certificate	Essential:

	To manage patient care in the peri-	A CCrisp Course
	operative period	Conop Course
	To conduct safe surgery in the operating theatre environment	A basic surgical skills Course
	To assess and manage bleeding including the use of blood products	
	To care for the patient in the post- operative period including the assessment of common complications	Life Support and Critical Care training
	To assess, plan and manage post- operative fluid balance	Desirable
	To assess and plan perioperative nutritional management	Interactive human patient simulators and manikins
	To prevent, recognise and manage delirium in the surgical patient within the appropriate legal framework in place across the UK (see footnote).	Team-Based clinical Scenario training
	Footnote The relevant legislation includes:	
	 Mental Capacity Act (2005) Mental Health Act (1983 and 2007) Adults with Incapacity (Scotland) Act (2000) 	Human Factors training
	 Mental Health (Care and Treatment) (Scotland) Act (2003) Adult Support and Protection (Scotland) Act 	Part trainer skills lab- tranining in-
	(2007)	CVP line and urethral catheterisation simulators
	Pre-operative assessment and management:	
Knowledge	 Cardiorespiratory physiology Diabetes mellitus and other relevant endocrine disorders Fluid balance and homeostasis 	

Renal failure Pathophysiology of sepsis prevention and prophylaxis Thromboprophylaxis Laboratory testing and imaging Risk factors for surgery and scoring systems Pre-medication and other pre-operative prescribing Principles of day surgery Intraoperative care: Safety in theatre including patient positioning and avoidance of nerve injuries Sharps safety Diathermy, laser use Infection risks Radiation use and risks Tourniquet use including indications, effects and complications Principles of local, regional and general anaesthesia Principles of invasive and non-invasive monitoring Prevention of venous thrombosis Surgery in hepatitis and HIV carriers Fluid balance and homeostasis Post-operative care: Post-operative monitoring Cardiorespiratory physiology Fluid balance and homeostasis Diabetes mellitus and other relevant endocrine disorders Renal failure Pathophysiology of blood

Pathophysiology of sepsis including SIRS and shock Multi-organ dysfunction

syndrome

- Post-operative complications in general
- Methods of postoperative analgesia

To assess and plan nutritional management

- Post-operative nutrition
- Effects of malnutrition, both excess and depletion
- Metabolic response to injury
- Methods of screening and assessment of nutritional status
- Methods of enteral and parenteral nutrition

Haemostasis and Blood Products:

- Mechanism of haemostasis including the clotting cascade
- Pathology of impaired haemostasis e.g. haemophilia, liver disease, massive haemorrhage
- Components of blood
- Alternatives to use of blood products
- Principles of administration of blood products
- Patient safety with respect to blood products

Coagulation, deep vein thrombosis and embolism:

- Clotting mechanism (Virchow Triad)
- Effect of surgery and trauma on coagulation
- Tests for thrombophilia and other disorders of coagulation
- Methods of investigation for suspected thromboembolic disease
- Principles of treatment of venous thrombosis and

including Role of V CTpulmo D-dimer a Place of p embolect Prophyla: thromboe Risk class managen Knowledg	xis of embolism: sification and nent of DVT ge of methods of n of DVT, cal and	
surgical p	sensitivities side-effects s of prophylaxis	
Metabolic and end in relation periope management		
hormone deficiency risks from Causes a hypercalcy hypocalca corticoste Causes a of Steroice Complicate mellitus Causes a hyponatra Causes a	and effects of caemia and aemia ations of croid therapy and consequences in insufficiency ations of diabetes and effects of aemia and effects of aemia and	
Delirium		
of deliriur	nd clinical features	

of delirium

	The imprest of delivirum on
	The impact of delirium on patient, family and garage
	patient, family and carers
	3 Pre-operative assessment and management:
Clinical Skills	History and examination of a patient from a medical and surgical standpoint Interpretation of preoperative investigations Management of comorbidity Resuscitation Appropriate pre-operative prescribing including premedication Intra-operative care: Safe conduct of intraoperative care Correct patient positioning Avoidance of nerve injuries Management of sharps injuries Prevention of diathermy injury Prevention of venous thrombosis
	 Writing of operation records Assessment and monitoring of patient's condition Post-operative analgesia Fluid and electrolyte management Detection of impending organ failure Initial management of organ failure Principles and indications for Dialysis Recognition, prevention and treatment of post-operative complications Haemostasis and Blood
	Products:

Recognition of conditions likely to lead to the diathesis Recognition of abnormal bleeding during surgery Appropriate use of blood products Management of the complications of blood product transfusion 3 Coagulation, deep vein thrombosis and embolism Recognition of patients at Awareness and diagnosis of pulmonary embolism and DVT Role of duplex scanning, venography and d-dimer measurement Initiate and monitor treatment of venous thrombosis and pulmonary embolism Initiation of prophylaxis Antibiotics: Appropriate prescription of antibiotics 3 Assess and plan pre-operative nutritional management Arrange access to suitable artificial nutritional support, preferably via a nutrition team including Dietary supplements, Enteral nutrition and Parenteral nutrition 3 Metabolic and endocrine disorders History and examination in patients with endocrine and electrolyte disorders

Investigation and management of

	thyrotoxicosis and hypothyroidism Investigation and management of hypercalcaemia and hypocalcaemia Peri-operative management of patients on steroid therapy Peri-operative management of diabetic patients Investigation and management of hyponatraemia Investigation and management of hyperkalaemia and hypokalaemia Investigation and management of hyperkalaemia and hypokalaemia Delirium Assessment of cognitive impairment seeking to differentiate dementia from delirium, with the knowledge that delirium is common in people with dementia Management of patients with delirium including addressing triggers and using non-pharmacological and pharmacological methods where appropriate Explanation of delirium to patients and advocates	
Technical Skills and	2 Central venous line insertion	
Procedures	4 Urethral catheterisation	

	1		
MODULE 6	ASSESSMENT AND MANAGEMENT OF PATIENTS WITH TRAUMA (INCLUDING THE MULTIPLY INJURED PATIENT)	ASSESSMENT TECHNIQUE	SIMULATION TECHNIQUES
		WBA	Essential:
		Course test and certificate	ATLS Course
	Assess and initiate management of patients with chest trauma		CCrisp Course
	who have sustained a head injurywho have sustained a spinal		Consp Course
	cord injury who have sustained		Desirable
	 abdominal and urogenital trauma who have sustained vascular trauma who have sustained a single 		Interactive human patient simulators and manikins
	or multiple fractures or dislocations • who have sustained traumatic skin and soft tissue injury • who have sustained burns		Life Support and Critical Care training
Objective	 Safely assess the multiply injured patient. Contextualise any combination of the above Be able to prioritise management in such 		Team-Based clinical Scenario training
	situation as defined by ATLS, APLS etc		Human Factors training
	It is expected that trainees will be able to show evidence of competence in the management of trauma (ATLS / APLS certificate or		Trauma management course
	equivalent).		Part trainer –skills lab providing training in-
			CVP, Chest drain, peritoneal lavage,urethral and suprapubic

		catheterisation simulators
	Scoring systems for assessment of the injured patient Major incident triage Differences In children	
	Pathogenesis of shock Shock and cardiovascular physiology Metabolic response to injury Adult respiratory distress syndrome Indications for using uncross matched blood	
Knowledge	 Gunshot and blast injuries Stab wounds Human and animal bites Nature and mechanism of soft tissue injury Principles of management of soft tissue injuries Principles of management of traumatic wounds Compartment syndrome 	
	Classification of burns Principle of management of burns Fractures Classification of fractures Pathophysiology of fractures	

	 Principles of management of fractures Complications of fractures Joint injuries 	
	Pathophysiology of thoracic trauma Pneumothorax Head injuries including traumatic intracranial haemorrhage and brain injury Spinal cord injury Peripheral nerve injuries Blunt and penetrating abdominal trauma Including spleen Vascular injury including iatrogenic injuries and intravascular drug abuse Crush injury	
	Principles of management of skin loss including use of skin grafts and skin flaps	
	General 4 History and examination	
	3 Investigation	
Clinical Skills	3 Referral to appropriate surgical subspecialties	
	4 Resuscitation and early management of patient who has sustained thoracic, head,	
	spinal, abdominal or limb injury according to ATLS and APLS guidelines	
	4 Resuscitation and early management of the multiply injured patient	
	3 Specific problems	

		 Management of the unconscious patient Initial management of skin loss Initial management of burns Prevention and early management of the compartment syndrome 	
	2	Central venous line insertion	
Table Sad	3	Chest drain insertion	
Technical Skills and Procedures	2	Diagnostic peritoneal lavage	
Fiocedules	4	Urethral catheterisation	
	2	Suprapubic catheterisation	

Module 7	SURGICAL CARE OF THE PAEDIATRIC	ASSESSMENT	SIMULATION
WIODULE 7	PATIENT	TECHNIQUE	TECHNIQUES
		WBA MRCS	Essential: CCrisp Course
	To assess and manage children with surgical problems, understanding the similarities and differences from adult surgical patients		Child protection training
Objective			Desirable
	To understand the issues of child protection and to take action as appropriate		Interactive human patient simulators
			Team-Based clinical Scenario training
Knowledge	 Physiological and metabolic response to injury and surgery Fluid and electrolyte balance Thermoregulation Safe prescribing in children Principles of vascular access in children Working knowledge of trust and Local Safeguarding Children Boards (LSCBs) and Child Protection Procedures Basic understanding of child protection law Understanding of Children's rights Working knowledge of types and categories of child maltreatment, presentations, signs and other features (primarily physical, emotional, sexual, neglect, professional) Understanding of one personal role, responsibilities 		

	 and appropriate referral patterns in child protection Understanding of the challenges of working in partnership with children and families 	
	 Recognise the possibility of abuse or maltreatment Recognise limitations of own knowledge and experience and seek appropriate expert advice Urgently consult immediate senior in surgery to enable referral to paediatricians Keep appropriate written documentation relating to child protection matters Communicate effectively with those involved with child protection, including children and their families 	
Clinical Skills	3 History and examination of the neonatal surgical patient 3 History and examination of paediatric surgical patient 3 Assessment of respiratory and cardiovascular status 3 Undertake consent for surgical procedures (appropriate to the level of training) in paediatric patients	

MODULE 8	MANAGEMENT OF THE DYING PATIENT	ASSESSMENT TECHNIQUE	SIMULATION TECHNIQUES
	Ability to manage the dying patient appropriately.	MRCS	Essential: Nil
Objective	To understand consent and ethical issues in patients certified DNAR (do not attempt resuscitation)		Desirable Team-Based clinical Scenario training
	Palliative Care: Good management of the dying patient in consultation with the palliative care team.		Human Factors training
	Care of the terminally ill Appropriate use of analgesia, antiemetics and laxatives		
Knowledge	Principles of organ donation: Circumstances in which consideration of organ donation is appropriate Principles of brain death Understanding the role of the coroner and the certification of death		
Clinical Skills	 Palliative Care: Symptom control in the terminally ill patient Principles of organ donation: Assessment of brain stem death Certification of death 		

Module 9	ORGAN AND TISSUE TRANSPLANTATION	ASSESSMENT TECHNIQUE	SIMULATION TECHNIQUES
Objective	To understand the principles of organ and tissue transplantation	MRCS	
Knowledge	 Principles of transplant immunology including tissue typing, acute, hyperactute and chronic rejection Principles of immunosuppression Tissue donation and procurement Indications for whole organ transplantation 		

MODULE 10	HEALTH PROMOTION
General Aspects	
Objective	This syllabus module aims to enable all surgical trainees to develop the competencies necessary to support patients in caring for themselves, to empower them to improve and maintain their own health.
Knowledge	 Damaging health and social issues such as excessive alcohol consumption, obesity, smoking and illicit drugs and the harmful effects they have on health The connection between mental health and physical health The importance of health education for promoting self-care for patients
Clinical Skills	3 Modification of explanations to match the intellectual, social and cultural background of individual patients 3 Patient centred care 4 Identification and utilisation of opportunities to promote health
Reference to other relevant syllabus items	 Nutrition (Module 5, Perioperative Care) Drugs and alcohol (Module 1, Pharmacology) Screening (Module 1, Pathology) Child protection (Module 7, Surgical Care of the Paediatric Patient)
Obesity	
Objective	 Recognise the health risks posed by obesity including an increased incidence of coronary heart disease, type 2 diabetes, hypertension, stroke, and some major cancers. Assess and explain the higher risks for obese individuals undergoing surgery.
Knowledge	 Classification of excess body mass Social, psychological and environmental factors that underpin obesity Physiological and metabolic effects of obesity on the surgical patient Available treatments for obesity including diet, exercise, medication and surgery
Clinical Skills	4 The ability to treat patients who are obese in a supportive and sensitive manner 3 Management of cardiovascular, respiratory and metabolic complications in patients with obesity undergoing surgery 2 Provide advice and guidance about weight loss to overweight and obese patients within the context of a multidisciplinary team

Dementia	
Objective	 Adapt surgical treatment in order to deliver high quality and person-centred care for patients with dementia Apply the appropriate legal framework to the treatment of patients with cognitive impairment
Knowledge	 Clinical features of dementia and the distinction between it and delirium The impact of dementia on patient, family and carers Principles and key provisions of the Mental Capacity Act 2005 and its provisions for the safeguarding of vulnerable adults
	3 Recognises cognitive impairment and appropriately refers 2 Management of surgical patients in the context of their dementia
Clinical Skills	4 A range of techniques and strategies to communicate effectively with people with dementia and their carers/families
	4 Assessment of capacity, involvement of advocates and documentation of consent and best interests
Exercise and physica	al fitness
Objective	 Promote the use of exercise in the prevention and management of long term chronic conditions such as coronary heart disease, diabetes, hypertension, obesity, cancer, osteoporosis, peripheral vascular disease and depression and the promotion of health and well being
Knowledge	 Physical inactivity as an independent risk factor for ill health and obesity Relationship between physical exercise programmes and healthy eating and smoking cessation programmes Government behaviour change programmes such as 'Let's Get Moving' and 'Shift into Sports'
	Utilisation of all patient interactions as opportunities for health and fitness promotion
Clinical Skills	4 Modification of advice on physical exercise to the specific requirements of individual patients

Curriculum Development Group 2015:

Andy Cole	Consultant T&O Surgeon , Southampton
Bhaskar Bhowal	Consultant T&O Surgeon, Leicester
Catherine Kellett	Consultant T&O, Glasgow
David Large	Vice Chair SAC – T&O
Simon Fleming	BOTA
Lisa Hadfield-Law	BOA Educational Advisor
Mark Goodwin	Chairman of the SAC in Trauma and Orthopaedics
Mike Reed	T&O surgeon, Northumbria
Phil Turner	Consultant Trauma and Orthopaedic Surgeon , Manchester
Simon Hodkinson	Consultant T&O surgeon Portsmouth
Steve Bale	Consultant Trauma and Orthopaedic Surgeon, Preston

Acknowledgements

The 2015 T&O Curriculum is the result of the endeavour of a large number of people over more than a decade of work. Particular thanks must go to David Pitts who was involved with the process from the outset and made a significant contribution to this version. A curriculum is an evolving entity and this iteration is a refinement of previous versions. Others will follow and change what has been achieved so far. All are sincerely thanked for their hard work.

Copyright

The contents of this document are the intellectual property of the authors and the copyright rests with the British Orthopaedic Association. No text should be reproduced from this document, in any form, without written permission of the authors or the copyright holders. All material from ISCP is copyright to ISCP.